Andhra Pradesh State Council of Higher Education

Question Paper Name: Metallurgy MT 30th Sep 2020 Shift 1

Subject Name: Metallurgy (MT)
Creation Date: 2020-09-30 12:15:36

Duration:120Total Marks:120Display Marks:NoShare Answer Key With Delivery Engine:YesActual Answer Key:Yes

Metallurgy (MT)

Group Number:

Group Id: 29996540

Group Maximum Duration: 0 **Group Minimum Duration:** 120 Show Attended Group?: No **Edit Attended Group?:** No Break time: 0 Group Marks: 120 Is this Group for Examiner?: No Revisit allowed for group Instructions?: Yes **Maximum Instruction Time:** 0 **Minimum Instruction Time:** 0

Metallurgy (MT)

Section Id: 29996540

Section Number:

Mandatory or Optional: Mandatory

Number of Questions :120Section Marks :120Display Number Panel :YesGroup All Questions :YesMark As Answered Required? :YesSub-Section Number :1

Sub-Section Id: 29996540

Question Shuffling Allowed: Yes

Question Number: 1 Question Id: 2999654681 Question Type: MCQ Display Question Number: Yes

Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



The eigen values of a matrix M are 15, 3, 0 then det(M) =____.

Options:

- 1. 20
- 2. 18
- _{3.} 0
- _{4.} –10

Question Number: 2 Question Id: 2999654682 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Suppose A is a real 3×3 orthogonal matrix. Then pick the only correct statement.

Options:

$$_{1.} det(A) = 2$$

$$_{2.} det(A) = \pm 1$$

$$_{3.} det(A) = \pm i$$

$$_{4.} det(A) = 0$$

Question Number: 3 Question Id: 2999654683 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

$$\underset{x\to 0}{\text{Limit}} \frac{\log x}{\cot x} = ?$$

Options:

- 1.
- $\frac{1}{2}$



- 3.
- 4

Question Number: 4 Question Id: 2999654684 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The value of the surface integral $\iint_S \overline{F} \cdot \hat{n} dS$ where $\overline{F} = 7x \hat{i} - z \hat{k}$ and S is the

sphere
$$x^2 + y^2 + z^2 = 4$$
 is

Options:

- _{1.} 4π
- $_{2}$ 64 π
- 3.
- 6π 4.

Question Number: 5 Question Id: 2999654685 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The particular integral of $\frac{d^3y}{dx^3} + 4\frac{dy}{dx} = \sin 2x$ is

Options:

$$\int_{1.}^{\frac{x}{4}} \sin 2x$$

$$\frac{-x}{8}\sin 2x$$

$$\int_{3.}^{\infty} \frac{x}{8} \sin x$$



$$4. \frac{-x}{4} \sin 2x$$

Question Number: 6 Question Id: 2999654686 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

How many boundary conditions are required to solve the one dimensional heat flow equation?

Options:

- 1. 0
- 2.
- 3. 2
 - 4. .3

Question Number: 7 Question Id: 2999654687 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Which of the following is true for a Normal distribution with parameter μ and σ^2

Options:

$$_{1.} 0 < \mu < \infty, \sigma^2 > 0$$

$$_{2}$$
 $0 \le \mu \le \infty$, $\sigma^2 \ge 0$

$$_{3.}$$
 - $\infty < \mu < \infty$, $\sigma^2 > 0$

$$_{4.}$$
 $\mu < \infty$, $\sigma^2 = 0$

Question Number: 8 Question Id: 2999654688 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



Two cards are selected at random from 10 cards numbered 1 to 10. The probability p that the sum is odd if the two cards are drawn one after the other with replacement

is

Options:

- 1/5
- 1/8
- 2.
- 1/4 3.
- 1/2 4.

Question Number: 9 Question Id: 2999654689 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The solution y(1.2) of the initial value problem $\frac{dy}{dx} = y^2 + x^2$, y(1) = 2, h = 0.2

using the Euler's method.

Options:

- 3.3
- 2. 3.0
- 3 2.5
- 4.0

Question Number: 10 Question Id: 2999654690 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



Find the value of $\int_0^4 f(x) dx$ by Trapezoidal rule from the given table.

X	0	1	2	3	4
f(x)	1	5	9	13	16

Options:

- 35.5
- 36.5
- 37.5
- 34.5

Question Number: 11 Question Id: 2999654691 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Free energy change for Vaporisation of pure substance is _____.

Options:

- 1. Zero
- Unity
- 3. Positive
- Negative 4.

Question Number: 12 Question Id: 2999654692 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Chemical potential of a multicomponent system is equivalent to ______.

Options:

Molar free energy



Partial molar free energy 2.
Molar free energy change
Molar concentration change 4.
Question Number: 13 Question Id: 2999654693 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Increase of point defect concentration in a crystal, its entropy
Options:
1. decreases
increases 2.
remains unaffected 3.
initially increases and then decreases 4.
Question Number: 14 Question Id: 2999654694 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Concentration of the reactant for a first order chemical reaction decreases
with time.
Options :
exponentially 1.
2. linearly
inversely 3.
logarithmically



Question Number: 15 Question Id: 2999654695 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical A metal is electrochemically polarized which is lower than the standard reduction
potential of the metal. The overvoltage is
Options:
negative 1.
2. zero
positive 3.
initially positive and then negative 4.
Question Number: 16 Question Id: 2999654696 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Metals positioned at the top of the electromotive series are
Options:
1. least active
most active 2.
3. most stable
most noble 4.
Question Number: 17 Question Id: 2999654697 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Passivity refers to
Options:
cathodic protection of metals 1.
corrosion due to dissolution 2.



no change in corrosion current 3. further deterioration of metal 4. Question Number: 18 Question Id: 2999654698 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Diffusivity is the coefficient relating flux to **Options:** Concentration 1. 2. Concentration gradient 3. Temperature Temperature gradient 4. Question Number: 19 Question Id: 2999654699 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Faster diffusion is possible with Options: Lower temperature Substitutional atom Interstial atom Higher packing factor

Question Number: 20 Question Id: 2999654700 Question Type: MCQ Display Question Number: Yes



Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Which one of the following is not a method to determine corrosion rates?

Options:

- Tafel extrapolation method
- 2. Linear polarization
- 3 Surface potential measurements
- Immersion testing

Question Number: 21 Question Id: 2999654701 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

If a metal undergoes pitting corrosion it becomes

Options:

- 1. Uniformly thinner
- Uniformly thicker
- Perforated
- Elongated 4.

Question Number: 22 Question Id: 2999654702 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Which of the following couples will show the highest rate of corrosion in sea water?

Options:

- Copper and steel
- 2. Copper and magnesium



Copper and zinc

4. Copper and brass

Question Number: 23 Question Id: 2999654703 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

In the Ellingham diagram of oxides, the reaction that is parallel to the temperature

Options:

axis is

$$_{1.}$$
 2C + O₂ = 2CO

$$2Zn + O_2 = 2ZnO$$

$$C + O_2 = CO_2$$

$$_{A}$$
 2CO + O₂ = 2CO₂

Question Number: 24 Question Id: 2999654704 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Which of the following is necessary for maintaining equilibrium between two phases x and y having components 1 and 2 respectively in each of them in varying proportions?

Options:

Chemical potential of both the components in each phase has to be equal to each other.

Chemical potential of each component has to be the same in both the phases.

Entropy of each component has to be the same in each phase.



Enthalpy of both the components in each phase have to be equal. Question Number: 25 Question Id: 2999654705 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Miscibility gap occurs when _____. **Options:** enthalpy change is negative entropy change is negative enthalpy change is positive entropy change is positive Question Number: 26 Question Id: 2999654706 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical A fluid flowing with a velocity of 15m/s is moving on a surface which is moving at a speed of 5m/s. What is the speed of the fluid at the point of contact of the fluid at the surface? **Options:** 1. 10 m/s _{2.} 15 m/s 5 m/s20 m/s

Question Number: 27 Question Id: 2999654707 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



In a homogeneous system (with C as the number of components) in equilibrium,
the total number of independent intensive thermodynamic variables are
Options:
1. C-1
2. C+1
3. C
4. C+2
Question Number: 28 Question Id: 2999654708 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
explains the equilibrium constant for any chemical reaction.
Options:
Henry's law
Hess's law
Raoult's law
4. Law of mass action
Question Number: 29 Question Id: 2999654709 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
For an ideal gas, the activity coefficient is alwaysat all pressures.
Options:
negative 1.
2. unity



3. Zero
unpredictable 4.
Question Number: 30 Question Id: 2999654710 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of the following is true regarding corrosion?
Options:
1. It occurs on a single material by both oxidation and reduction.
It needs to come in contact with another metal/alloy necessarily for corrosion to occur.
Requires no medium for corrosion to occur.
4. It increases the life of the component.
Question Number: 31 Question Id: 2999654711 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Quick sand is an example of
Options:
Bingham plastic
2. dilatant fluid
3. Newtonian fluid
4. pseudoplastic fluid
Question Number: 32 Question Id: 2999654712 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Units of the rate constant for a second order reaction is



Options:
1. moles ¹ .sec ⁻¹
2. moles ⁻¹ . sec ⁻¹
moles ⁻¹ .sec ¹
moles ¹ . sec ¹
Question Number: 33 Question Id: 2999654713 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
If two systems P and Q are in thermal equilibrium with a third system M, then P
and Q will also be in thermal equilibrium with each other. This statement is due to
Options:
First law of thermodynamics
Second law of thermodynamics 2.
Third law of thermodynamics
Zeroth law of thermodynamics
Question Number: 34 Question Id: 2999654714 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Change in enthalpy when one mole of substance is completely burnt in oxygen is
called
Options:
heat of formation



heat of combustion
heat of solution 3.
heat of fusion 4.
Question Number: 35 Question Id: 2999654715 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of these metals is predominantly extracted by leaching?
Options:
1. Fe
A1 2.
3. Pb
4. Au
Question Number: 36 Question Id: 2999654716 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
In floatation the reagent that modifies the surface properties of mineral is
Options:
1. Frother
2. Activator
3. Collector
4. Depressor

Question Number: 37 Question Id: 2999654717 Question Type: MCQ Display Question Number: Yes



Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The chemical processes throughout the volume of the blast furnace happens
Options:
Top to bottom
2. Bottom to top
Firstly, top to bottom and then bottom to top 3.
Firstly, bottom and then to top 4.
Question Number: 38 Question Id: 2999654718 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Condition for rimming steel
Options:
High Carbon and Low Silicon
2. High Silicon and Low Carbon
3. Low Silicon and Low carbon
High Silicon and High Carbon 4.
Question Number: 39 Question Id: 2999654719 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Order of elements for deoxidation of steel
Options:
1. Al, Mn, Si
2. Si, Mn, Al



3. Al, Si, Mn
Mn, Si, Al 4.
Question Number: 40 Question Id: 2999654720 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical High top pressure in blast furnace results in increase of
Options:
1. Si
2. S
3. Mn
4. P
Question Number: 41 Question Id: 2999654721 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The Midrex iron making process uses
Options: both CO and H ₂ for reduction
Fluidized bed reactor 2.
3. recycling of exit gas partly
only H ₂ for reduction 4.
Question Number: 42 Question Id: 2999654722 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Density of the matte (mixture of sulphides) is
Options:



less than that of slag 1.
2. more than that of metal
3. equal to that of slag
4. in between that of slag and metal
Question Number: 43 Question Id: 2999654723 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Role of cryolite in the electrolysis of Aluminium is
Options: Lowering of fluidity 1.
2. Lowering of melting point
3. Rising of melting point
4. Rising of fluidity
Question Number: 44 Question Id: 2999654724 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Roasted Zinc ore is leached with
Options: dilute H ₂ SO ₄
2. dilute HCl
3. dilute HNO ₃
concentrated H ₂ SO ₄



Question Number: 45 Question Id: 2999654725 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Pidgeon process is meant for
Options:
1. Lead
2. Magnesium
Zinc 3.
4. Tin
Question Number: 46 Question Id: 2999654726 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Carbonyl process is used for refining
Options:
1. Zinc
2. Tungsten
3. Nickel
4. Magnesium
Question Number: 47 Question Id: 2999654727 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Flotation beneficiation is based on the principle of
Options:
Mineral surface hydrophobicity 1.
2 Gravity difference



3. Particle size difference Question Number: 48 Question Id: 2999654728 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Which of the following has the highest reducibility in a blast furnace? Options: 1. Sinters Iron ore 3. Pellets 4. Coke Question Number: 49 Question Id: 2999654729 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Which of the following is the main constituent in argentite? **Options:** Au 2. Ag Cu Question Number: 50 Question Id: 2999654730 Question Type: MCQ Display Question Number: Yes

Chemical reactivity

Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Which of the following methods is famous for producing stainless steel making?

Options:



Sand casting 1.
_{2.} AOD
3. Powder metallurgy
4. Welding
Question Number: 51 Question Id: 2999654731 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
What is the amount of alumina that can be dissolved in cryolite?
Options:
1. 1-3%
2. 3-7%
3. 8-15%
20-35% 4.
Question Number: 52 Question Id: 2999654732 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
M ₁₀ index of coke indicates
Options:
compressive strength
2. hardness
abrasion resistance
impact strength



Question Number: 53 Question Id: 2999654733 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Steel with minimum deoxidation is called as
Options:
1. oxidised
2. killed
rimmed 3.
semi-killed 4.
Question Number: 54 Question Id: 2999654734 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Pellets are not as popular burden as sinter in the iron blast furnace because of their
Options:
shape
2. poor reducibility
3. swelling tendency
low mechanical strength 4.
Question Number: 55 Question Id: 2999654735 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of the following is used to produce feed for primary and secondary crushing?
Options:
Inclined Crusher
1. memed crusher



2. Grizzles
Trommel 3.
Screens 4.
Overtion Number 156 Overtion Id. 2000/54726 Overtion True 1 MCO Display Overtion Number 1 Ver
Question Number: 56 Question Id: 2999654736 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
An Fe - 1%C alloy is cooled slowly from 1000°C to room temperature. The
resultant microstructure will consist of
Options:
100% Pearlite
2. 100% Cementite
3. Cementite + Pearlite
Ferrite + Pearlite 4.
Question Number: 57 Question Id: 2999654737 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Nitrogen stabilizes
Options:
Ferrite 1.
2. Pearlite
3. Cementite
Austenite 4.



Question Number: 58 Question Id: 2999654738 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Element used in modification of Cast Al-Si alloys is
Options:
$_{1.}$ $^{\mathrm{Mg}}$
2. Na
3. Cr
4. Cu
Question Number: 59 Question Id: 2999654739 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Stretcher strains are eliminated by the addition of
Options:
Vanadium 1.
2. Copper
3. Manganese
4. Nitrogen
Question Number: 60 Question Id: 2999654740 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Vulcanization requires the of polymeric molecules
Options: Branching 1.
Cross linking



Thermosetting 3.
Oxidation 4.
Question Number: 61 Question Id: 2999654741 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Hydrogen bonds are stronger than
Options:
1. Ionic bonds
2. Covalent bonds
3. Metallic bonds
Van der waals bonds 4.
Question Number: 62 Question Id: 2999654742 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Grain size determination using X-ray diffraction is based on
Options:
Debye rings
2. Line broadening
3. Extra lines
Lattice parameter 4.
Question Number: 63 Question Id: 2999654743 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
After the recrystallization, grain growth is due to
Options:



Grain boundary curvature 1.
2. Internal energy
3. Vacancies
4. Dislocations
Question Number: 64 Question Id: 2999654744 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Strengthening of micro-alloyed steels is mainly due to
Options:
Grain boundary pinning
Work hardening 2.
Dispersion hardening 3.
4. Precipitation Hardening
Question Number: 65 Question Id: 2999654745 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical A peak in X ray diffraction pattern corresponding to {311} planes of FCC metal is
observed at $2\theta = 78^{\circ}$. IF incident beam has a wavelength of 0.154 nm, the lattice
parameter is approximately
Options:
0.2 nm 1.
2. 0.3 nm
3. 0.4 nm



```
0.6 nm
```

Question Number: 66 Question Id: 2999654746 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Silicon steel used for electrical equipment contains the following amount of silicon.

Options:

- 0.2%-0.5%
- 2 3.2%-3.5%
- _{3.} 6.2%-6.5%
- 4. 8%-10%

Question Number: 67 Question Id: 2999654747 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The number of atoms per unit cell of BCC, FCC and HCP metals are____.

Options:

- 4, 2, 6, respectively
- 6, 4, 2, respectively
- 2, 4, 6, respectively
- 2,4,8, respectively

Question Number: 68 Question Id: 2999654748 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

Which one of the following is a ferrite stabilizer in steel?

Options:

1. Ni



2. Cu
3. Cr
4. Mn
Question Number: 69 Question Id: 2999654749 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of the following expands upon solidification?
Options:
Low carbon steel
High carbon steel 2.
3. White cast iron
Grey cast iron 4.
Question Number: 70 Question Id: 2999654750 Question Type: MCQ Display Question Number: Yes
Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Super alloys are
Options:
Au based alloys
2. Cu based alloys
3. Ni based alloys
Mg based alloys

Question Number: 71 Question Id: 2999654751 Question Type: MCQ Display Question Number: Yes



Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The number of planes that belongs to the (111) family
Options:
1.
2. 8
3. 12
4. 10
Question Number: 72 Question Id: 2999654752 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
X-ray diffraction spots of transmission laue's photograph form
Options:
hyperbola 1.
2. circle
ellipse 3.
straight line 4.
Question Number: 73 Question Id: 2999654753 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of the following systems exhibit complete solid solubility?
Options:
_{1.} Fe-Cu
2. Pb-Sn
. Cu-Ni



4. Cu-Zn
Question Number: 74 Question Id: 2999654754 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
An annealed plane carbon steel showing fully pearlitic structure has carbon content
of
Options:
1. 0.01 wt%
2. 0.02 wt%
3. 0.77 wt%
1.2 wt% 4.
Question Number: 75 Question Id: 2999654755 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical German silver is an alloy of
Options:
Cu, Ni and Ag
2. Cu, Al and Ag
3. Cu, Ni and Zn

Question Number: 76 Question Id: 2999654756 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

The most effective way of improving yield strength of mild steel is _____.

4. Ag, Ni and Zn



Options:
Cold working
2. Precipitation
3. Solid solution
Grain refinement
Question Number: 77 Question Id: 2999654757 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Fatigue resistance of the steel decreases by
Options:
surface polishing 1.
2. grain refinement
3. decarburization
shot peening 4.
Question Number: 78 Question Id: 2999654758 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Difference in Tresca and Von-Mises yield criteria is in
Options:
1. Principal stresses
2. Strain energy
3. Fracture criterion
4. Principal strains



Question Number: 79 Question Id: 2999654759 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
A sharp break in the dislocation moving it out of the slip plane forms
Options:
1. Kink
Sessile dislocation 2.
Jog 3.
4. Partial dislocation
Question Number: 80 Question Id: 2999654760 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Work hardening rate is high in materials with
Options:
high stacking fault energy
low stacking fault energy 2.
3. high ductility
4. high elasticity
Question Number: 81 Question Id: 2999654761 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Service life of the fabricated components with defect depends on
THE SECRETARY SHIP DESCRIPTION OF THE STREET SECRETARY S
Options: 1. Fatigue limit
2. Fracture toughness



3. DBTT
Work hardening ability
Question Number: 82 Question Id: 2999654762 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The mechanism of creep that occurs at high stress is
Options:
dislocation creep
2. diffusion creep
3. grain boundary sliding
4. dislocation glide
Question Number: 83 Question Id: 2999654763 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Load (Kgs) applied to test soft metals in Brinnel Hardness test is
Options:
1. 1000
2. 500
3. 200.
100
Question Number: 84 Question Id: 2999654764 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Basis for radiography testing is



Options:
Reflection 1.
2. Absorption
3. Diffraction
Scattering 4.
Question Number: 85 Question Id: 2999654765 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical If D is the diagonal of projected indentation, Vickers hardness is proportional
to
Options:
1. D
$_{2.}$ \mathbf{D}^{2}
3. 1/D
$_{4.}$ 1 / D^{2}
Question Number: 86 Question Id: 2999654766 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Number of slip systems of fcc is
Options:
1. 3
6 2.
8 3.



12 4.
Question Number: 87 Question Id: 2999654767 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
In screw dislocation, the direction of movement is
Options:
Parallel to the stress direction
2. Perpendicular to the stress direction
3. At 120° to the stress direction
At 60° to the stress direction 4.
Question Number: 88 Question Id: 2999654768 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical For metals with low stacking fault energy, the activation energy for softening in hot working is
Options:
Lower 1.
Higher 2.
Has no effect 3.
4. Remains constant
Question Number: 89 Question Id: 2999654769 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Tungsten filament used in electric bulb is processed by
Options:



extrusion 1.
2. wire drawing
3. cast
powder metallurgy 4.
Question Number: 90 Question Id: 2999654770 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The engineering stress strain curve for a ceramic material is
Options:
1. Parabolic
2. Exponential
3. Logarithmic
Linear 4.
Question Number: 91 Question Id: 2999654771 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Identify the antisymmetric tensor from the following.
Options:
1. Stress tensor
2. Strain tensor
3. Rotational tensor
Volumetric strain tensor



	92 Question Id: 2999654772 Question Type: MCQ Display Question Number: Yes tory: No Single Line Question Option: No Option Orientation: Vertical
Which of the	following statements are true?
A.	Volume is constant during elastic deformation
B.	Volume is constant during plastic deformation
C.	Possibility of twinning is more at high strain rates
D.	Stacking fault width is inversely related to strain hardening rate

D. Stacking fault width is inversely related to strain hardening rate
Options:
A and C
2. A and D
3. B and C
4. B and D
Question Number: 93 Question Id: 2999654773 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical A test specimen of length 12 mm is strained to 25% tensile engineering strain. What
is the true strain value?
Options:
1. 0.4
2. 0.22
3. 0.52
0.63 4.
Question Number: 94 Question Id: 2999654774 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Loading in mode I fracture refers to .

Options:



Opening mode
2. Sliding mode
Tearing mode 3.
Twisting mode 4.
Question Number: 95 Question Id: 2999654775 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The generation of strain-free grains in a deformed metal upon thermal treatment a
elevated temperature is called
Options:
1. Recovery
Recrystallization 2.
Strain hardening 3.
Strain softening 4.
Question Number: 96 Question Id: 2999654776 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Spring back effect is related to
Options:
Sheet bend radius 1.
2. Elasticity
3 Sheet thickness



Question Number: 97 Question Id: 2999654777 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical The ideal shape of a riser is _____. **Options:** 1 Conical 2. Cubic 3. Spherical Cylindrical Question Number: 98 Question Id: 2999654778 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Casting defect Hot tears are caused by _____. **Options:** 1. Sand shearing from the cope surface 2. Two streams of metals that are too cold to figure properly Discontinuity in metal casting resulting from hindered contraction Excessive gaseous substances not able to escape Question Number: 99 Question Id: 2999654779 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Magnetic particle inspection is not a reliable method for detecting _____. **Options:** 1. Laps

Bend degree



2. Deep seated cavities
3. Surface cracks
Seams 4.
Question Number: 100 Question Id: 2999654780 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of the following is an exclusively cold working process?
Options:
1. rolling
extrusion 2.
deep drawing
spinning 4.
Question Number: 101 Question Id: 2999654781 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Liquid phase sintering is used in sintering of
Options:
carbide powders
2. aluminium powders
3. TD-nickel powders
ferrites 4.

Question Number: 102 Question Id: 2999654782 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



Microporsity of castings is due to
Options:
Eutectic freezing 1.
Short range freezing 2.
Long range freezing 3.
Peritectic freezing 4.
Question Number: 103 Question Id: 2999654783 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Weld decay may occur in Austenitic stainless steel when heated to
Options:
1. 200-300°C
2. 300-400°C
500-800°C
4. 400-500°C
Question Number: 104 Question Id: 2999654784 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The process with highest heat intensity is
Options:
_{1.} EBW
2. SMAW
₃ GMAW



PAW	
TTTAA	

Question Number: 105 Question Id: 2999654785 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Material easy to weld with resistance welding is
Options:
1. Low carbon steel
2. Brass
Aluminium 3.
Stainless steel
Question Number: 106 Question Id: 2999654786 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
The most common soldering material of tinmans solder
Options:
is an eutectic mixture of 38% Sn and 62% Pb
2. has a melting point of 232°C
3. is an eutectic mixture of 62% Sn and 38% Pb
4. is a mixture of 35% Sn and 65% Pb
Question Number: 107 Question Id: 2999654787 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Pick out the correct statement pertaining to rolling.
Options:
if back tension is applied, the neutral point moves toward the roll entrance



2. If front tension is applied, the neutral point will move toward the roll exit	
3. presence of tension in the plane of the sheet increases the rolling load	
presence of tension in the plane of the sheet decreases the rolling load	
Oraștica Nambou - 109 Oraștica Id - 2000/5/1799 Oraștica Trus - MCO Digulor Oraștica Nambou -	
Question Number: 108 Question Id: 2999654788 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical	
The process of heating a mass of fine particles to the stage of incipient fusion	n
is .	
Options:	
Sintering 1.	
Palletization 2.	
Nodulizing 3.	
Blending 4.	
Question Number: 109 Question Id: 2999654789 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical	
The purpose of using flux in soldering is to	
Options:	
Prevent oxide formation	
2. Increase fluidity of solder metal	
Lower the melting temperature of the solder 3.	
4. Fill up gaps lefts in a bad joint	



Question Number: 110 Question Id: 2999654790 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which one of the following is frequently used to avoid sensitization and weld decay
of austenitic stainless steels? Options:
Reducing carbon content
Increasing carbon content
3. Eliminating strong carbide formers
4. Reducing chromium content
Question Number: 111 Question Id: 2999654791 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Which of the following are compensated by riser and shrinkage allowances
respectively?
Options:
Volumetric shrinkage and solid shrinkage.
2. Both are used only to compensate volumetric shrinkage.
3. Both are used only to compensate solid shrinkage.
4. Runner is used to compensate volumetric shrinkage and riser for solid shrinkage.
Question Number: 112 Question Id: 2999654792 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Maximum densification occurs in stage of sintering.
Options:
1. first stage
second stage



third stage _{4.} fourth stage Question Number: 113 Question Id: 2999654793 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical The extrusion ratios which can be obtained for non-ferrous metals can be as high as **Options:** 20:1 2. 60:1 3. 100:1 400:1 Question Number: 114 Question Id: 2999654794 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical In the absence of strain and redundant work, the maximum possible reduction in area is given by____. Options: 0.53 2. 0.63 3. 0.73 0.83



Question Number: 115 Question Id: 2999654795 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
A mixture of 50% sand and 50% clay is called sand.
Options:
1. loam
2. dry
3. green
4. bentonite
Question Number: 116 Question Id: 2999654796 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Riser is not required for the castings of
Options:
1. grey cast iron
white cast iron 2.
3. Al-4% Cu alloy
Al-12% Si alloy 4.
Question Number: 117 Question Id: 2999654797 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Patenting process is a
Options:
wire drawing process
heat treatment for drawn wires
coating process for wires



4. Question Number: 118 Question Id: 2999654798 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Production of castings in large quantity use _____ pattern. **Options:** polystyrene _{2.} metal thermocol wax 4. Question Number: 119 Question Id: 2999654799 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical gas is passed in sodium silicate moulding process. **Options:** 1. Nitrogen 2. Argon _{3.} Carbon dioxide 4. Hydrogen Question Number: 120 Question Id: 2999654800 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Which one of the following carbon equivalent in steel is considered good for weldability? Options:

deep drawing process



1.0

1.

2. 0.8

0.6 3.

0.4 4.