
# HLAAC



**Test Booklet Code** 



This Booklet contains 24 pages.

Do not open this Test Booklet until you are asked to do so.

Read carefully the Instructions on the Back Cover of this Test Booklet.

### Important Instructions:

HLAAC/NN/Page 1

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on **Side-1** and **Side-2** carefully with **blue/black** ball point pen only.
- 2. The test is of **3 hours** duration and this Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one mark** will be deducted from the total scores. The maximum marks are 720.
- 3. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses.
- 4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is NN. Make sure that the CODE printed on Side-2 of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 8. Use of white fluid for correction is **not** permissible on the Answer Sheet.

Name of the Candidate (in Capitals) :	
Roll Number : in figures	
: in words	
Centre of Examination (in Capitals):	
Candidate's Signature :	Invigilator's Signature :
Facsimile signature stamp of Centre Superintendent :	


40




English

- 1. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
  - (1) 13·89 H
  - (2) 0·138 H
  - (3) 1·389 H
  - (4) 138·88 H
- 2. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
  - (1) 36 cm towards the mirror
  - (2) 30 cm away from the mirror
  - (3) 30 cm towards the mirror
  - (4) 36 cm away from the mirror
- 3. An em wave is propagating in a medium with a velocity V = Vî. The instantaneous oscillating electric field of this em wave is along +y axis.
  Then the direction of oscillating magnetic field of the em wave will be along
  - (1) x direction
  - (2) z direction
  - (3) y direction
  - (4) + z direction
- 4. The refractive index of the material of a prism is √2 and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is
  - (1) zero
  - (2)  $60^{\circ}$
  - (3)  $30^{\circ}$
  - (4) 45°

In the circuit shown in the figure, the input voltage  $V_i$  is 20 V,  $V_{BE}$  = 0 and  $V_{CE}$  = 0. The values of  $I_B$ ,  $I_C$  and  $\beta$  are given by



- (1)  $I_B = 40 \mu A$ ,  $I_C = 5 mA$ ,  $\beta = 125$
- (2)  $I_B = 40 \mu A$ ,  $I_C = 10 \text{ mA}$ ,  $\beta = 250$
- (3)  $I_B = 20 \mu A$ ,  $I_C = 5 mA$ ,  $\beta = 250$
- (4)  $I_B = 25 \mu A$ ,  $I_C = 5 mA$ ,  $\beta = 200$
- 6. In a p-n junction diode, change in temperature due to heating
  - (1) affects the overall V I characteristics of p-n junction
  - (2) affects only reverse resistance
  - (3) does not affect resistance of p-n junction
  - (4) affects only forward resistance
- 7. In the combination of the following gates the output Y can be written in terms of inputs A and B as




- (1)  $\overline{A+B}$
- (2) A.B
- (3)  $\overline{A \cdot B} + A \cdot B$
- (4)  $A \cdot \overline{B} + \overline{A} \cdot B$

- 8. The power radiated by a black body is P and it radiates maximum energy at wavelength,  $\lambda_0$ . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength  $\frac{3}{4}\lambda_0$ , the power radiated by it becomes nP. The value of n is
  - (1)  $\frac{81}{256}$
  - (2)  $\frac{3}{4}$
  - (3)  $\frac{256}{81}$
  - (4)  $\frac{4}{3}$
- 9. Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by  $\Delta l$  on applying a force F, how much force is needed to stretch the second wire by the same amount?
  - (1) **F**
  - (2) 9 F
  - (3) 4 F
  - (4) 6 F
- 10. A sample of 0·1 g of water at 100°C and normal pressure (1·013 × 10<sup>5</sup> Nm<sup>-2</sup>) requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167·1 cc, the change in internal energy of the sample, is
  - (1) 84.5 J
  - (2) 104·3 J
  - (3) 42·2 J
  - (4) 208·7 J
- 11. A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to
  - (1)  $r^4$
  - (2)  $r^3$
  - (3)  $r^5$
  - (4)  $r^2$

- When the light of frequency  $2v_0$  (where  $v_0$  is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is  $v_1$ . When the frequency of the incident radiation is increased to  $5v_0$ , the maximum velocity of electrons emitted from the same plate is  $v_2$ . The ratio of  $v_1$  to  $v_2$  is
  - (1) 2:1
  - (2) 1:2
  - (3) 4:1
  - (4) 1:4
- 13. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
  - (1) 15
  - (2) 20
  - (3) 30
  - (4) 10
- 14. An electron of mass m with an initial velocity  $\overset{\rightarrow}{V} = V_0 \, \overset{\wedge}{i} \, (V_0 > 0)$  enters an electric field  $\overset{\rightarrow}{E} = -\, E_0 \, \overset{\wedge}{i} \, (E_0 = \text{constant} > 0)$  at t = 0. If  $\lambda_0$  is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is
  - (1)  $\lambda_0$
  - (2)  $\frac{\lambda_0}{\left(1 + \frac{eE_0}{mV_0}t\right)}$
  - (3)  $\lambda_0 t$
  - $(4) \qquad \lambda_0 \left( 1 + \frac{eE_0}{mV_0} t \right)$
- 15. The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is
  - (1) 1:-2
  - (2) 1:1
  - $(3) \quad 2:-1$
  - (4) 1:-1

- 16. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
  - (1) 300 m/s
  - (2) 330 m/s
  - (3) 350 m/s
  - (4) 339 m/s
- 17. The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is
  - (1) inversely proportional to the distance between the plates.
  - (2) independent of the distance between the plates.
  - (3) proportional to the square root of the distance between the plates.
  - (4) linearly proportional to the distance between the plates.
- 18. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s<sup>2</sup> at a distance of 5 m from the mean position. The time period of oscillation is
  - (1) 1 s
  - (2)  $2\pi s$
  - (3) 2 s
  - (4)  $\pi s$
- 19. An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
  - (1) equal
  - (2) smaller
  - (3) 10 times greater
  - (4) 5 times greater


The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are  $K_A$ ,  $K_B$  and  $K_C$ , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then



- (1)  $K_B > K_A > K_C$
- (2)  $K_A < K_B < K_C$
- (3)  $K_B < K_A < K_C$
- $(4) \quad K_{A} > K_{B} > K_{C}$
- 21. A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy  $(K_t)$  as well as rotational kinetic energy  $(K_r)$  simultaneously. The ratio  $K_t:(K_t+K_r)$  for the sphere is
  - (1) 2:5
  - (2) 7:10
  - (3) 10:7
  - (4) 5:7
- 22. If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is **not** correct?
  - (1) 'g' on the Earth will not change.
  - (2) Raindrops will fall faster.
  - (3) Time period of a simple pendulum on the Earth would decrease.
  - (4) Walking on the ground would become more difficult.
- 23. A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere?
  - (1) Angular momentum
  - (2) Angular velocity
  - (3) Rotational kinetic energy
  - (4) Moment of inertia

- 24. A metallic rod of mass per unit length 0.5 kg m<sup>-1</sup> is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
  - (1) 11·32 A
  - (2) 7·14 A
  - (3) 14·76 A
  - (4) 5.98 A
- 25. An inductor 20 mH, a capacitor 100  $\mu F$  and a resistor 50  $\Omega$  are connected in series across a source of emf,  $V=10\sin 314$  t. The power loss in the circuit is
  - (1) 1·13 W
  - (2) 0·79 W
  - (3) 2·74 W
  - (4) 0·43 W
- 26. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from
  - (1) the induced electric field due to the changing magnetic field
  - (2) the current source
  - (3) the lattice structure of the material of the rod
  - (4) the magnetic field
- 27. Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is
  - (1)  $500 \Omega$
  - (2)  $40 \Omega$
  - (3)  $250 \Omega$
  - (4)  $25 \Omega$

28. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is



- $(1) \quad \frac{2}{7}$
- (2)  $\frac{2}{5}$
- (3)  $\frac{1}{3}$
- $(4) \frac{2}{3}$
- 29. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is
  - (1) 16 cm
  - (2) 13·2 cm
  - (3) 12.5 cm
  - (4) 8 cm
- **30.** The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
  - (1) 12.5%
  - (2) 26.8%
  - (3) 6.25%
  - (4) 20%
- 31. At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere?


  (Given:

Mass of oxygen molecule (m) =  $2.76 \times 10^{-26}$  kg Boltzmann's constant  $k_B = 1.38 \times 10^{-23}$  J K<sup>-1</sup>)

- (1)  $1.254 \times 10^4 \text{ K}$
- (2)  $2.508 \times 10^4 \text{ K}$
- (3)  $5.016 \times 10^4 \text{ K}$
- (4)  $8.360 \times 10^4 \text{ K}$


- 32. Unpolarised light is incident from air on a plane surface of a material of refractive index '\mu'. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation?
  - (1)  $i = tan^{-1} \left(\frac{1}{\mu}\right)$
  - (2) Reflected light is polarised with its electric vector parallel to the plane of incidence
  - $(3) \quad i = \sin^{-1}\left(\frac{1}{\mu}\right)$
  - (4) Reflected light is polarised with its electric vector perpendicular to the plane of incidence
- 33. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength  $\lambda$  of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is  $0.20^{\circ}$ . To increase the fringe angular width to  $0.21^{\circ}$  (with same  $\lambda$  and D) the separation between the slits needs to be changed to
  - (1) 1.7 mm
  - (2) 1.8 mm
  - $(3) \quad 2.1 \text{ mm}$
  - (4) 1.9 mm
- 34. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
  - (1) small focal length and small diameter
  - (2) small focal length and large diameter
  - (3) large focal length and large diameter
  - (4) large focal length and small diameter


5. A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to





- $(1) \quad \frac{5}{4}D$
- $(2) \quad \frac{3}{2} D$
- (3)  $\frac{7}{5}$  D
- (4) D
- 36. Three objects, A: (a solid sphere), B: (a thin circular disk) and C: (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed ω about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation
  - (1)  $W_A > W_C > W_B$
  - $(2) \quad W_C > W_B > W_A$
  - (3)  $W_B > W_A > W_C$
  - $(4) \quad \mathbf{W}_{\mathbf{A}} > \mathbf{W}_{\mathbf{B}} > \mathbf{W}_{\mathbf{C}}$
- **37.** Which one of the following statements is *incorrect*?
  - (1) Coefficient of sliding friction has dimensions of length.
  - (2) Rolling friction is smaller than sliding friction.
  - (3) Frictional force opposes the relative motion.
  - (4) Limiting value of static friction is directly proportional to normal reaction.
- 38. A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be
  - $(1) \quad 0.4$
  - $(2) \quad 0.5$
  - (3) 0.8
  - $(4) \quad 0.25$

- 39. A carbon resistor of  $(47 \pm 4.7) \text{ k}\Omega$  is to be marked with rings of different colours for its identification. The colour code sequence will be
  - (1) Green Orange Violet Gold
  - (2) Violet Yellow Orange Silver
  - (3) Yellow Green Violet Gold
  - (4) Yellow Violet Orange Silver
- 40. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
  - (1) 9
  - (2) 10
  - (3) 20
  - (4) 11
- 41. A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?










- A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field E. Due to the force qE, its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
  - (1) 1.5 m/s, 3 m/s
  - (2) 2 m/s, 4 m/s
  - (3) 1 m/s, 3.5 m/s
  - (4) 1 m/s, 3 m/s
- 43. A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and θ for the block to remain stationary on the wedge is



- (1)  $a = g \tan \theta$
- (2)  $a = \frac{g}{\csc \theta}$
- (3)  $a = g \cos \theta$
- $(4) \quad a = \frac{g}{\sin \theta}$
- 44. A student measured the diameter of a small steel ball using a screw gauge of least count 0.001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of 0.004 cm, the correct diameter of the ball is
  - (1) 0.529 cm
  - $(2) \quad 0.521 \text{ cm}$
  - (3) 0.053 cm
  - (4) 0.525 cm
- 45. The moment of the force,  $\overrightarrow{F} = 4 \overrightarrow{i} + 5 \overrightarrow{j} 6 \overrightarrow{k}$  at (2, 0, -3), about the point (2, -2, -2), is given by

(1) 
$$-7\hat{i} - 4\hat{j} - 8\hat{k}$$

(2) 
$$-8\hat{i} - 4\hat{j} - 7\hat{k}$$

(3) 
$$-7\hat{i} - 8\hat{j} - 4\hat{k}$$

(4) 
$$-4\hat{i} - \hat{j} - 8\hat{k}$$



- 46. Which of the following hormones can play a significant role in osteoporosis?
  - (1) Parathyroid hormone and Prolactin
  - (2) Aldosterone and Prolactin
  - (3) Estrogen and Parathyroid hormone
  - (4) Progesterone and Aldosterone
- **47.** Which of the following is an amino acid derived hormone?
  - (1) Estriol
  - (2) Epinephrine
  - (3) Estradiol
  - (4) Ecdysone
- **48.** Which of the following structures or regions is *incorrectly* paired with its function?
  - (1) Corpus callosum : band of fibers

connecting left and right cerebral hemispheres.

(2) Medulla oblongata: controls respiration

and cardiovascular

reflexes.

(3) Hypothalamus : production of

releasing hormones and regulation of temperature, bunger and thirst

hunger and thirst.

(4) Limbic system : consists of fibre

tracts that
interconnect
different regions of
brain; controls
movement.

- **49.** The transparent lens in the human eye is held in its place by
  - (1) smooth muscles attached to the ciliary body
  - (2) ligaments attached to the ciliary body
  - (3) smooth muscles attached to the iris
  - (4) ligaments attached to the iris

- 50. The amnion of mammalian embryo is derived from
  - (1) ectoderm and endoderm
  - (2) ectoderm and mesoderm
  - (3) mesoderm and trophoblast
  - (4) endoderm and mesoderm
- 51. Hormones secreted by the placenta to maintain pregnancy are
  - (1) hCG, progestogens, estrogens, glucocorticoids
  - (2) hCG, hPL, progestogens, prolactin
  - (3) hCG, hPL, progestogens, estrogens
  - (4) hCG, hPL, estrogens, relaxin, oxytocin
- 52. The contraceptive 'SAHELI'
  - (1) is a post-coital contraceptive.
  - (2) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
  - (3) is an IUD.
  - (4) increases the concentration of estrogen and prevents ovulation in females.
- **53.** The difference between spermiogenesis and spermiation is
  - (1) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.
  - (2) In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
  - (3) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
  - (4) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.



- 54. A woman has an X-linked condition on one of her X chromosomes. This chromosome can be inherited by
  - (1) Both sons and daughters
  - (2) Only daughters
  - (3) Only grandchildren
  - (4) Only sons
- **55.** According to Hugo de Vries, the mechanism of evolution is
  - (1) Minor mutations
  - (2) Multiple step mutations
  - (3) Phenotypic variations
  - (4) Saltation
- 56. All of the following are part of an operon except
  - (1) a promoter
  - (2) an operator
  - (3) an enhancer
  - (4) structural genes
- **57.** AGGTATCGCAT is a sequence from the coding strand of a gene. What will be the corresponding sequence of the transcribed mRNA?
  - (1) UCCAUAGCGUA
  - (2) AGGUAUCGCAU
  - (3) ACCUAUGCGAU
  - (4) UGGTUTCGCAT
- 58. Match the items given in Column I with those in Column II and select the *correct* option given below:

 $Column\ I$ 

Column II

- a. Proliferative Phase i. Breakdown of endometrial lining
- b. Secretory Phase ii. Follicular Phase

ii

- c. Menstruation iii. Luteal Phase
- a
   b
   c

   (1)
   iii
   i
   ii

   (2)
   iii
   ii
   i

   (3)
   ii
   iii
   i

iii

- **59.** In which disease does mosquito transmitted pathogen cause chronic inflammation of lymphatic vessels?
  - (1) Amoebiasis
  - (2) Elephantiasis
  - (3) Ringworm disease
  - (4) Ascariasis
- **60.** Among the following sets of examples for divergent evolution, select the *incorrect* option:
  - (1) Eye of octopus, bat and man
  - (2) Forelimbs of man, bat and cheetah
  - (3) Brain of bat, man and cheetah
  - (4) Heart of bat, man and cheetah
- **61.** The similarity of bone structure in the forelimbs of many vertebrates is an example of
  - (1) Adaptive radiation
  - (2) Homology
  - (3) Convergent evolution
  - (4) Analogy
- **62.** Which of the following is **not** an autoimmune disease?
  - (1) Vitiligo
  - (2) Psoriasis
  - (3) Alzheimer's disease
  - (4) Rheumatoid arthritis
- **63.** Which of the following characteristics represent 'Inheritance of blood groups' in humans?
  - a. Dominance
  - b. Co-dominance
  - c. Multiple allele
  - d. Incomplete dominance
  - e. Polygenic inheritance
  - (1) a, c and e
  - (2) b, c and e
  - (3) b, d and e
  - (4) a, b and c
- 64. Conversion of milk to curd improves its nutritional value by increasing the amount of
  - (1) Vitamin E
  - (2) Vitamin D
  - (3) Vitamin B<sub>12</sub>
  - (4) Vitamin A

HLAAC/NN/Page 9

(4) i

65.	Match the items given in Column I with those in
	Column II and select the correct option given
	below:

09+	match u	re r	иешs	given	m c	orumn 1	with th	ose m
	Column	$\Pi$	and	select	the	correct	option	given
	below:						5 <del>7</del>	

- $Column\ I$ Column II Eutrophication **UV-B** radiation a.
- b. Sanitary landfill ii. Deforestation
- Snow blindness iii. Nutrient C. enrichment
- d. Jhum cultivation iv. Waste disposal

	a	b	c	d
(1)	i	ii	iv	iii
(2)	ii	i	iii	iv
(3)	iii	iv	i	ii
(4)	i	iii	iv	ii

- 66. the following one  $\mathbf{of}$ population interactions is widely used in medical science for the production of antibiotics?
  - Amensalism
  - Commensalism
  - Parasitism (3)
  - Mutualism
- All of the following are included in 'Ex-situ 67. conservation' except
  - (1) Seed banks
  - (2)Wildlife safari parks
  - Botanical gardens (3)
  - Sacred groves (4)
- 68. In a growing population of a country,
  - pre-reproductive individuals are less than the reproductive individuals.
  - pre-reproductive individuals are more than | 73. the reproductive individuals.
  - (3) reproductive and pre-reproductive individuals are equal in number.
  - reproductive individuals are less than the post-reproductive individuals.
- Which part of poppy plant is used to obtain the drug "Smack"?
  - (1) Leaves
  - (2)Flowers
  - (3)Roots
  - Latex **(4)**

- Which of the following gastric cells indirectly help in erythropoiesis?
  - Parietal cells
  - Chief cells
  - Goblet cells
  - Mucous cells

Column I

71. Match the items given in Column I with those in Column II and select the *correct* option given below:

Column II

	Ooba	TOTO I		Gobarnit II		
a.	Fibrinogen		i.	Osmotic balance		
b.	Glob	ulin	ii.	Blood clotting		
c.	Albu	min	iii.	Defence mechanism		
	a	b	c			
(1)	ii	iii	i			
(2)	iii	ii	i			
(3)	i	iii	ii			
(4)	i	ii	iii			

- 72. Which of the following is an occupational respiratory disorder?
  - Emphysema
  - Anthracis
  - Botulism
  - Silicosis
- Calcium is important in skeletal muscle contraction because it
  - prevents the formation of bonds between the myosin cross bridges and the actin filament.
  - binds to troponin to remove the masking of active sites on actin for myosin.
  - detaches the myosin head from the actin filament.
  - activates the myosin ATPase by binding to



- 74. Nissl bodies are mainly composed of
  - (1) Free ribosomes and RER
  - (2) Proteins and lipids
  - (3) Nucleic acids and SER
  - (4) DNA and RNA
- **75.** Which of these statements is *incorrect*?
  - (1) Oxidative phosphorylation takes place in outer mitochondrial membrane.
  - (2) Enzymes of TCA cycle are present in mitochondrial matrix.
  - (3) Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.
  - (4) Glycolysis occurs in cytosol.
- 76. Select the incorrect match:
  - (1) Polytene Oocytes of amphibians chromosomes
  - (2) Lampbrush Diplotene bivalents chromosomes
  - (3) Submetacentric L-shaped chromosomes chromosomes
  - (4) Allosomes Sex chromosomes
- 77. Which of the following terms describe human 83. dentition?
  - (1) Pleurodont, Diphyodont, Heterodont
  - (2) Thecodont, Diphyodont, Homodont
  - (3) Pleurodont, Monophyodont, Homodont
  - (4) Thecodont, Diphyodont, Heterodont
- 78. Which of the following events does **not** occur in rough endoplasmic reticulum?
  - (1) Phospholipid synthesis
  - (2) Protein folding
  - (3) Cleavage of signal peptide
  - (4) Protein glycosylation
- 79. Many ribosomes may associate with a single mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as
  - (1) Nucleosome
  - (2) Polysome
  - (3) Plastidome
  - (4) Polyhedral bodies

- 80. Ciliates differ from all other protozoans in
  - (1) having two types of nuclei
  - (2) using flagella for locomotion
  - (3) using pseudopodia for capturing prey
  - (4) having a contractile vacuole for removing excess water
- **81.** Identify the vertebrate group of animals characterized by crop and gizzard in its digestive system.
  - (1) Osteichthyes
  - (2) Amphibia
  - (3) Aves
  - (4) Reptilia
- **82.** Which one of these animals is **not** a homeotherm?
  - (1) Psittacula
  - (2) Macropus
  - (3) Camelus
  - (4) Chelone
- **83.** Which of the following features is used to identify a male cockroach from a female cockroach?
  - (1) Presence of anal cerci
  - (2) Presence of a boat shaped sternum on the 9<sup>th</sup> abdominal segment
  - (3) Forewings with darker tegmina
  - (4) Presence of caudal styles
- **84.** Which of the following animals does *not* undergo metamorphosis?
  - (1) Starfish
  - (2) Earthworm
  - (3) Moth
  - (4) Tunicate
- **85.** Which of the following organisms are known as chief producers in the oceans?
  - (1) Euglenoids
  - (2) Dinoflagellates
  - (3) Cyanobacteria
  - (4) Diatoms



- Which of the following options correctly 89. 86. represents the lung conditions in asthma and emphysema, respectively?
  - (1) Decreased respiratory surface; Inflammation of bronchioles
  - (2) Inflammation of bronchioles; Decreased respiratory surface
  - respiratory (3) Increased surface; Inflammation of bronchioles
  - Increased number of bronchioles; Increased respiratory surface
- Match the items given in Column I with those in 87. Column II and select the correct option given below:

	Column~I		Column~II
a.	Tricuspid valve	i.	Between left atrium
			and left ventricle
b.	Bicuspid valve	ii.	Between right

ventricle and

ventricle

pulmonary artery Semilunar valve iii. Between right C. atrium and right

	a	b	c
(1)	ii	i	iii
(2)	iii	$\mathbf{i}$	ii
(3)	i	ii	iii
(4)	i	iii	ii

Match the items given in Column I with those in 88. Column II and select the correct option given below:

	Colu	mn I			$Column\ II$
a.	Tida	l volum	e	i.	$2500-3000\ mL$
b.	Inspiratory Reserve volume			ii.	1100 – 1200 mL
c.	Expi volu		Reserve	iii.	$500-550\;\mathrm{mL}$
d.	Resi	dual vol	lume	iv.	1000 - 1100  mL
	а	b	c	d	
(1)	iv	iii	ii	i	
(2)	iii	ii	i	iv	
(3)	i	iv	ii	iii	
(4)	iii	i	iv	ii	

Match the items given in Column I with those in Column II and select the correct option given below:

	Colu	mn I		Column~II
a.	Glyc	osuria	i.	Accumulation of uric acid in joints
b.	Gou	t	ii.	Mass of crystallised salts within the kidney
c.	Rena	al calculi	iii.	Inflammation in glomeruli
d.		nerular nritis	iv.	Presence of glucose in urine
	a	b	c	d
(1)	iv	i	ii	iii
(2)	iii	ii	iv	i
(3)	ii	iii	i	iv

90. Match the items given in Column I with those in Column II and select the correct option given below:

iii

iv

Column II

ii

Column I

(4)

	(Fur	iction)			(Part of Excretory System)
a.	Ultr	afiltrati	on	i.	Henle's loop
b.	Concentration of urine		ii.	Ureter	
c.	Transport of urine		iii.	Urinary bladder	
d.	Stor	Storage of urine		iv.	Malpighian corpuscle
				v.	Proximal convoluted tubule
	a	b	c	d	l
(1)	v	iv	i	i	i
(2)	iv	v	ii	i	i
(3)	v	iv	i	i	
(4)	iv	i	ii	ii	ii e

HLAAC/NN/Page 12

SPACE FOR ROUGH WORK

English



- 91. Secondary xylem and phloem in dicot stem are produced by
  - (1) Axillary meristems
  - (2) Apical meristems
  - (3) Phellogen
  - (4) Vascular cambium
- 92. Pneumatophores occur in
  - (1) Submerged hydrophytes
  - (2) Halophytes
  - (3) Carnivorous plants
  - (4) Free-floating hydrophytes
- 93. Plants having little or no secondary growth are
  - (1) Cycads
  - (2) Grasses
  - (3) Conifers
  - (4) Deciduous angiosperms
- 94. Select the wrong statement:
  - (1) Mitochondria are the powerhouse of the cell in all kingdoms except Monera.
  - (2) Cell wall is present in members of Fungi and Plantae.
  - (3) Pseudopodia are locomotory and feeding structures in Sporozoans.
  - (4) Mushrooms belong to Basidiomycetes.
- 95. Casparian strips occur in
  - (1) Endodermis
  - (2) Epidermis
  - (3) Cortex
  - (4) Pericycle
- **96.** Sweet potato is a modified
  - (1) Rhizome
  - (2) Stem
  - (3) Tap root
  - (4) Adventitious root
- **97.** Which of the following statements is *correct*?
  - (1) Stems are usually unbranched in both Cycas and Cedrus.
  - (2) Ovules are not enclosed by ovary wall in gymnosperms.
  - (3) Horsetails are gymnosperms.
  - (4) Selaginella is heterosporous, while Salvinia is homosporous.

**98.** What type of ecological pyramid would be obtained with the following data?

Secondary consumer: 120 g

Primary consumer : 60 g

Primary producer: 10 g

- (1) Upright pyramid of biomass
- (2) Inverted pyramid of biomass
- (3) Upright pyramid of numbers
- (4) Pyramid of energy
- 99. World Ozone Day is celebrated on
  - (1) 22<sup>nd</sup> April
  - (2) 5<sup>th</sup> June
  - (3) 16<sup>th</sup> September
  - (4) 21<sup>st</sup> April
- 100. In stratosphere, which of the following elements acts as a catalyst in degradation of ozone and release of molecular oxygen?
  - (1) Oxygen
  - (2) Carbon
  - (3) Fe
  - (4) Cl
- 101. Natality refers to
  - (1) Number of individuals entering a habitat
  - (2) Death rate
  - (3) Number of individuals leaving the habitat
  - (4) Birth rate
- **102.** Niche is
  - (1) the functional role played by the organism where it lives
  - (2) all the biological factors in the organism's environment
  - (3) the range of temperature that the organism needs to live
  - (4) the physical space where an organism lives
- 103. Which of the following is a secondary pollutant?
  - $(1) O_3$
  - (2) CO
  - (3)  $SO_2$
  - (4)  $CO_2$

104.	Winged	pollen	grains are	present in
		Ponen	Pranie are	Process in

- (1) Pinus
- (2) Mustard
- (3) Mango
- (4) Cycas

# 105. After karyogamy followed by meiosis, spores are produced exogenously in

- (1) Saccharomyces
- (2) Neurospora
- (3) Agaricus
- (4) Alternaria

## 106. Which one is wrongly matched?

- (1) Unicellular organism Chlorella
- (2) Uniflagellate gametes Polysiphonia
- (3) Gemma cups Marchantia
- (4) Biflagellate zoospores Brown algae
- 107. Match the items given in Column I with those in Column II and select the correct option given below:

Column I Column II

- a. Herbarium i. It is a place having a collection of preserved plants and animals.
- b. Key

  ii. A list that enumerates

  methodically all the

  species found in an area

  with brief description

  aiding identification.
- c. Museum iii. Is a place where dried and pressed plant specimens mounted on sheets are kept.
- d. Catalogue iv. A booklet containing a list of characters and their alternates which are helpful in identification of various taxa.

	a	b	C	d
(1)	iii	iv	i	ií
<b>(2)</b>	i	iv	iii	ii
(3)	ii	iv	iii	i
<b>(4)</b>	iii	ii	i	iv

- 108. Which one of the following plants shows a very close relationship with a species of moth, where none of the two can complete its life cycle without the other?
  - (1) Viola
  - (2) Hydrilla
  - (3) Banana
  - (4) Yucca
- 109. Pollen grains can be stored for several years in liquid nitrogen having a temperature of
  - $(1) 160^{\circ}C$
  - (2)  $-120^{\circ}$ C
  - (3)  $-196^{\circ}C$
  - $(4) 80^{\circ}C$
- 110. In which of the following forms is iron absorbed by plants?
  - (1) Both ferric and ferrous
  - (2) Ferric
  - (3) Free element
  - (4) Ferrous
- 111. Which of the following elements is responsible for maintaining turgor in cells?
  - (1) Calcium
  - (2) Magnesium
  - (3) Potassium
  - (4) Sodium

#### 112. Double fertilization is

- (1) Syngamy and triple fusion
- (2) Fusion of two male gametes of a pollen tube with two different eggs
- (3) Fusion of two male gametes with one egg
- (4) Fusion of one male gamete with two polar nuclei
- 113. What is the role of NAD<sup>+</sup> in cellular respiration?
  - (1) It is the final electron acceptor for anaerobic respiration.
  - (2) It functions as an enzyme.
  - (3) It is a nucleotide source for ATP synthesis.
  - (4) It functions as an electron carrier.
- 114. Oxygen is not produced during photosynthesis by
  - (1) Chara
  - (2) Green sulphur bacteria
  - (3) Cycas
  - (4) Nostoc

- 115. The Golgi complex participates in
  - Activation of amino acid (1)
  - (2) Fatty acid breakdown
  - Respiration in bacteria (3)
  - (4) Formation of secretory vesicles
- **116.** Stomatal movement is **not** affected by
  - CO<sub>2</sub> concentration
  - (2)Temperature
  - $O_2$  concentration (3)
  - **(4)** Light
- 117. Stomata in grass leaf are
  - (1) Barrel shaped
  - Dumb-bell shaped (2)
  - (3) Rectangular
  - Kidney shaped
- 118. Which of the following is true for nucleolus?
  - (1) It is a site for active ribosomal RNA synthesis.
  - (2) Larger nucleoli are present in dividing cells.
  - (3) It takes part in spindle formation.
  - It is a membrane-bound structure.
- **119.** Which of the following is **not** a product of light reaction of photosynthesis?
  - (1) Oxygen
  - ATP (2)
  - (3) NADPH
  - NADH (4)
- 120. The stage during which separation of the paired homologous chromosomes begins is
  - Zygotene (1)
  - (2)Pachytene
  - Diakinesis (3)
  - (4) Diplotene
- sugars are
  - carbonyl and hydroxyl
  - (2) hydroxyl and methyl
  - (3) carbonyl and phosphate
  - (4) carbonyl and methyl
- **122.** Which among the following is **not** a prokaryote?
  - Oscillatoria (1)
  - (2)Saccharomyces
  - (3) Nostoc
  - Mycobacterium

- **123.** Offsets are produced by
  - (1)Parthenogenesis
  - (2)Meiotic divisions
  - Parthenocarpy (3)
  - Mitotic divisions
- 124. Select the correct statement:
  - Transduction was discovered by S. Altman.
  - Franklin Stahl coined the term "linkage".
  - Spliceosomes take part in translation.
  - Punnett square was developed by a British scientist.
- 125. Which of the following has proved helpful in preserving pollen as fossils?
  - Sporopollenin
  - Pollenkitt
  - Oil content (3)
  - Cellulosic intine
- Which of the following pairs is wrongly 126. matched?
  - T.H. Morgan : Linkage (1)
  - Starch synthesis in pea (2)Multiple alleles
  - Grasshopper XO type sex (3)determination
  - ABO blood grouping Co-dominance
- 127. Select the correct match:
  - (1)Francois Jacob and Lac operon Jacques Monod
  - (2)Alec Jeffreys Streptococcus pneumoniae
  - Matthew Meselson Pisum sativum and F. Stahl
  - Alfred Hershey and TMV (4) Martha Chase
- 121. The two functional groups characteristic of 128. Which of the following flowers only once in its life-time?
  - (1)Papaya
  - Bamboo species
  - Mango
  - Jackfruit (4)
  - 129. The experimental proof for semiconservative replication of DNA was first shown in a
    - Virus (1)
    - (2)Fungus
    - Plant (3)
    - Bacterium (4)

collegedunia India's largest Student Review Platform

English

- **130.** Which of the following is commonly used as a vector for introducing a DNA fragment in human lymphocytes?
  - (1) pBR 322
  - (2) Retrovirus
  - (3)  $\lambda$  phage
  - (4) Ti plasmid
- 131. Select the correct match:
  - (1) G. Mendel Transformation
  - (2) Ribozyme Nucleic acid
  - (3) T.H. Morgan Transduction
  - (4)  $\mathbf{F}_2 \times \text{Recessive parent}$  Dihybrid cross
- 132. Use of bioresources by multinational companies and organisations without authorisation from the concerned country and its people is called
  - (1) Bioexploitation
  - (2) Bio-infringement
  - (3) Biodegradation
  - (4) Biopiracy
- 133. A 'new' variety of rice was patented by a foreign company, though such varieties have been present in India for a long time. This is related to
  - (1) Basmati
  - (2) Co-667
  - (3) Lerma Rojo
  - (4) Sharbati Sonora
- 134. In India, the organisation responsible for assessing the safety of introducing genetically modified organisms for public use is
  - (1) Genetic Engineering Appraisal Committee (GEAC)
  - (2) Indian Council of Medical Research (ICMR)
  - (3) Research Committee on Genetic Manipulation (RCGM)
  - (4) Council for Scientific and Industrial Research (CSIR)
- 135. The correct order of steps in Polymerase Chain Reaction (PCR) is
  - (1) Denaturation, Annealing, Extension
  - (2) Extension, Denaturation, Annealing
  - (3) Denaturation, Extension, Annealing
  - (4) Annealing, Extension, Denaturation

**136.** Identify the major products P, Q and R in the following sequence of reactions:

$$\begin{array}{c} \text{Anhydrous} \\ & \text{AlCl}_3 \\ \\ P \xrightarrow{\text{(i) O}_2} Q + R \end{array}$$

(1) 
$$CH(CH_3)_2$$
  $CH_3 - CO - CH_3$ 

(2) 
$$CH_2CH_2CH_3$$
 CHO ,  $CH_3CH_2-OH$ 

(3) 
$$CH(CH_3)_2$$
  $OH$   $CH_3CH(OH)CH_3$ 

(4) 
$$CH_2CH_3$$
 CHO COOH ,  $CH_2CH_3$  ,  $CHO$  ,  $COOH$ 

- 137. Which of the following compounds can form a zwitterion?
  - (1) Glycine
  - (2) Aniline
  - (3) Benzoic acid
  - (4) Acetanilide

- 138. The geometry and magnetic behaviour of the 143. Which of the following molecules represents the complex [Ni(CO)<sub>4</sub>] are
  - tetrahedral geometry and paramagnetic (1)
  - (2)square planar geometry and diamagnetic
  - square planar geometry and paramagnetic
  - tetrahedral geometry and diamagnetic
- 139. Iron carbonyl,  $Fe(CO)_5$  is
  - dinuclear (1)
  - (2)tetranuclear
  - trinuclear (3)
  - mononuclear
- 140. Match the metal ions given in Column I with the spin magnetic moments of the ions given in Column II and assign the *correct* code:

	$Column\ I$		$Column \ II$
a.	Co <sup>3+</sup>	i.	$\sqrt{8}$ B.M.
b.	$Cr^{3+}$	ii.	$\sqrt{35}$ B.M.
c.	$\mathrm{Fe}^{3+}$	iii.	$\sqrt{3}$ B.M.
d.	$\mathrm{Ni}^{2+}$	iv.	$\sqrt{24}$ B.M.
		v.	$\sqrt{15}$ B.M.
	a b	c	d


			27.04	
	a	b	$\boldsymbol{c}$	d
(1)	iii	$\mathbf{v}$	i	ii
(2)	iv	v	ii	i
(3)	iv	i	ii	iii
(4)	i	ii	iii	iv


- 141. The type of isomerism shown by the complex  $[CoCl_2(en)_2]$  is
  - Linkage isomerism
  - Geometrical isomerism
  - Ionization isomerism
  - Coordination isomerism
- 142. Which one of the following ions exhibits d-d transition and paramagnetism as well?
  - $\mathrm{MnO}_4^{2-}$ (1)
  - $\operatorname{CrO}_4^{2-}$ (2)
  - $MnO_4^-$ (3)
  - $\operatorname{Cr}_2\operatorname{O}_7^{2-}$


HLAAC/NN/Page 17

- order of hybridisation sp<sup>2</sup>, sp<sup>2</sup>, sp, sp from left to right atoms?
  - $CH_3 CH = CH CH_3$
  - $HC \equiv C C \equiv CH$
  - $CH_2 = CH CH = CH_2$
  - $CH_2 = CH C \equiv CH$
- 144. Which of the following carbocations is expected to be most stable?

$$(1) \qquad \stackrel{\text{NO}_2}{Y}$$







- 145. Which of the following is correct with respect to - I effect of the substituents ? (R = alkyl)
  - (1)  $-NR_2 > -OR > -F$
  - (2)  $-NH_2 < -OR < -F$
  - (3)  $-NH_2 > -OR > -F$
  - $(4) \quad -NR_2 < -OR < -F$

146. The solubility of  $BaSO_4$  in water is  $2\cdot42\times10^{-3}~\rm gL^{-1}$  at 298 K. The value of its solubility product  $(K_{\rm sp})$  will be

(Given molar mass of  $BaSO_4 = 233 \text{ g mol}^{-1}$ )

- (1)  $1.08 \times 10^{-8} \text{ mol}^2 \text{ L}^{-2}$
- (2)  $1.08 \times 10^{-10} \text{ mol}^2 \text{ L}^{-2}$
- (3)  $1.08 \times 10^{-14} \text{ mol}^2 \text{ L}^{-2}$
- (4)  $1.08 \times 10^{-12} \text{ mol}^2 \text{ L}^{-2}$
- 147. Given van der Waals constant for  $NH_3$ ,  $H_2$ ,  $O_2$  and  $CO_2$  are respectively 4·17, 0·244, 1·36 and 3·59, which one of the following gases is most easily liquefied?
  - (1) CO<sub>2</sub>
  - (2) NH<sub>3</sub>
  - $(3) O_2$
  - (4) H<sub>2</sub>
- 148. Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations:
  - a.  $60 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 40 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
  - b.  $55 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 45 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
  - c.  $75 \text{ mL } \frac{\text{M}}{5} \text{ HCl} + 25 \text{ mL } \frac{\text{M}}{5} \text{ NaOH}$
  - d.  $100 \text{ mL } \frac{M}{10} \text{ HCl} + 100 \text{ mL } \frac{M}{10} \text{ NaOH}$

pH of which one of them will be equal to 1?

- (1) c
- (2) b
- (3) d
- (4) a
- 149. On which of the following properties does the coagulating power of an ion depend?
  - (1) The sign of charge on the ion alone
  - (2) The magnitude of the charge on the ion alone
  - (3) Both magnitude and sign of the charge on the ion
  - (4) Size of the ion alone

- **150.** Which of the following statements is **not** true for halogens?
  - Chlorine has the highest electron-gain enthalpy.
  - (2) All form monobasic oxyacids.
  - (3) All but fluorine show positive oxidation states.
  - (4) All are oxidizing agents.
- 151. Considering Ellingham diagram, which of the following metals can be used to reduce alumina?
  - (1) Cu
  - (2) Fe
  - (3) Mg
  - (4) Zn
- 152. The correct order of atomic radii in group 13 elements is
  - $(1) \quad B < Ga < Al < In < Tl$
  - $(2) \quad B < Al < In < Ga < Tl$
  - (3) B < Ga < Al < Tl < In
  - $(4) \quad B < Al < Ga < In < Tl$
- 153. In the structure of ClF<sub>3</sub>, the number of lone pairs of electrons on central atom 'Cl' is
  - (1) three
  - (2) one
  - (3) four
  - (4) two
- 154. The correct order of N-compounds in its decreasing order of oxidation states is
  - (1) NH<sub>4</sub>Cl, N<sub>2</sub>, NO, HNO<sub>3</sub>
  - (2) HNO<sub>3</sub>, NO, N<sub>2</sub>, NH<sub>4</sub>Cl
  - (3) HNO<sub>3</sub>, NH<sub>4</sub>Cl, NO, N<sub>2</sub>
  - (4) HNO<sub>3</sub>, NO, NH<sub>4</sub>Cl, N<sub>2</sub>
- 155. Which one of the following elements is unable to form  $\mathrm{MF}_6^{3-}$  ion ?
  - (1) In
  - (2) Ga
  - (3) B
  - (4) Al

- 156. The compound A on treatment with Na gives B, and with PCl<sub>5</sub> gives C. B and C react together to give diethyl ether. A, B and C are in the order
  - (1)  $C_2H_5OH$ ,  $C_2H_5ONa$ ,  $C_2H_5Cl$
  - (2) C<sub>2</sub>H<sub>5</sub>OH, C<sub>2</sub>H<sub>6</sub>, C<sub>2</sub>H<sub>5</sub>Cl
  - (3)  $C_2H_5Cl, C_2H_6, C_2H_5OH$
  - (4) C<sub>2</sub>H<sub>5</sub>OH, C<sub>2</sub>H<sub>5</sub>Cl, C<sub>2</sub>H<sub>5</sub>ONa
- 157. Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is
  - (1) CH<sub>4</sub>
  - (2)  $CH \equiv CH$
  - $(3) \quad CH_3 CH_3$
  - $(4) \quad CH_2 = CH_2$
- 158. The compound  $C_7H_8$  undergoes the following reactions:

$$C_7H_8 \xrightarrow{3 \text{ Cl}_2/\Delta} A \xrightarrow{Br_2/\text{ Fe}} B \xrightarrow{Zn/\text{ HCl}} C$$

The product 'C' is

- (1) p-bromotoluene
- (2) m-bromotoluene
- (3) 3-bromo-2,4,6-trichlorotoluene
- (4) o-bromotoluene
- **159.** Which oxide of nitrogen is **not** a common pollutant introduced into the atmosphere both due to natural and human activity?
  - (1) NO
  - (2)  $N_2O_5$
  - (3)  $N_2O$
  - (4)  $NO_2$

- 160. The correct difference between first- and second-order reactions is that
  - the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
  - (2) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
  - (3) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
  - (4) the half-life of a first-order reaction does not depend on [A]<sub>0</sub>; the half-life of a second-order reaction does depend on [A]<sub>0</sub>
- 161. Among CaH<sub>2</sub>, BeH<sub>2</sub>, BaH<sub>2</sub>, the order of ionic character is
  - $(1) \quad BaH_2 < BeH_2 < CaH_2$
  - (2)  $BeH_2 < CaH_2 < BaH_2$
  - $(3) \quad \text{BeH}_2 < \text{BaH}_2 < \text{CaH}_2$
  - (4) CaH<sub>2</sub> < BeH<sub>2</sub> < BaH<sub>2</sub>
- 162. Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below:

$$\operatorname{BrO}_{4}^{-} \xrightarrow{1.82 \text{ V}} \operatorname{BrO}_{3}^{-} \xrightarrow{1.5 \text{ V}} \operatorname{HBrO}$$

$$\operatorname{Br}^{-} \xleftarrow{1.0652 \text{ V}} \operatorname{Br}_{2} \xleftarrow{1.595 \text{ V}}$$

Then the species undergoing disproportionation is

- (1) HBrO
- (2)  $BrO_{g}^{-}$
- $(3) \quad \mathbf{Br}_2$
- (4)  $BrO_A^-$
- 163. In which case is the number of molecules of water maximum?
  - (1)  $10^{-3}$  mol of water
  - (2) 18 mL of water
  - (3) 0.00224 L of water vapours at 1 atm and 273 K
  - (4) 0.18 g of water

- 164. Carboxylic acids have higher boiling points than 167. The bond dissociation energies of  $X_2$ ,  $Y_2$  and XYaldehydes, ketones and even alcohols comparable molecular mass. It is due to their
  - formation of intermolecular H-bonding
  - (2) formation of intramolecular H-bonding
  - (3) more extensive association of carboxylic acid via van der Waals force of attraction
  - (4) formation of carboxylate ion
- 165. Compound A, C<sub>8</sub>H<sub>10</sub>O, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

(1) 
$$CH_3 \longrightarrow CH_3$$
 OH and  $I_2$ 

(2) 
$$H_3C - CH_2 - OH \text{ and } I_2$$

(3) 
$$CH - CH_3 \text{ and } I_2$$
  
OH

(4) 
$$\sim$$
 CH<sub>2</sub> – CH<sub>2</sub> – OH and I<sub>2</sub>

#### 166. In the reaction

the electrophile involved is

- (1) dichlorocarbene (:CCl<sub>2</sub>)
- dichloromethyl cation (CHCl<sub>2</sub>)
- dichloromethyl anion (CHCl2) (3)
- formyl cation (CHO)

- are in the ratio of 1:0.5:1.  $\Delta H$  for the formation of XY is -200 kJ mol<sup>-1</sup>. The bond dissociation energy of  $X_2$  will be
  - $400 \text{ kJ mol}^{-1}$
  - $200 \text{ kJ mol}^{-1}$
  - $800 \text{ kJ mol}^{-1}$
  - 100 kJ mol<sup>-1</sup>
- 168. When initial concentration of the reactant is doubled, the half-life period of a zero order reaction
  - remains unchanged
  - is halved
  - is tripled
  - is doubled
- **169.** The correction factor 'a' to the ideal gas equation corresponds to
  - forces of attraction between the gas molecules
  - density of the gas molecules
  - electric field present between the gas molecules
  - volume of the gas molecules
- **170.** Which one of the following conditions will favour maximum formation of the product in the reaction,

$$A_2(g) + B_2(g) \rightleftharpoons X_2(g) \quad \Delta_r H = -X kJ$$
?

- (1) High temperature and low pressure
- Low temperature and high pressure
- High temperature and high pressure
- Low temperature and low pressure

#### 171. For the redox reaction

$$\mathrm{MnO_4^-} + \mathrm{C_2O_4^{2-}} + \mathrm{H^+} \longrightarrow \mathrm{Mn^{2+}} + \mathrm{CO_2} + \mathrm{H_2O}$$

the correct coefficients of the reactants for the balanced equation are

	$MnO_4^-$	$C_2O_4^{2-}$	H'
(1)	5	16	2
(2)	16	5	2

- 2 16 5
- 5 16

- 172. Regarding cross-linked or network polymers, 177. Which one is a wrong statement? which of the following statements is *incorrect*?
  - They contain strong covalent bonds in their polymer chains.
  - **(2)** They contain covalent bonds between various linear polymer chains.
  - Examples are bakelite and melamine. (3)
  - They are formed from bi- and tri-functional **(4)** monomers.
- 173. Nitration of aniline in strong acidic medium also gives m-nitroaniline because
  - (1) In acidic (strong) medium aniline is present as anilinium ion.
  - (2) In spite of substituents nitro group always goes to only m-position.
  - (3) In absence of substituents nitro group always goes to m-position.
  - In electrophilic substitution reactions amino group is meta directive.
- 174. Which of the following oxides is most acidic in nature?
  - (1) CaO
  - (2)MgO
  - (3) BaO
  - (4) BeO
- 175. The difference between amylose and amylopectin is
  - (1) Amylose is made up of glucose and galactose
  - Amylopectin have  $1 \rightarrow 4$   $\alpha$ -linkage and (2) $1 \rightarrow 6 \alpha$ -linkage
  - (3) Amylopectin have  $1 \rightarrow 4$   $\alpha$ -linkage and  $1 \rightarrow 6 \beta$ -linkage
  - $1 \rightarrow 4$ (4) Amylose have α-linkage and  $1 \rightarrow 6 \beta$ -linkage
- 176. A mixture of 2.3 g formic acid and 4.5 g oxalic acid is treated with conc. H<sub>2</sub>SO<sub>4</sub>. The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
  - (1) 4.4
  - (2)1.4
  - (3)2.8
  - **(4)** 3.0

- - The value of m for  $d_{z^2}$  is zero.
  - Total orbital angular momentum of electron (2)in 's' orbital is equal to zero.
  - The electronic configuration of N atom is (3)

$1s^2$	$2s^2$	$2p_x^1$	$2p_y^1$	$2p_z^1$
$\uparrow \downarrow$	$\uparrow \downarrow$	<b>↑</b>	1	<b>↓</b>

- An orbital is designated by three quantum numbers while an electron in an atom is designated by four quantum numbers.
- 178. Consider the following species:

Which one of these will have the highest bond order?

- CN (1)
- NO (2)
- $CN^+$ (3)
- $CN^-$ (4)
- Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is 1s2 2s2 2p3, the simplest formula for this compound is
  - (1) $Mg_3X_2$
  - (2) $Mg_2X_3$
  - $Mg_2X$ (3)
  - $MgX_2$ (4)
- **180.** Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is



# SPACE FOR ROUGH WORK

HLAAC/NN/Page 22 English



# SPACE FOR ROUGH WORK

HLAAC/NN/Page 23 English



## Read carefully the following instructions:

- 1. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 4. Use of Electronic/Manual Calculator is prohibited.
- 5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

HLAAC/NN/Page 24 English

