Question Paper Preview

Question Paper Name:Electrical and Electronics EngineeringSubject Name:Electrical and Electronics Engineering

Mathematics

Number of Questions:50Display Number Panel:YesGroup All Questions:No

Question Number: 1 Question Id: 67809417624 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$A = \begin{pmatrix} 2 & -1 & 0 \\ 3 & 4 & 7 \end{pmatrix}$$
 and $B = \begin{pmatrix} 5 & 2 & -3 \\ 1 & 0 & -2 \end{pmatrix}$ then $2A+3B = \begin{pmatrix} 5 & 2 & -3 \\ 1 & 0 & -2 \end{pmatrix}$

Options:

$$\begin{pmatrix} 19 & 4 & -9 \\ 9 & 8 & 8 \end{pmatrix}$$

$$\begin{pmatrix} -19 & -4 & 9 \\ 9 & 8 & -8 \end{pmatrix}$$

$$\binom{18}{9} \binom{4}{8} \binom{-9}{8}$$

$$\begin{pmatrix} 17 & 5 & -9 \\ 8 & 8 & 9 \end{pmatrix}$$

Question Number : 2 Question Id : 67809417625 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If
$$A = \begin{pmatrix} 2 & -3 & 0 \\ 1 & 4 & -1 \end{pmatrix}$$
 and $B = \begin{pmatrix} 6 & 1 \\ 3 & 0 \\ 5 & 2 \end{pmatrix}$ then $(AB)^T =$

$$A^{T}B^{T}$$

$$_{2}$$
 $B^{T}A^{T}$

$$_{3}$$
 (BA)^T

$$_{4.}$$
 AB^{T}

Question Number : 3 Question Id : 67809417626 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If two rows or two columns of a determinant are identical then the value of the determinant is

Options:

- 1 2
- 2. -1
- 3. 0
- 4. -2

Question Number: 4 Question Id: 67809417627 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of 265 240 219 240 225 198 is

Options:

- , -1
- 2. 0
- 3. 1
- 4. 2

Question Number: 5 Question Id: 67809417628 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The adjoint of the square matrix
$$A = \begin{pmatrix} 2 & 5 & 1 \\ 3 & 1 & 2 \\ 4 & 3 & 1 \end{pmatrix}$$
 is

$$\begin{pmatrix} -5 & -2 & 9 \\ 5 & -2 & -1 \\ 5 & 14 & -13 \end{pmatrix}$$

$$\begin{pmatrix} 5 & 2 & 9 \\ 5 & -2 & -1 \\ 5 & 14 & -13 \end{pmatrix}$$

$$\begin{pmatrix} -5 & -2 & 9 \\ -5 & -2 & -1 \\ -5 & 14 & -13 \end{pmatrix}$$

$$\begin{pmatrix} -5 & -2 & -9 \\ 5 & 2 & 1 \\ 5 & 14 & -13 \end{pmatrix}$$

Question Number : 6 Question Id : 67809417629 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Resolve into partial fractions: $\frac{5}{(2x-1)(3x-1)}$ =

Options:

$$\frac{8}{2x-1} + \frac{5}{3x-1}$$

$$\frac{10}{2x-1} - \frac{15}{3x-1}$$

$$\frac{11}{3x-1} + \frac{7}{2x-1}$$

$$\frac{1}{2x-1} + \frac{2}{3x-1}$$

Question Number: 7 Question Id: 67809417630 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Resolve into partial fractions: $\frac{3x-1}{(x-1)(x-2)(x-3)} =$

$$\int_{1}^{2} \frac{2}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{-1}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{1}{x-1} + \frac{5}{x-2} + \frac{4}{x-3}$$

$$\frac{1}{4} \cdot \frac{1}{x-1} - \frac{5}{x-2} + \frac{4}{x-3}$$

Question Number: 8 Question Id: 67809417631 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $tan A = \frac{1}{2}$ and $tan B = \frac{1}{3}$ then tan (A - B) =

Options:

- 1. 7
- $\frac{-1}{7}$
- 2 5
- 1 3

Question Number: 9 Question Id: 67809417632 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of cot2A + tanA =

Options:

- 1 sin2A
- 2. cos2A
- 3. sec2A
- 4. cosec2A

Question Number: 10 Question Id: 67809417633 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\frac{1-\cos 2A+\sin 2A}{1+\cos 2A+\sin 2A} =$

Options:

- 1. sinA
- 2. cosA
- 3 tanA
- 4. cotA

Question Number: 11 Question Id: 67809417634 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\sin \frac{\pi}{5} \sin \frac{2\pi}{5} \sin \frac{3\pi}{5} \sin \frac{4\pi}{5} =$

Options:

- 1. 15
- 2 16
- -5 3 16
- 4 15

Question Number: 12 Question Id: 67809417635 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\cos 20^{\circ} + \cos 100^{\circ} + \cos 140^{\circ} =$

- 1. 0
- 2.3
- 3. 1
- 4. -3

Question Number: 13 Question Id: 67809417636 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\sum a(b^2 + c^2)\cos A$ is

Options:

- 1. 2abc
- 2. 4abc
- 3. 3abc
- 4. 5abc

Question Number: 14 Question Id: 67809417637 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $(a-b)^2 cos^2 \left(\frac{c}{2}\right) + (a+b)^2 sin^2 \left(\frac{c}{2}\right)$ is

Options:

- $_1$ C^3
- 2. C
- 3 C5
- 4. C2

Question Number: 15 Question Id: 67809417638 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $2tan^{-1}\left(\frac{1}{3}\right) + tan^{-1}\left(\frac{1}{7}\right)$ is

Options:

- $1 \pi/4$
- $_{2}$ $\pi/2$
- 3. $\pi/6$
- 4. $\pi/3$

Question Number: 16 Question Id: 67809417639 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The general solution of $4\cos^2 x - 3 = 0$ is

Options:

$$2n\pi \pm \frac{\pi}{6}$$

$$_{2}$$
 $2n\pi \pm \frac{7\pi}{6}$

$$3n\pi \pm \frac{5\pi}{6}$$

$$2n\pi \pm \frac{11\pi}{6}$$

Question Number: 17 Question Id: 67809417640 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $tan^{-1}x + tan^{-1}y + tan^{-1}z = \frac{\pi}{2}$, then the value of xy + yz + zx is

Options:

- 1. -1
- 2. 3
- 3. 5
- 4. 1

Question Number: 18 Question Id: 67809417641 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The modulus of a complex number $\sqrt{3} + i$ is

- 1. -2
- 2. 3
- 3. 2
- 4. 5

If $x + \frac{1}{x} = 2\cos\theta$ then the value of $x^n + \frac{1}{x^n}$ is

Options:

- $1 2 \cos n\theta$
- $_2$ -2 cos $n\theta$
- $_{3} 3\cos\theta$
- $\frac{2\sin n\theta}{\theta}$

Question Number: 20 Question Id: 67809417643 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The centre of the circle: $x^2 + y^2 - 2x + 6y - 6 = 0$ is

Options:

- $_{1.}$ (1,3)
- $_{2}$ (2,3)
- $_{3.}$ (1,-3)
- 4 (-1,3)

Question Number: 21 Question Id: 67809417644 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The radius of the circle: $5x^2 + 5y^2 - 6x + 8y - 75 = 0$ is

Options:

- 1. -4
- 2. 4
- 3. 2
- 4 3

Question Number: 22 Question Id: 67809417645 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of the parabola with vertex (2, -1) and focus (2, -3) is

$$x^2 - 4x + 8y + 12 = 0$$

$$x^2 - 4x - 8y - 12 = 0$$

$$x^2 + 4x - 8y - 12 = 0$$

$$_{4} x^{2} + 5x - 8y - 11 = 0$$

Question Number: 23 Question Id: 67809417646 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The centre of the ellipse: $9x^2 + 25y^2 - 18x + 100y - 116 = 0$ is

Options:

$$_{1}$$
 (2,-1)

$$_{2}$$
 $(-1,-2)$

$$_{3}$$
 (1,-2)

Question Number: 24 Question Id: 67809417647 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The focus of the hyperbola: $\frac{x^2}{25} - \frac{y^2}{144} = 1$ is

Options:

$$(-13,0)$$

$$_{3}$$
 (13, -1)

Question Number: 25 Question Id: 67809417648 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The length of the major axis of the ellipse: $4x^2 + 3y^2 = 48$ is

- 1.10
- 2. 11
- 3. 8
- 4. 13

Question Number : 26 Question Id : 67809417649 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\lim_{x\to 1} \frac{x^3-1}{x-1}$ is

Options:

- 1. 3
- 2. -3
- 3. 2
- 4. 1

Question Number: 27 Question Id: 67809417650 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $y = \frac{a+bx}{b-ax}$ then the derivative of y with respect to x is

$$\int_{1}^{a^2+b^2} \frac{a^2+b^2}{(b-ax)^2}$$

$$\frac{a^2+b^2}{(b+ax)^2}$$

$$\frac{a^2-b^2}{(b-ax)^2}$$

$$\frac{a+b}{(b-ax)^2}$$

If
$$y = x^3 e^x$$
 then $\frac{dy}{dx}$ is

$$(x-3)x^2e^x$$

$$(x-2)x^3e^x$$

$$\int_{3.} (x+3)x^2 e^x$$

$$(x-1)x^3e^x$$

Question Number: 29 Question Id: 67809417652 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$y = \sec x + \tan x$$
 then $\frac{dy}{dx}$ is

Options:

- $\int_{1}^{\infty} y \cos x$
- $_2$ y sec x
- $y = -y \sin x$
- $y \tan x$

Question Number : 30 Question Id : 67809417653 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $y = \frac{2+3 \sinh x}{3+2 \sinh x}$ then the derivative of y with respect to x is

$$\int_{1}^{\infty} \frac{5\cosh x}{(3+2\sinh x)^2}$$

$$\int_{2}^{5 \sinh x} \frac{5 \sinh x}{(3 + 2 \sinh x)^2}$$

$$\frac{5\sin x}{(3-2\cosh x)^2}$$

$$\frac{\sinh^2 x}{(2-3\sinh x)^2}$$

Question Number: 31 Question Id: 67809417654 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$y = \sqrt{\frac{1 - \cos x}{1 + \cos x}}$$
 then $\frac{dy}{dx}$ is

Options:

$$\sec^2\left(\frac{x}{2}\right)$$

$$\cos^2\left(\frac{x}{2}\right)$$

$$\frac{1}{2}\cos^2\left(\frac{x}{2}\right)$$

$$\frac{1}{2}\sec^2\left(\frac{x}{2}\right)$$

Question Number : 32 Question Id : 67809417655 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The angle between the curves $y = x^2 + 3x - 7$ and $y^2 = 2x + 5$ at (2,3) is

Options:

$$\tan \theta = 2$$

$$_2 \sec \theta = 2$$

$$\cos \theta = 1$$

$$\sin \theta = 3$$

Question Number: 33 Question Id: 67809417656 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The range of x for which the function $x^3 - 3x^2 - 45x + 2$ is increasing with x is

$$(3,-5)$$

$$_{2}$$
 $(-3,-5)$

Question Number: 34 Question Id: 67809417657 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum value of the function $2x^3 - 12x^2 + 18x + 5$ is

Options:

- 1. 13
- 2. 12
- 3. 10
- 4 15

Question Number: 35 Question Id: 67809417658 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If u is a homogeneous function of x and y with degree n then $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$

Options:

- 1. nu
- $_2$ n^2u
- 3. nu
- $u^{2} + u^{2}$

Question Number : 36 Question Id : 67809417659 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\int \frac{\cos \sqrt{x}}{\sqrt{x}} dx$ is

$$2\sin\sqrt{x}+c$$

$$3\sin\sqrt{x}+c$$

$$\frac{2\sin x + c}{2\sin x}$$

$$\sin \sqrt{x} + c$$

Question Number : 37 Question Id : 67809417660 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\int \frac{dx}{\sqrt{a^2-x^2}}$ is

Options:

$$\cos^{-1}\left(\frac{x}{a}\right) + c$$

$$\sin^{-1}\left(\frac{x}{a}\right) + c$$

$$\sinh^{-1}\left(\frac{x}{a}\right) + c$$

$$\sin^{-1}\left(\frac{a}{x}\right) + c$$

Question Number : 38 Question Id : 67809417661 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\int \frac{dx}{4x^2+4x+17}$ is

$$\int_{1}^{\infty} \tan^{-1}\left(\frac{2x+1}{4}\right) + c$$

$$\frac{1}{4}\cot^{-1}\left(\frac{2x+1}{4}\right) + c$$

$$\frac{1}{8}\sin^{-1}\left(\frac{2x+1}{4}\right) + c$$

$$\int_{4}^{1} \tan^{-1}\left(\frac{2x+1}{4}\right) + c$$

Question Number : 39 Question Id : 67809417662 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\int \log x \, dx$ is

Options:

$$x \log x + x + c$$

$$2 x^2 \log x - x + c$$

$$x \log x - x + c$$

$$x\log x - \frac{x^2}{2} + c$$

Question Number: 40 Question Id: 67809417663 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\int_{1}^{4} \left(\sqrt{x} + \frac{1}{\sqrt{x}} \right) dx$ is

Options:

- 1. 3
- $-\frac{20}{3}$
- 3 3
- 15

Question Number: 41 Question Id: 67809417664 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\int_0^{\pi/2} \sin^2 x \, dx$ is

- $\frac{\pi}{2}$
- $-\frac{\pi}{4}$

$$\frac{\pi}{4}$$

Question Number: 42 Question Id: 67809417665 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The area enclosed between the curve $y^2 = 4ax$ and the line x = 2y is

Options:

$$\frac{64}{5}$$
 sq. units

$$\frac{64}{3}$$
 sq. units

$$\frac{65}{4}$$
 sq. units

$$\frac{63}{4}$$
 sq. units

Question Number : 43 Question Id : 67809417666 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\lim_{n\to\infty} \left[\frac{1}{n+1} + \frac{1}{n+2} + \cdots + \frac{1}{n+n} \right]$ is

Options:

$$_4 \log n$$

Question Number: 44 Question Id: 67809417667 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Form the differential equation by eliminating the arbitrary constant a from $ay^2 = x^3$ Options:

$$\frac{dy}{dx} = \frac{3y}{2x}$$

$$\frac{dy}{dx} = \frac{2x}{3y}$$

$$\frac{dy}{dx} = \frac{x}{y}$$

$$\frac{dy}{dx} = \frac{2y}{x}$$

Question Number: 45 Question Id: 67809417668 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of $\sqrt{1-y^2}dx + \sqrt{1-x^2}dy = 0$ is

Options:

$$\cos^{-1} x + \cos^{-1} y = c$$

$$\int_{\gamma} \sinh^{-1} x + \cosh^{-1} y = c$$

$$\cos^{-1} x + \sec^{-1} x = c$$

$$\sin^{-1} x + \sin^{-1} y = c$$

Question Number : 46 Question Id : 67809417669 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The solution of $\frac{dy}{dx} = (4x + y + 1)^2$ is

$$\int_{1}^{\infty} \frac{1}{2} \tan^{-1} \left(\frac{4x + y + 1}{2} \right) = x + c$$

$$\int_{2}^{1} \cot^{-1}\left(\frac{4x+y+1}{2}\right) = x + c$$

$$\int_{3}^{2} -\frac{1}{2} \tan^{-1} \left(\frac{4x+y+1}{2} \right) = x + c$$

$$\frac{1}{2}\tan^{-1}\left(\frac{4x-y-1}{2}\right) = x + c$$

Question Number: 47 Question Id: 67809417670 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of exact differential equation $2xy dx + x^2 dy = 0$ is

Options:

$$_{1.} x^{2}y^{2} = c$$

$$_2$$
 $x^2y=c$

$$_{3.}x^{3}y=c$$

$$_{4.}x^{2}y^{3}=c$$

Question Number: 48 Question Id: 67809417671 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of $\frac{dy}{dx} + y = e^{-x}$ is

Options:

$$\int_{1}^{\infty} (x+c)e^{-x}$$

$$(x-c)e^x$$

$$(x+c)e^x$$

$$(x+c)e^{-2x}$$

Question Number : 49 Question Id : 67809417672 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The particular integral of $(D^2 + 5D + 6)y = e^x$ is

$$\frac{-e^{-x}}{12}$$

$$\frac{e^{2x}}{12}$$

$$\frac{e^x}{12}$$

$$\frac{e^x}{6}$$

Question Number: 50 Question Id: 67809417673 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The complementary function of $(D^2 + 3D + 2)y = 8sin5x$ is

Options:

$$c_1e^{-x}+c_2e^{-2x}$$

$$c_1 e^x + c_2 e^{2x}$$

$$_{3.}$$
 $c_1e^{-x}+c_2e^{2x}$

$$c_1e^{2x}+c_2e^{3x}$$

Physics

Number of Questions:25Display Number Panel:YesGroup All Questions:No

Question Number: 51 Question Id: 67809417674 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is not the unit of energy?


- watt second
- 2. Pascal metre

Newton metre 4 Kilowatt hour Question Number: 52 Question Id: 67809417675 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The height of Mercury barometer is 76 cm and density of Mercury is 13.6 g/cc. The corresponding height of water barometer in SI system is **Options:** 10.336 m ₂ 103.36 m 3.6m 4 1.0336 m Question Number: 53 Question Id: 67809417676 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Angle made by the vector $(\sqrt{3} \ \overline{i} + \overline{j})$ with the X-axis is **Options:** $1. \pi/2$ $_{2}$ $\pi/4$ $_{4}$ $\pi/6$ Question Number: 54 Question Id: 67809417677 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The minimum number of unequal forces in a plane that can keep a particle in equilibrium is **Options:**

2. 2
3. 3
4. 6
Question Number : 55 Question Id : 67809417678 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical A body is thrown with a velocity of $(4\bar{i}+3\bar{j})$ m/s. The maximum height attained by
the body is (g=10 ms ⁻²)
Options: 1. 2.5 m
2. 4.5 m
3. 0.8 m
4. 0.45 m
Question Number : 56 Question Id : 67809417679 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
A person in a lift, which ascends up with acceleration 10ms ⁻² , drops a stone from a height of
10m. The time of descent is (g=10 ms ⁻²)
Options:
1. 0.5 s
2. 1 s
3. 1.5 s
4. 2 s
Question Number : 57 Question Id : 67809417680 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
For a projectile, the ratio of maximum height reached to the square of time of flight is
Options:

1. 5:4
_{2.} 5:2
3. 5:1
4. 10:1
Question Number : 58 Question Id : 67809417681 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The ratio of distances travelled by a body, starting from rest and travelling with uniform
acceleration, in successive intervals of time of equal duration will be
Options:
1. 1:2:3
_{2.} 1 :4:9
_{3.} 1 :3:5
4. 1:9:16
Question Number: 59 Question Id: 67809417682 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A force of 12 N acts on a body of mass 4 kg placed on a rough surface. The coefficient of
friction between body and surface is 0.2 and take g= 10 ms ⁻² . The acceleration of the body in
ms ⁻² is
Options:
1. 1
2. 0.5
3. 0.25
4. Zero
Question Number • 60 Question Id • 67809417683 Display Question Number • Ves Single Line Question Ontion • No Ontion

Question Number: 60 Question Id: 67809417683 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Question Number: 63 Question Id: 67809417686 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A crane can lift up 10,000 kg of coal in 1 hour from a mine of depth 180m. If the efficiency of

the crane is 80%, its input power must be (g=10 ms⁻²)

Options:

- 62.5 kW
- ₂ 6.25 kW
- 3. 50 kW
- 4. 5 kW

Question Number: 64 Question Id: 67809417687 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The graph of acceleration as a function of displacement in the case of a body executing simple harmonic motion is

Options:

- Parabola
- ₂ Hyperbola
- Straight line with positive slope
- Straight line with negative slope

Question Number: 65 Question Id: 67809417688 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The pendulum of length 'L' swings from mean position to mean position 'n' times in one second. The value of acceleration due to gravity is

- $1. \pi^2 n^2 L$
- $_{2}$ $2\pi^{2}n^{2}L$

- $_{3.}(\pi^2n^2L)/2$
- $_4$ $4\pi^2 n^2 L$

Question Number: 66 Question Id: 67809417689 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

When a source of sound is in motion towards a stationary observer, the effect observed is Options:

- Decrease in velocity of sound
- , Increase in velocity of sound
- increase in frequency of sound
- 4 decrease in frequency of sound

Question Number: 67 Question Id: 67809417690 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The voice of a male person is different from that of a female person because

Options:

- , Two sounds have different phases
- Two persons are of different size
- Two sounds travel with different velocities
- 4 Two sounds have different pitch

Question Number: 68 Question Id: 67809417691 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical


If the sound absorption of a hall is changed by 2%, then the percentage change in the


reverberation time is

Options:

1. 2%

2. 4%
3. 1 %
No change
Question Number : 69 Question Id : 67809417692 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
In which of the following process, the internal energy of the system remains constant?
Options:
1. Adiabatic
2. Isothermal
3. Isobaric
4. Isochoric
Question Number: 70 Question Id: 67809417693 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Heat required to raise the temperature of one gram of water through 1 K is
Options:
1. 1.0 Kcal
2. 0.1 Kcal
3. 0.01 Kcal
4. 0.001 Kcal
Question Number: 71 Question Id: 67809417694 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The specific heat of a gas in an isothermal process is
Options:
1. infinity





same spins

different spins

opposite spins

4 vertical spins

Question Number: 77 Question Id: 67809417700 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Orbits in which electrons move according to Bohr are

Options:

1. elliptical

₂ cylindrical

3. circular

4 oval

Question Number: 78 Question Id: 67809417701 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Phosphorus has an atomic number of 15. A stable phosphorus atom has an electronic configuration of

Options:

$$1s^22s^22p^63p^5$$

$$_{2}$$
 1s²2s²2p⁶3s²3p³


$$_{3.} 1s^2 2s^2 2p^6 3s^2 3p^1 4s^2$$

$$1s^21p^61d^7$$

Question Number: 79 Question Id: 67809417702 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

NaCl is classified as having what kind of bonds in the solid phase?
Options:
1. Covalent
2. Ionic
3. Polar
4. vander Waals
Question Number : 80 Question Id : 67809417703 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The Bond formed due to sharing of electrons is
Options:
1. Ionic bond
2. Metallic bond
3. Polar bond
4. Covalent bond
Question Number: 81 Question Id: 67809417704 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The normality of solution obtained by dissolving $5.3~{\rm grams}$ of ${\rm Na_2CO_3}$ in $1~{\rm litresolution}$ is
Options:
1. 1N
2. 0.1N
3. 0.05N
4. 0.5N


 $Question\ Number: 82\ Question\ Id: 67809417705\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$



A substance that donates a pair of electrons to form coordinate covalent bond is called
Options:
1. Lewis acid
2. Lewis base
3. Bronsted-Lowry acid
Bronsted-Lowry base
Question Number : 86 Question Id : 67809417709 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
One Faraday is equal to
Options:
_{1.} 99650 C
_{2.} 93100 C
_{3.} 96500 C
4. 94500 C
Question Number: 87 Question Id: 67809417710 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The cell reaction of a cell is $Mg(s) + 2 H^{+}(aq) \rightarrow Mg^{2+}(aq) + H_{2}(g)$. If the standard reduction potential of Zn is -2.372 V , then the emf of the cell is
Options:
_{1.} +2.372 V
$_{2}$ – 2.372 V
3. 0.00 V
_{4.} -1.372 V
Question Number: 88 Question Id: 67809417711 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Galvanic cells are the cells which convert
Options:
Electrical energy to chemical energy
2. Chemical energy to electrical energy
Chemical energy to free energy
4. Potential energy to kinetic energy
Question Number: 89 Question Id: 67809417712 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Mass of substance produced at electrode is directly proportional to the quantity of electricity passed. This is known as
Options:
Faraday's second law
Faraday's first law
Newton's third law
Newton's first law
Question Number : 90 Question Id : 67809417713 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Hardness of water is expressed in terms of equivalent of
Options: Na ₂ CO ₃
$_{2}$ $K_{2}CO_{3}$
$_{3.}$ MgCO ₃
4. CaCO ₃

Question Number : 91 Question Id : 67809417714 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Temporary hardness is caused by
Options:
Carbonates of calcium and magnesium
Chlorides of calcium and magnesium
Sulphates of calcium and magnesium
4. Nitrates of Calcium
Question Number : 92 Question Id : 67809417715 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The exhausted zeolite bed can be regenerated by washing with
Options: 1. NaCl
_{2.} dil. NaOH
3. dil. HCl
4. Distilled water
Question Number : 93 Question Id : 67809417716 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Corrosion is an example of
Options:
1. Oxidation
2. Reduction
Electrolysis 3.
4. Halogenation



Styrene and sulphur

Question Number: 97 Question Id: 67809417720 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The plastics which soften when heat is applied with or without pressure, but require cooling to set them to shape are called as

Options:

- Thermosofting materials
- Thermosetting materials
- Thermoplastic materials
- Thermostatting materials

Question Number: 98 Question Id: 67809417721 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which one of the following statement is not true about ideal fuel?

Options:

- High calorific value
- , High moisture content
- 3 Low cost
- Moderate ignition temperature

Question Number: 99 Question Id: 67809417722 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Environmental pollution affects

- Humans only
- 2. Plants only

Biotic components	
Both abiotic and biotic componer	nts
Question Number: 100 Question Id: 67809417723 Dis Orientation: Vertical	splay Question Number : Yes Single Line Question Option : No Option
Layer of atmosphere in which ozor	ne layer lies is
Options:	
1. Troposphere	
2. Stratosphere	
Exosphere 3.	
4. Mesosphere	
Number of Questions: Display Number Panel: Group All Questions:	Electrical and Electronics Engineering 100 Yes No
Question Number: 101 Question Id: 67809417724 Dis Orientation: Vertical	splay Question Number: Yes Single Line Question Option: No Option
	deal voltage source. If the values of all the resistors are doubled then the
Options:	
 be increased by 2 times be increased by 4 times 	
3. be decreased by 2 times	
4. not change	
Question Number: 102 Question Id: 67809417725 Dis Orientation: Vertical	splay Question Number: Yes Single Line Question Option: No Option
If each branch of a delta circuit has	resistance of 1.732R, then each branch of its
equivalent star circuit has resistance of	of
Options:	

1. 3R.
2. 1.732R
3. 0.577R
4. 0.333R
Question Number: 103 Question Id: 67809417726 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Thevenin's equivalent circuit consists of
Options:
1. A voltage source in parallel with resistance
2. A voltage source in series with resistance
3. A current source in parallel with resistance
4. A current source in series with resistance
Question Number: 104 Question Id: 67809417727 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following statement is correct?
Options:
1. Resistor is an active element
2. Inductor is an active element
3. Voltage source is a passive element
4. Current source is an active element
Question Number: 105 Question Id: 67809417728 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The mutual inductance between two coupled coils with self inductances L ₁ =9 H
and $L_2 = 4$ H with a coefficient of coupling of 0.5 is
Options: 1. 3 H
2. 6 H
3. 18 H
4. 36 H
Question Number: 106 Question Id: 67809417729 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If the distance between two charges is doubled, the force between them
Options:
1. Increases two times

2. decreases two times
3. Increases four times
4. decreases four times
Question Number: 107 Question Id: 67809417730 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The heat produced in a current carrying conductor is
Options:
1. IRT
$_{2}$, $I^{2}RT$
$_{3.}$ IR 2 T
$_{4.}$ IRT ²
Question Number: 108 Question Id: 67809417731 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical If the number of conductors and speed of a Lap wound D.C. Generator is doubled then the generated e.m.f. will be
Options:
1. Remains same
2. Double the former value
3. Four times the former value
4. Eight times the former value
Question Number: 109 Question Id: 67809417732 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A 4 pole, D.C. wave wound Generator runs at 600 r.p.m. The flux per pole is 0.015 webers and generator no load voltage is 240Volts. The number of conductors are
Options : 1. 600
2. 800
3. 1000
4. 1200
Question Number: 110 Question Id: 67809417733 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The simplest way to shift load from one D.C. shunt generator running in parallel with another is by
Options:
1. Adjusting their field rheostats
2. Inserting resistance in their armature circuits
3. Adjusting the speeds of their prime movers
4. Using equalizer connections


Question Number: 111 Question Id: 67809417734 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The voltage regulation of an over-compound D.C. generator is always
Options:
1. Positive
2. negative
3. zero
4. high
Question Number: 112 Question Id: 67809417735 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical D.C. Shunt motors are commonly used in
Options:
1. Cranes
2. Electric Traction
3. Elevators
4. Lathe machines
Question Number: 113 Question Id: 67809417736 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The voltage equation of a D.C. motor is
Options:
$V=E_b/I_aR_a$
$_{2}$. $E_{b}=V+I_{a}R_{a}$
$_{3.}$ V= $E_b+I_aR_a$
$V = E_b + I_a^2 R_a$
Question Number: 114 Question Id: 67809417737 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A 4 pole 240V, d.c. series motor has a wave wound armature with 180 conductors.
The armature resistance and field winding resistance are 0.10Ω and 0.20Ω
respectively. If the motor is drawing 40A current at 0.015 webers flux per pole,
then the speed under this condition is r.p.m.
Options:
1 2533.33
2. 2644.4

4. 2987.6
4. 2987.0
Question Number: 115 Question Id: 67809417738 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The capacity of a battery is expressed in
Options:
1. watts
2. Volt hours
3. Ampere hours
4. Ohm hours
Question Number: 116 Question Id: 67809417739 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Moving coil and moving iron instruments can be distinguished by looking at
Options:
1. Their range
2. pointer
3. scale
4. Size of terminals
Question Number: 117 Question Id: 67809417740 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In dynamometer wattmeter, number of coils used are
Options:
1. 2
2. 3
3. 4
4. 6
Question Number: 118 Question Id: 67809417741 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following transducer is known as 'self generating transducer' ?
Options:
1. Passive transducer
2. Active transducer
3. Secondary transducer
4. Analog transducer
Question Number: 119 Question Id: 67809417742 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
When a Megger is not in operation then its needle shows a resistance of
Options:
1. Zero ohms
2. 10 ohms
3. 100 ohms

3. 2756.9

Question Number: 120 Question Id: 67809417743 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In a pure inductive circuit, the voltage will be
Options:
1. In phase with current
2. Lags the current by 90 degrees
3. Leads the current by 90 degrees
4. Lags the current by 45 degrees
Question Number : 121 Question Id : 67809417744 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The peak factor is the ratio of
Options:
1. Peak value to RMS value
2. RMS value to peak value
3. average value to RMS value
4. RMS value to average value
Question Number: 122 Question Id: 67809417745 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A series RLC circuit has a resonant frequency of f ₀ Hz. If all the circuit element
values are doubled, the new resonant frequency is
Options:
$_{1.}$ $^{2}\mathrm{f}_{0}$
$_{2.}$ $\mathbf{f_0}$
$0.25f_0$
$4. \ 0.5f_0$
Question Number: 123 Question Id: 67809417746 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A three phase balanced delta connected circuit has a load impedance of (6+j9)
ohms per phase. What is its equivalent star connected load impedance per phase in
ohms?
Options:
1. (6+j9)

4. infinity



The equivalent resistance of the primary of a 220V/1100V transformer is 0.1Ω . Its
equivalent resistance referred to secondary is
Options:
$_{1.}$ 0.5Ω
$_{2.}$ 0.02Ω
$_{3.}$ 0.04Ω
$_{4.}$ 2.5Ω
Question Number: 128 Question Id: 67809417751 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A 100kVA transformer has an iron loss of 900W and full load copper loss of 1600W. Its load kVA corresponding to maximum efficiency is Options: 1. 56.3 kVA 2. 133.3 kVA 3. 75 kVA 4. 177.7 kVA
Question Number: 129 Question Id: 67809417752 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If two transformers A and B are operating in parallel, with voltage rating of
transformer A is slightly greater than that of transformer B. If EA and EB are
induced emfs, ZA and ZB are the impedances of transformers A and B then the
circulating current I _C is given by
Options:
$(E_A-E_B)/(Z_A+Z_B)$
$(E_A + E_B)/(Z_A + Z_B)$
$_{3.}$ $(Z_A-Z_B)/(E_A-E_B)$
4. $(Z_A+Z_B)/(E_A+E_B)$
Question Number: 130 Question Id: 67809417753 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The phase shift in a star-star connected three phase transformer is _____

Options:
1. 0 degrees
2. 30 degrees
3. 120 degrees
4. 180 degrees
Question Number: 131 Question Id: 67809417754 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
An auto transformer supplies a load of 3kW at 115V at unity power factor. If the applied primary voltage is 230V, calculate the power transferred to the load inductively by neglecting losses.
Options:
1. 0.5kW
2. 1kW
3. 1.5kW
4. 2kW
Question Number: 132 Question Id: 67809417755 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The frequency of a 4 pole alternator running at 1500 RPM will be
Options: 1. 100 Hz
2. 60 Hz
3. 50 Hz
4. 25 Hz
Question Number: 133 Question Id: 67809417756 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The dark and bright lamp method is used for
Options:
1. Transfer of load
2. synchronizing
3. Balancing of load
4. Phase sequence
Question Number: 134 Question Id: 67809417757 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In an alternator, the armature reaction influences
Options:
Generated voltage per phase
2. frequency
3. Operating speed
4. Winding losses
Question Number: 135 Question Id: 67809417758 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The power developed by a synchronous motor will be maximum when the load angle is
Options:
1. 0 degrees
2. 45 degrees

4. 90 degrees
Question Number: 136 Question Id: 67809417759 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
An over excited synchronous motor is used for
Options:
1. Fluctuating loads
2. Variable speed loads
3. Low torque loads
4. Power factor corrections
Question Number: 137 Question Id: 67809417760 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If the field of a synchronous motor is under excited, the power factor will be
Options:
1. zero
2. unity
3. lagging
4. leading
Question Number: 138 Question Id: 67809417761 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A 4-pole, 3-phase induction motor is running at 4% slip at full load. If the speed of the motor is 720 r.p.m., the supply frequency
is
Options:
1. 15 Hz
2. 25 Hz
3. 50 Hz
4. 60 Hz
Question Number: 139 Question Id: 67809417762 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The rotor power output of a 3-phase induction motor is 15kW and the corresponding slip is 4%. The rotor copper loss will be
Options:
1. 600W
2. 625W
3. 650W
4. 700W
Question Number: 140 Question Id: 67809417763 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
When the rotor of a 3-phase induction motor is blocked, the slip is
Options:
1. 1

3. 60 degrees

2. 0.5
3. 0.1
4. 0
Question Number: 141 Question Id: 67809417764 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Double squirrel cage induction motor has
Options:
1. Two series windings in stator
2. Two series windings in rotor
3. Two parallel windings in rotor
4. Two parallel windings in stator
Question Number: 142 Question Id: 67809417765 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A capacitor start, capacitor run Induction motor is basically
Options:
1. two phase motor
2. D.C. motor
3. Commutator motor
4. Synchronous motor
Question Number: 143 Question Id: 67809417766 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Orientation: Vertical Which of the following motor is most suitable for computer drive printers?
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options:
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor 4. Stepper motor Question Number: 144 Question Id: 67809417767 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor 4. Stepper motor Question Number: 144 Question Id: 67809417767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor 4. Stepper motor Question Number: 144 Question Id: 67809417767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Ash content of Indian coal is approximately Options:
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor 4. Stepper motor Question Number: 144 Question Id: 67809417767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Ash content of Indian coal is approximately
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reluctance motor 2. Hysteresis motor 3. Shaded pole motor 4. Stepper motor Question Number: 144 Question Id: 67809417767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Ash content of Indian coal is approximately Options:
Orientation: Vertical Which of the following motor is most suitable for computer drive printers? Options: 1. Reductance motor 2. Hysteresis motor 3. Shaded pole motor 4. Stepper motor Question Number: 144 Question Id: 67809417767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Ash content of Indian coal is approximately Options: 1. 5%

Question Number : 145 Question Id : 67809417768 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
A Kaplan turbine is
Options:
1. A low head axial flow turbine
2. A high head mixed flow turbine
3. Inward flow impulse turbine
4. Outward flow reaction turbine
Question Number: 146 Question Id: 67809417769 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The nuclear reactor starts generation when
Options:
1. The safety rod is inserted into the core
2. The safety rod is withdrawn from the core
3. The shim rod is inserted into the core
4. The shim rod is withdrawn from the core
Question Number: 147 Question Id: 67809417770 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The maximum demand of a consumer is 2kW and his daily energy consumption is
20 units. His load factor is
Options:
1. 10.15%
2. 41.66%
3. 50%
4. 75%
Question Number: 148 Question Id: 67809417771 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
It is always economical to improve the power factor of an installation to
Options:
1. zero
2. unity
3. A little less than unity lag
4. A little less than unity lead
Question Number: 149 Question Id: 67809417772 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A 3-phase breaker is rated at 2000MVA, 33kV. Its breaking current will be
Options:

2. 49kA
3. 70kA
4. 89kA
Question Number: 150 Question Id: 67809417773 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The pickup value of a relay is 7.5A and fault current in relay coil is 37.5A. Its plug setting multiplier is
Options:
1. 10
2. 7.5
3. 2.5
4. 5
Question Number: 151 Question Id: 67809417774 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A mho relay is a
Options:
1. Voltage restrained directional relay
2. Voltage controlled over current relay
3. Directional restrained over current relay
4. Directional restrained over voltage relay
Question Number: 152 Question Id: 67809417775 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Buchholz relay provides protection of the transformer from
Options:
1. External faults
2. Internal faults
3. Lightening faults
4. Dielectric breakdown
Question Number: 153 Question Id: 67809417776 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A differential protection system responds to the of the two electrical quantities.
Options:
1. Arithmetic difference
2. Arithmetic sum
3. Vectorial difference
4. Vector Sum
Question Number: 154 Question Id: 67809417777 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The transfer of electrical energy from consumers localities to the consumers premises is called
Options:
1. Primary transmission
2. Primary distribution
3. secondary transmission

1. 35kA

4. secondary distribution
Question Number : 155 Question Id : 67809417778 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The capacitive effect is negligible in
Options:
1. Short transmission lines
2. Medium transmission lines
3. Long transmission lines
4. Medium and Long transmission lines
Question Number: 156 Question Id: 67809417779 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Surge impedance of a transmission line is given by
Options:
1. Square root of (L/C)
2. Square root of (C/L)
3. Square root of (LC)
4. Square root of (1/LC)
Question Number: 157 Question Id: 67809417780 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical If the conductor diameter increases, inductance of the line
Options:
1. decreases
2. Increases
3. Remains same
4. Equal to zero
Question Number: 158 Question Id: 67809417781 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The first HVDC scheme in India is
Options:
1. Vindhyachal back to back system
2. Chandrapur - Padghe Scheme
3. Delhi - Rihand 500kV system
4. Sileru -Barsoor system
Question Number: 159 Question Id: 67809417782 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical ACSR conductor implies
Options:
1. All Conductors Surface treated and Realigned
2. Aluminium Conductor Steel Reinforced
Anode Current Sinusoidal Run
4. Anodised Core Smooth Run
T. Filodisca Cole billootii Ruii

Question Number: 160 Question Id: 67809417783 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following equipment is not used in the substations?
Options:
1. Shunt reactor
2. Exciters
3. Voltage transformers
4. Series capacitors
Question Number : 161 Question Id : 67809417784 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The most commonly used material for insulators of overhead lines is
Options:
1. Plastic
2. Rubber
3. Mica
4. Porcelain
Question Number: 162 Question Id: 67809417785 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
As compared to a D.C 2-Wire distributor, a 3-Wire distributor with same maximum voltage to earth uses only
percent of copper.
Options:
1. 66.66
2. 50
3. 31.25
4. 75
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options:
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options:
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options: 1. Crest speed
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options: 1. Crest speed 2. Average speed
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options: 1. Crest speed 2. Average speed 3. Scheduled speed 4. coasting
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options: 1. Crest speed 2. Average speed 3. Scheduled speed
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options: 1. Crest speed 2. Average speed 3. Scheduled speed 4. coasting Ouestion Number: 165 Question Id: 67809417788 Display Question Number: Yes Single Line Question Option: No Option
Question Number: 163 Question Id: 67809417786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For the voltages beyond 66kV, the cable used is Options: 1. Belted Cables 2. Screened Cables 3. Pressure Cables 4. S.L. Type Cables Question Number: 164 Question Id: 67809417787 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum speed attained by a train on the run is known as Options: 1. Crest speed 2. Average speed 3. Scheduled speed 4. coasting Question Number: 165 Question Id: 67809417788 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

2. Shunt generator
3. Rosenberg generator
4. Synchronous generator
Question Number: 166 Question Id: 67809417789 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In speed-time curve for trains, the notching period is
Options:
1. Constant acceleration period
2. Free running period of train
3. Braking period of train
4. Coasting period of train
Question Number: 167 Question Id: 67809417790 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following system is used for long distance railways?
Options : 1. 250V D.C.
2. 25kV, Single Phase A.C.
3. 25kV, 2- Phase A.C.
4. 25kV, 3- Phase A.C.
4. 25KV, 3- Flase A.C.
Question Number: 168 Question Id: 67809417791 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
motor is preferred for printing machines
Options:
1. Universal
2. Series
3. Shunt
4. D.C. Compound
Question Number: 169 Question Id: 67809417792 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If the gain of the Open-loop system is doubled, the gain margin
Options:
1. Is not affected
2. Becomes half
3. Becomes doubled
4. Becomes one-fourth
Question Number: 170 Question Id: 67809417793 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following element is not used in an automatic control system?
Options:
1. sensor
2. Error detector
3. oscillator
4. Final control element

Question Number: 171 Question Id: 67809417794 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In SCADA system, the RTU stands for
Options:
1. Remote Terminal Unit
2. Round Terminal Unit
3. Remote Thermal Unit
4. Round Thermal Unit
Question Number: 172 Question Id: 67809417795 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following tool is used for holding, gripping and cutting of wires?
Options:
1. Screw driver
2. hammer
3. Cutting plier
4. hacksaw
Question Number: 173 Question Id: 67809417796 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The wire running on the top of the overhead line, to protect from lightning is called as
Options:
1. Phase
2. Neutral
3. Stay Wire
4. Earth Wire
Question Number: 174 Question Id: 67809417797 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical In irrigation pump-sets the accidental opening of one of the supply lines is known as
Options: 1. Three phasing
2. Two phasing
3. Single phasing
4. Neutral phasing
r
Question Number : 175 Question Id : 67809417798 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The rating of the fuse wire is always expressed in
Options:
1. amperes
2. volts
3. watts
4. ohms
Question Number: 176 Question Id: 67809417799 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The current in a Zener Diode is controlled by
Options:

1. Reverse-bias voltage
2. Potential barrier
3. Zener Diode resistance
4. External resistance
Question Number: 177 Question Id: 67809417800 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Each diode of half wave rectifier conducts for
Options:
1. 90 degrees
2. 180 degrees
3. 270 degrees
4. 360 degrees
Question Number: 178 Question Id: 67809417801 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The transistor used in amplifier circuit operates in region
Options:
1. active
2. saturation
3. Cut-off
4. reverse
Question Number: 179 Question Id: 67809417802 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The maximum efficiency of Class A amplifier is
Options:
1. 100%
2. 81.8%
3. 50%
4. 30%
Question Number: 180 Question Id: 67809417803 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The purpose of coupling capacitor in an amplifier is to
Options:
1. Control the output
2. Match the impedance
3. Control the bandwidth
4. Prevent D.C. mixing with input

Question Number: 181 Question Id: 67809417804 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The phase shift oscillator generally contains
Options:
1. Four stages of RC circuit
2. Three stages of RC circuit
3. Two stages of RC circuit
4. One stage of RC circuit
Question Number: 182 Question Id: 67809417805 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
oscillator is the most stable oscillator
Options:
1. Crystal controlled
2. Weinbridge
3. Colpitts
4. Hartley
Question Number: 183 Question Id: 67809417806 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The base of the hexadecimal number system is
Options: 1. 2
2. 8
3. 10
4. 16
Question Number: 184 Question Id: 67809417807 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The Gate whose output is high, if any of its inputs is high is
Options: 1. NAND
2. OR
3. NOR
4. EX-OR
Question Number: 185 Question Id: 67809417808 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The memory used for main memory in a hand calculator is
Options:
1. RAM
2. ROM
3. PROM
4. EPROM
Question Number: 186 Question Id: 67809417809 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following is the fastest A to D converter?

1. Successive approximation converter

2. Counter type converter

4. Dual Slope converter
Question Number: 187 Question Id: 67809417810 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
An SCR is a Switch
Options:
1. Unidirectional
2. Two-directional
3. Three-directional
4. Four-directional
Question Number: 188 Question Id: 67809417811 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Turn-on time of an SCR can be reduced by using a
Options:
Rectangular pulse of low amplitude and wide width
Rectangular pulse of high amplitude and narrow width
3. Triangular pulse
4. Trapezoidal pulse
Question Number: 189 Question Id: 67809417812 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In an UJT, maximum value of charging resistance is associated with
Options:
1. Peak Point
2. Valley Point
3. Any point between peak and valley point
4. After the valley point
Question Number: 190 Question Id: 67809417813 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The Triac can be used only in
Options:
1. inverter
2. rectifier
3. Multiquadrant chopper
4. Cycloconverter
Question Number: 191 Question Id: 67809417814 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Freewheeling diode in a converter is placed
Options:
1. In series with each thyristor
2. In shunt with each thyristor
3. Across the D.C. load impedance
4. In series with the D.C. load impedance

3. Comparator converter

Question Number : 192 Question Id : 67809417815 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
A cycloconverter is a
Options:
1. Amplitude changer
2. Phase changer
3. Waveform changer
4. Frequency changer
Question Number: 193 Question Id: 67809417816 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In dc chopper, if T is the chopping period, then the output voltage may be controlled by PWM by
Options:
1. Varying T, keeping TON constant
2. Varying TON, keeping T constant
3. Varying TOFF, keeping T constant
4. Varying T, keeping TOFF constant
Question Number: 194 Question Id: 67809417817 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A single phase voltage source square wave inverter feeds pure inductive load. The waveform of the load current will be
Options:
1. sinusoidal
2. rectangular
3. trapezoidal
4. triangular
· · · · · · · · · · · · · · · · · · ·
Question Number: 195 Question Id: 67809417818 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The PWM control of D.C. Motor varies with speed
Options:
1. inversely
2. parabolically
3. exponentially
4. linearly
Question Number: 196 Question Id: 67809417819 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
SMPS are based on the principle
Options:
1. Phase control
2. Integral control
3. Chopper
4. MOSFET
Question Number: 197 Question Id: 67809417820 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
The number of flags of 8051 is
Options:

2. 8
3. 2
4. 4
Question Number: 198 Question Id: 67809417821 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
During PUSH instruction, the stack pointer is Options:
1. Incremented by two
2. Incremented by one
3. Decremented by two
4. Decremented by one
Question Number : 199 Question Id : 67809417822 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
In 8255, the length of a control word is
Options:
1. 2-bytes
2. 4-bits
3. 8-bits
4. 12-bits
Question Number : 200 Question Id : 67809417823 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
PIC 8259 is a pin chip
Options:
1. 40
2. 28
3. 24
4. 32

1. 5