# **Question Paper Preview**

Question Paper Name:Electronics and Communication EngineeringSubject Name:Electronics and Communication Engineering

Mathematics

Number of Questions:50Display Number Panel:YesGroup All Questions:No

Question Number: 1 Question Id: 67809417824 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If 
$$A = \begin{pmatrix} 2 & -1 & 0 \\ 3 & 4 & 7 \end{pmatrix}$$
 and  $B = \begin{pmatrix} 5 & 2 & -3 \\ 1 & 0 & -2 \end{pmatrix}$  then  $2A+3B =$ 

**Options:** 

$$\begin{pmatrix} 19 & 4 & -9 \\ 9 & 8 & 8 \end{pmatrix}$$

$$\begin{pmatrix} -19 & -4 & 9 \\ 9 & 8 & -8 \end{pmatrix}$$

$$\binom{18}{9} \binom{4}{8} \binom{-9}{8}$$

$$\begin{pmatrix} 17 & 5 & -9 \\ 8 & 8 & 9 \end{pmatrix}$$

Question Number: 2 Question Id: 67809417825 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If 
$$A = \begin{pmatrix} 2 & -3 & 0 \\ 1 & 4 & -1 \end{pmatrix}$$
 and  $B = \begin{pmatrix} 6 & 1 \\ 3 & 0 \\ 5 & 2 \end{pmatrix}$  then  $(AB)^T =$ 

$$A^{T}B^{T}$$

$$_{2}$$
  $B^{T}A^{T}$ 

$$_{3}$$
 (BA)<sup>T</sup>

$$_{4.}$$
  $AB^{T}$ 

Question Number : 3 Question Id : 67809417826 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If two rows or two columns of a determinant are identical then the value of the determinant is

# **Options:**

- 1. 2
- 2. -1
- 3. 0
- 4. -2

Question Number: 4 Question Id: 67809417827 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

#### **Options:**

- , -1
- 2. 0
- 3. 1
- 4. 2

Question Number: 5 Question Id: 67809417828 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The adjoint of the square matrix 
$$A = \begin{pmatrix} 2 & 5 & 1 \\ 3 & 1 & 2 \\ 4 & 3 & 1 \end{pmatrix}$$
 is

$$\begin{pmatrix} -5 & -2 & 9 \\ 5 & -2 & -1 \\ 5 & 14 & -13 \end{pmatrix}$$

$$\begin{pmatrix} 5 & 2 & 9 \\ 5 & -2 & -1 \\ 5 & 14 & -13 \end{pmatrix}$$

$$\begin{pmatrix} -5 & -2 & 9 \\ -5 & -2 & -1 \\ -5 & 14 & -13 \end{pmatrix}$$

$$\begin{pmatrix} -5 & -2 & -9 \\ 5 & 2 & 1 \\ 5 & 14 & -13 \end{pmatrix}$$

Question Number : 6 Question Id : 67809417829 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Resolve into partial fractions:  $\frac{5}{(2x-1)(3x-1)}$  =

**Options:** 

$$\frac{8}{2x-1} + \frac{5}{3x-1}$$

$$\frac{10}{2x-1} - \frac{15}{3x-1}$$

$$\frac{11}{3x-1} + \frac{7}{2x-1}$$

$$\frac{1}{2x-1} + \frac{2}{3x-1}$$

Question Number: 7 Question Id: 67809417830 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Resolve into partial fractions:  $\frac{3x-1}{(x-1)(x-2)(x-3)} =$ 

$$\int_{1}^{2} \frac{2}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{-1}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{1}{x-1} + \frac{5}{x-2} + \frac{4}{x-3}$$

$$\frac{1}{4} \cdot \frac{1}{x-1} - \frac{5}{x-2} + \frac{4}{x-3}$$

Question Number: 8 Question Id: 67809417831 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If  $tanA = \frac{1}{2}$  and  $tanB = \frac{1}{3}$  then tan(A - B) =

**Options:** 

- 1. 7
- $\frac{-1}{7}$
- 3 5
- 1 3

Question Number: 9 Question Id: 67809417832 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of cot2A + tanA =

**Options:** 

- 1 sin2A
- 2. cos2A
- 3. sec2A
- 4. cosec2A

Question Number: 10 Question Id: 67809417833 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $\frac{1-\cos 2A+\sin 2A}{1+\cos 2A+\sin 2A} =$ 

**Options:** 

1. sinA

2. cosA

3 tanA

4. cotA

Question Number: 11 Question Id: 67809417834 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $\sin \frac{\pi}{5} \sin \frac{2\pi}{5} \sin \frac{3\pi}{5} \sin \frac{4\pi}{5} =$ 

**Options:** 

1. 15

2 16

-5 3 16

4 15

Question Number: 12 Question Id: 67809417835 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $\cos 20^{\circ} + \cos 100^{\circ} + \cos 140^{\circ} =$ 

**Options:** 

1. 0

2.3

3. 1

4. -3

Question Number: 13 Question Id: 67809417836 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $\sum a(b^2 + c^2)\cos A$  is

**Options:** 

- 1 2abc
- 2. 4abc
- 3. 3abc
- 4. 5abc

Question Number: 14 Question Id: 67809417837 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $(a-b)^2 cos^2 \left(\frac{c}{2}\right) + (a+b)^2 sin^2 \left(\frac{c}{2}\right)$  is

**Options:** 

- $_1$   $C^3$
- 2. C
- 3 C5
- 4. C2

Question Number: 15 Question Id: 67809417838 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $2tan^{-1}\left(\frac{1}{3}\right) + tan^{-1}\left(\frac{1}{7}\right)$  is

**Options:** 

- $1 \pi/4$
- $_{2}$   $\pi/2$
- $3. \pi/6$
- $4. \pi/3$

Question Number: 16 Question Id: 67809417839 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The general solution of  $4\cos^2 x - 3 = 0$  is

**Options:** 

$$2n\pi \pm \frac{\pi}{6}$$

$$_{2}$$
  $2n\pi \pm \frac{7\pi}{6}$ 

$$3n\pi \pm \frac{5\pi}{6}$$

$$2n\pi \pm \frac{11\pi}{6}$$

Question Number: 17 Question Id: 67809417840 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If  $tan^{-1}x + tan^{-1}y + tan^{-1}z = \frac{\pi}{2}$ , then the value of xy + yz + zx is

**Options:** 

- 1. -1
- 2. 3
- 3. 5
- 4. 1

Question Number: 18 Question Id: 67809417841 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The modulus of a complex number  $\sqrt{3} + i$  is

- 1. -2
- 2. 3
- 3. 2
- 4. 5

If  $x + \frac{1}{x} = 2\cos\theta$  then the value of  $x^n + \frac{1}{x^n}$  is

**Options:** 

- $1 2 \cos n\theta$
- $_2$  -2 cos  $n\theta$
- $_{3} 3\cos\theta$
- $\frac{2\sin n\theta}{\theta}$

Question Number: 20 Question Id: 67809417843 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The centre of the circle: $x^2 + y^2 - 2x + 6y - 6 = 0$  is

**Options:** 

- $_{1.}$  (1,3)
- $_{2}$  (2,3)
- $_{3.}$  (1,-3)
- 4 (-1,3)

Question Number: 21 Question Id: 67809417844 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The radius of the circle:  $5x^2 + 5y^2 - 6x + 8y - 75 = 0$  is

**Options:** 

- 1. -4
- 2. 4
- 3. 2
- 4 3

Question Number: 22 Question Id: 67809417845 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of the parabola with vertex (2, -1) and focus (2, -3) is

$$x^2 - 4x + 8y + 12 = 0$$

$$x^2 - 4x - 8y - 12 = 0$$

$$x^2 + 4x - 8y - 12 = 0$$

$$_{4} x^{2} + 5x - 8y - 11 = 0$$

Question Number: 23 Question Id: 67809417846 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The centre of the ellipse:  $9x^2 + 25y^2 - 18x + 100y - 116 = 0$  is

**Options:** 

$$_{1}$$
 (2,-1)

$$_{2}$$
  $(-1,-2)$ 

$$_{3.}(1,-2)$$

Question Number: 24 Question Id: 67809417847 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The focus of the hyperbola:  $\frac{x^2}{25} - \frac{y^2}{144} = 1$  is

**Options:** 

$$(-13,0)$$

$$_{3}$$
 (13,  $-1$ )

Question Number: 25 Question Id: 67809417848 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The length of the major axis of the ellipse:  $4x^2 + 3y^2 = 48$  is

- 1.10
- 2. 11
- 3. 8
- 4. 13

Question Number : 26 Question Id : 67809417849 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of  $\lim_{x\to 1} \frac{x^3-1}{x-1}$  is

**Options:** 

- 1. 3
- 2. -3
- 3. 2
- 4. 1

Question Number: 27 Question Id: 67809417850 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If  $y = \frac{a+bx}{b-ax}$  then the derivative of y with respect to x is

$$\int_{1}^{a^2+b^2} \frac{a^2+b^2}{(b-ax)^2}$$

$$\frac{a^2+b^2}{(b+ax)^2}$$

$$\frac{a^2-b^2}{(b-ax)^2}$$

$$\frac{a+b}{(b-ax)^2}$$

If 
$$y = x^3 e^x$$
 then  $\frac{dy}{dx}$  is

$$(x-3)x^2e^x$$

$$(x-2)x^3e^x$$

$$\int_{3.} (x+3)x^2 e^x$$

$$(x-1)x^3e^x$$

Question Number : 29 Question Id : 67809417852 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If  $y = \sec x + \tan x$  then  $\frac{dy}{dx}$  is

**Options:** 

- $\int_{1}^{\infty} y \cos x$
- $_2$  y sec x
- $y = -y \sin x$
- $y \tan x$

Question Number: 30 Question Id: 67809417853 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If  $y = \frac{2+3 \sinh x}{3+2 \sinh x}$  then the derivative of y with respect to x is

$$\int_{1}^{\infty} \frac{5\cosh x}{(3+2\sinh x)^2}$$

$$\int_{2}^{5 \sinh x} \frac{5 \sinh x}{(3 + 2 \sinh x)^2}$$

$$\int \frac{5\sin x}{(3-2\cosh x)^2}$$

$$\frac{\sinh^2 x}{(2-3\sinh x)^2}$$

Question Number : 31 Question Id : 67809417854 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If 
$$y = \sqrt{\frac{1 - \cos x}{1 + \cos x}}$$
 then  $\frac{dy}{dx}$  is

**Options:** 

$$\sec^2\left(\frac{x}{2}\right)$$

$$\cos^2\left(\frac{x}{2}\right)$$

$$\frac{1}{2}\cos^2\left(\frac{x}{2}\right)$$

$$\frac{1}{2}\sec^2\left(\frac{x}{2}\right)$$

Question Number : 32 Question Id : 67809417855 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The angle between the curves  $y = x^2 + 3x - 7$  and  $y^2 = 2x + 5$  at (2,3) is

**Options:** 

$$\tan \theta = 2$$

$$_2 \sec \theta = 2$$

$$\cos \theta = 1$$

$$\sin \theta = 3$$

Question Number: 33 Question Id: 67809417856 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The range of x for which the function  $x^3 - 3x^2 - 45x + 2$  is increasing with x is

$$(3,-5)$$

$$_{2}$$
  $(-3,-5)$ 

Question Number: 34 Question Id: 67809417857 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum value of the function  $2x^3 - 12x^2 + 18x + 5$  is

**Options:** 

- 1. 13
- 2. 12
- 3. 10
- 4 15

Question Number: 35 Question Id: 67809417858 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If u is a homogeneous function of x and y with degree n then  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$ 

**Options:** 

- 1. nu
- $_2$   $n^2u$
- 3. nu
- $u^{2} + u^{2}$

Question Number : 36 Question Id : 67809417859 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of  $\int \frac{\cos \sqrt{x}}{\sqrt{x}} dx$  is

$$2\sin\sqrt{x}+c$$

$$3\sin\sqrt{x}+c$$

$$2\sin x + c$$

$$\sin \sqrt{x} + c$$

Question Number : 37 Question Id : 67809417860 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of  $\int \frac{dx}{\sqrt{a^2 - x^2}}$  is

**Options:** 

$$\cos^{-1}\left(\frac{x}{a}\right) + c$$

$$\sin^{-1}\left(\frac{x}{a}\right) + c$$

$$\sinh^{-1}\left(\frac{x}{a}\right) + c$$

$$\sin^{-1}\left(\frac{a}{x}\right) + c$$

Question Number : 38 Question Id : 67809417861 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of  $\int \frac{dx}{4x^2+4x+17}$  is

$$\frac{1}{8} \tan^{-1} \left( \frac{2x+1}{4} \right) + c$$

$$\frac{1}{4}\cot^{-1}\left(\frac{2x+1}{4}\right) + c$$

$$\frac{1}{8}\sin^{-1}\left(\frac{2x+1}{4}\right) + c$$

$$\int_{4}^{1} \tan^{-1}\left(\frac{2x+1}{4}\right) + c$$

Question Number : 39 Question Id : 67809417862 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of  $\int \log x \, dx$  is

**Options:** 

$$x \log x + x + c$$

$$2 x^2 \log x - x + c$$

$$x \log x - x + c$$

$$x\log x - \frac{x^2}{2} + c$$

Question Number: 40 Question Id: 67809417863 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $\int_{1}^{4} \left( \sqrt{x} + \frac{1}{\sqrt{x}} \right) dx$  is

**Options:** 

- 1. 3
- $-\frac{20}{3}$
- 3 3
- 15

Question Number: 41 Question Id: 67809417864 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of  $\int_0^{\pi/2} \sin^2 x \, dx$  is

- $\frac{\pi}{2}$
- $-\frac{\pi}{4}$

$$\frac{\pi}{4}$$

Question Number : 42 Question Id : 67809417865 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The area enclosed between the curve  $y^2 = 4ax$  and the line x = 2y is

**Options:** 

$$\frac{64}{5}$$
 sq. units

$$\frac{64}{3}$$
 sq. units

$$\frac{65}{4}$$
 sq. units

$$\frac{63}{4}$$
 sq. units

Question Number : 43 Question Id : 67809417866 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of  $\lim_{n\to\infty} \left[ \frac{1}{n+1} + \frac{1}{n+2} + \cdots + \frac{1}{n+n} \right]$  is

**Options:** 

$$_4 \log n$$

Question Number: 44 Question Id: 67809417867 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Form the differential equation by eliminating the arbitrary constant a from  $ay^2 = x^3$ Options:

$$\frac{dy}{dx} = \frac{3y}{2x}$$

$$\frac{dy}{dx} = \frac{2x}{3y}$$

$$\frac{dy}{dx} = \frac{x}{y}$$

$$\frac{dy}{dx} = \frac{2y}{x}$$

Question Number: 45 Question Id: 67809417868 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of  $\sqrt{1-y^2}dx + \sqrt{1-x^2}dy = 0$  is

**Options:** 

$$\cos^{-1} x + \cos^{-1} y = c$$

$$\int_{\gamma} \sinh^{-1} x + \cosh^{-1} y = c$$

$$\cos^{-1} x + \sec^{-1} x = c$$

$$\sin^{-1} x + \sin^{-1} y = c$$

Question Number : 46 Question Id : 67809417869 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The solution of  $\frac{dy}{dx} = (4x + y + 1)^2$  is

$$\int_{1}^{\infty} \frac{1}{2} \tan^{-1} \left( \frac{4x + y + 1}{2} \right) = x + c$$

$$\int_{2}^{\infty} \frac{1}{2} \cot^{-1} \left( \frac{4x+y+1}{2} \right) = x + c$$

$$\int_{3}^{2} -\frac{1}{2} \tan^{-1} \left( \frac{4x+y+1}{2} \right) = x + c$$

$$\frac{1}{2}\tan^{-1}\left(\frac{4x-y-1}{2}\right) = x + c$$

Question Number: 47 Question Id: 67809417870 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of exact differential equation  $2xy dx + x^2 dy = 0$  is

**Options:** 

$$_{1.} x^2y^2 = c$$

$$_2$$
  $x^2y=c$ 

$$_{3.}x^{3}y=c$$

$$_{4.} x^2 y^3 = c$$

Question Number: 48 Question Id: 67809417871 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of  $\frac{dy}{dx} + y = e^{-x}$  is

**Options:** 

$$\int_{1}^{\infty} (x+c)e^{-x}$$

$$(x-c)e^x$$

$$(x+c)e^x$$

$$(x+c)e^{-2x}$$

Question Number: 49 Question Id: 67809417872 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The particular integral of  $(D^2 + 5D + 6)y = e^x$  is

$$\frac{-e^{-x}}{12}$$

$$\frac{e^{2x}}{12}$$

$$\frac{e^x}{12}$$

$$\frac{e^x}{6}$$

Question Number: 50 Question Id: 67809417873 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The complementary function of  $(D^2 + 3D + 2)y = 8sin5x$  is

**Options:** 

$$c_1e^{-x}+c_2e^{-2x}$$

$$c_1 e^x + c_2 e^{2x}$$

$$_{3.}$$
  $c_1e^{-x}+c_2e^{2x}$ 

$$c_1e^{2x}+c_2e^{3x}$$

Physics

Number of Questions:25Display Number Panel:YesGroup All Questions:No

Question Number: 51 Question Id: 67809417874 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is not the unit of energy?


- watt second
- 2. Pascal metre

Newton metre 4 Kilowatt hour Question Number: 52 Question Id: 67809417875 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The height of Mercury barometer is 76 cm and density of Mercury is 13.6 g/cc. The corresponding height of water barometer in SI system is **Options:** 10.336 m <sub>2</sub> 103.36 m 3.6m 4 1.0336 m Question Number: 53 Question Id: 67809417876 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Angle made by the vector  $(\sqrt{3} \ \overline{i} + \overline{j})$  with the X-axis is **Options:**  $1. \pi/2$  $_{2}$   $\pi/4$  $_{4}$   $\pi/6$ Question Number: 54 Question Id: 67809417877 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The minimum number of unequal forces in a plane that can keep a particle in equilibrium is **Options:** 

2. 2
3. 3
4. 6
Question Number : 55 Question Id : 67809417878 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
A body is thrown with a velocity of $(4\bar{i}+3\bar{j})$ m/s. The maximum height attained by
the body is (g=10 ms <sup>-2</sup> )
Options:
1. 2.5 m
2. 4.5 m
3. 0.8 m
4. 0.45 m
Overative Never by 50, Overative Lit. (5000415050 Diverber Overative Never by Viv. Sirah Live Overative Outline Ne
Question Number : 56 Question Id : 67809417879 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
A person in a lift, which ascends up with acceleration 10ms <sup>-2</sup> , drops a stone from a height of
10m. The time of descent is (g=10 ms <sup>-2</sup> )
Options:
0.5 s
2. 1 s
3. 1.5 s
4. 2 s
Question Number : 57 Question Id : 67809417880 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
For a projectile, the ratio of maximum height reached to the square of time of flight is

1. 5:4
<sub>2.</sub> 5:2
3. 5:1
4. 10:1
Question Number : 58 Question Id : 67809417881 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The ratio of distances travelled by a body, starting from rest and travelling with uniform
acceleration, in successive intervals of time of equal duration will be
Options:
1. 1:2:3
<sub>2.</sub> <b>1</b> :4:9
<sub>3.</sub> 1:3:5
4. 1:9:16
Question Number: 59 Question Id: 67809417882 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A force of 12 N acts on a body of mass 4 kg placed on a rough surface. The coefficient of
friction between body and surface is 0.2 and take g= 10 ms <sup>-2</sup> . The acceleration of the body in
ms <sup>-2</sup> is
Options:
1. 1
2. 0.5
3 0.25
4. Zero
Question Number • 60 Question Id • 67809417883 Display Question Number • Ves Single Line Question Ontion • No Ontion

Question Number: 60 Question Id: 67809417883 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Question Number : 63 Question Id : 67809417886 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

A crane can lift up 10,000 kg of coal in 1 hour from a mine of depth 180m. If the efficiency of

the crane is 80%, its input power must be (g=10 ms<sup>-2</sup>)

# **Options:**

- 62.5 kW
- <sub>2</sub> 6.25 kW
- 3. 50 kW
- 4. 5 kW

Question Number: 64 Question Id: 67809417887 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The graph of acceleration as a function of displacement in the case of a body executing simple harmonic motion is

# **Options:**

- Parabola
- <sub>2</sub> Hyperbola
- Straight line with positive slope
- Straight line with negative slope

Question Number: 65 Question Id: 67809417888 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The pendulum of length 'L' swings from mean position to mean position 'n' times in one second. The value of acceleration due to gravity is

- $1. \pi^2 n^2 L$
- $_{2}$   $2\pi^{2}n^{2}L$

- $_{3.}(\pi^2n^2L)/2$
- $_4$   $4\pi^2 n^2 L$

Question Number: 66 Question Id: 67809417889 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

When a source of sound is in motion towards a stationary observer, the effect observed is Options:

- Decrease in velocity of sound
- , Increase in velocity of sound
- increase in frequency of sound
- 4 decrease in frequency of sound

Question Number: 67 Question Id: 67809417890 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The voice of a male person is different from that of a female person because

#### **Options:**

- , Two sounds have different phases
- Two persons are of different size
- Two sounds travel with different velocities
- 4 Two sounds have different pitch

Question Number : 68 Question Id : 67809417891 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical


If the sound absorption of a hall is changed by 2%, then the percentage change in the


reverberation time is

#### **Options:**

1. 2%

2. 4%
3. <b>1</b> %
No change 4.
Question Number : 69 Question Id : 67809417892 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
In which of the following process, the internal energy of the system remains constant?
Options:
1. Adiabatic
2. Isothermal
3. Isobaric
4. Isochoric
Question Number: 70 Question Id: 67809417893 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Heat required to raise the temperature of one gram of water through 1 K is
Options: 1. 1.0 Kcal
2. 0.1 Kcal
3. 0.01 Kcal
0.001 Kcal
Question Number: 71 Question Id: 67809417894 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The specific heat of a gas in an isothermal process is
Options:  1. infinity





same spins

different spins

opposite spins

vertical spins

Question Number: 77 Question Id: 67809417900 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Orbits in which electrons move according to Bohr are

**Options:** 

1. elliptical

2 cylindrical

3. circular

4 oval

Question Number: 78 Question Id: 67809417901 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Phosphorus has an atomic number of 15. A stable phosphorus atom has an electronic configuration of

**Options:** 

$$1s^22s^22p^63p^5$$

$$_{2}$$
 1s<sup>2</sup>2s<sup>2</sup>2p<sup>6</sup>3s<sup>2</sup>3p<sup>3</sup>


$$_{3}$$
  $1s^22s^22p^63s^23p^14s^2$ 

$$1s^21p^61d^7$$

Question Number: 79 Question Id: 67809417902 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

NaCl is classified as having what kind of bonds in the solid phase?
Options:
1. Covalent
2. Ionic
3. Polar
4. vander Waals
Question Number: 80 Question Id: 67809417903 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The Bond formed due to sharing of electrons is
Options:
1. Ionic bond
2. Metallic bond
3. Polar bond
4. Covalent bond
Question Number : 81 Question Id : 67809417904 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The normality of solution obtained by dissolving $5.3~{\rm grams}$ of ${\rm Na_2CO_3}$ in $1~{\rm litresolution}$ is
Options:
1. 1N
2. <b>0.1N</b>
3. 0.05N
4. 0.5N


 $Question\ Number: 82\ Question\ Id: 67809417905\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$ 



A substance that donates a pair of electrons to form coordinate covalent bond is called
Options:
1. Lewis acid
2. Lewis base
3. Bronsted-Lowry acid
Bronsted-Lowry base
Question Number : 86 Question Id : 67809417909 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
One Faraday is equal to
Options:
<sub>1.</sub> 99650 C
<sub>2.</sub> 93100 C
<sub>3.</sub> 96500 C
4. 94500 C
Question Number: 87 Question Id: 67809417910 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The cell reaction of a cell is $Mg(s) + 2 H^{+}(aq) \rightarrow Mg^{2+}(aq) + H_{2}(g)$ . If the standard reduction potential of Zn is $-2.372 \text{ V}$ , then the emf of the cell is
Options:
<sub>1.</sub> +2.372 V
$_{2}$ – 2.372 V
3. 0.00 V
<sub>4.</sub> -1.372 V
Question Number: 88 Question Id: 67809417911 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Galvanic cells are the cells which convert
Options:
Electrical energy to chemical energy
2. Chemical energy to electrical energy
Chemical energy to free energy
Potential energy to kinetic energy
Question Number: 89 Question Id: 67809417912 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Mass of substance produced at electrode is directly proportional to the quantity of electricity passed. This is known as
Options:
Faraday's second law
Faraday's first law
Newton's third law
Newton's first law
Question Number : 90 Question Id : 67809417913 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Hardness of water is expressed in terms of equivalent of
Options: $Na_2CO_3$
$_{2}$ $K_{2}CO_{3}$
$_{3.}$ MgCO <sub>3</sub>
4. CaCO <sub>3</sub>

Question Number : 91 Question Id : 67809417914 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Temporary hardness is caused by
Options:
Carbonates of calcium and magnesium
Chlorides of calcium and magnesium
Sulphates of calcium and magnesium
Nitrates of Calcium
Question Number : 92 Question Id : 67809417915 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The exhausted zeolite bed can be regenerated by washing with
Options:  NaCl
<sub>2.</sub> dil. NaOH
3. dil. HCl
4. Distilled water
Question Number : 93 Question Id : 67809417916 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Corrosion is an example of
Options:
1. Oxidation
2. Reduction
Electrolysis 3.
4. Halogenation



Styrene and sulphur

Question Number: 97 Question Id: 67809417920 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The plastics which soften when heat is applied with or without pressure, but require cooling to set them to shape are called as

# **Options:**

- Thermosofting materials
- Thermosetting materials
- Thermoplastic materials
- Thermostatting materials

Question Number: 98 Question Id: 67809417921 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which one of the following statement is not true about ideal fuel?

# **Options:**

- High calorific value
- , High moisture content
- 3 Low cost
- Moderate ignition temperature

Question Number: 99 Question Id: 67809417922 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Environmental pollution affects

- Humans only
- 2. Plants only

Biotic components

## Both abiotic and biotic components

Question Number: 100 Question Id: 67809417923 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Layer of atmosphere in which ozone layer lies is

**Options:** 

- 1. Troposphere
- 2. Stratosphere
- Exosphere
- 4. Mesosphere

Electronics and Communication Engineering

Number of Questions:100Display Number Panel:YesGroup All Questions:No

Question Number: 101 Question Id: 67809417924 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

One eV of energy is equal to

$$_{1.}$$
 1.6 × 10<sup>-18</sup> J

$$_{2.}$$
 1.6 × 10<sup>-19</sup> J

$$_{3.}~9\times10^{9}\,J$$

$$_{4.}$$
 9 × 10<sup>-19</sup> J

Question Number: 102 Question Id: 67809417925 Display Question Number: Yes Single Line Question Option: No Option In a semiconductor diode, the barrier potential offers **Options:** Opposition to minority carriers in N-region and majority carriers in P-region Opposition to majority carriers in both regions Opposition to minority carriers in both regions Opposition to minority carriers in P-region and majority carriers in N-region Question Number: 103 Question Id: 67809417926 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical Hall effect is used to measure **Options:** Magnetic field intensity Barrier concentration Carrier concentration Electrostatic field intensity Question Number: 104 Question Id: 67809417927 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The regulation of an ideal rectifier should be **Options:** negative infinity

3. 100%

4. Zero

3. Input resistance
4. Voltage supply
Question Number : 108 Question Id : 67809417931 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The maximum efficiency of Class B amplifier is
Options:
1. 85 %
2. 78.5 %
3. 66 %
4. 21 %
Question Number : 109 Question Id : 67809417932 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Which of the following amplifiers is called Emitter follower?
Options:
1. CC
2. CB
3. CE
4. JFET
Question Number: 110 Question Id: 67809417933 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Voltage shunt feedback amplifier is also called
Options:
Transresistance amplifier

Transconductance amplifier Voltage amplifier Current amplifier Question Number: 111 Question Id: 67809417934 Display Question Number: Yes Single Line Question Option: No Option Negative feedback is also known as Direct feedback Regenerative feedback Degenerative feedback Reverse feedback Question Number: 112 Question Id: 67809417935 Display Question Number: Yes Single Line Question Option: No Option The output voltage of a CE amplifier is 180° out of the phase with input 90° out of the phase with input 3 same phase as that of the input 270° out of the phase with input Question Number: 113 Question Id: 67809417936 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Crossover distortion can be observed in

Class AB amplifier 2 Class A amplifier Class B amplifier 4 Class C amplifier Question Number: 114 Question Id: 67809417937 Display Question Number: Yes Single Line Question Option: No Option One of the conditions of Barkhausen criterion is **Options:**  $_{1}$   $A\beta = 1$  $_2$   $A\beta = 0$  $_{3.}$  A $\beta = 29$  $_{4} A\beta = 1/2$ Question Number: 115 Question Id: 67809417938 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which of the following circuits works like an oscillator? **Options:** Schmitt Trigger Monostable multivibrator Bistable multivibrator Astable multivibrator Question Number: 116 Question Id: 67809417939 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** 

The ratio of the resonant frequency to the bandwidth is called

Sensitivity
2. Selectivity
Quality factor
Susceptance 4.
Question Number: 117 Question Id: 67809417940 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Any two terminal networks consisting of one or more generators can be represented
with an EMF source in series with an impedance. This is the statement of
Options:
1. Norton's theorem
Reciprocity theorem
Thevenin's theorem
Compensation theorem
Question Number : 118 Question Id : 67809417941 Display Question Number : Yes Single Line Question Option : No Orientation : Vertical
Superposition theorem can be applied to circuits only
Options:
1. Linear
Non linear
<sub>3.</sub> AC
4. DC

 $Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$ 

For maximum transfer of power, the internal resistance of the source should be
Options: greater than load resistance 1.
2. lower than load resistance
equal to load resistance
4. zero
Question Number: 120 Question Id: 67809417943 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
High pass RC circuit acts as an
Options:
Differentiator when RC is small
Differentiator when RC is large
Integrator when RC is large
Integrator when RC is small
Question Number: 121 Question Id: 67809417944 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A clamping circuit adds component
Options:
1. AC
<sub>2.</sub> DC
3. both AC and DC
4. neither AC nor DC

Question Number: 122 Question Id: 67809417945 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In a transmission line, if the load is purely reactive, the value of SWR is equal to
Options:
infinity 1.
<sub>2.</sub> zero
3. unity
4. 100
Question Number: 123 Question Id: 67809417946 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Loading of a transmission line is the process of
Options:
adding resistance to the line
adding capacitance to the line
adding conductance to the line
adding inductance to the line
Question Number: 124 Question Id: 67809417947 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The Q meter works on the principle of
Options:
series resonance
parallel resonance
3. self inductance
mutual inductance

Question Number: 125 Question Id: 67809417948 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A VTVM has
Options:
high loading effect on purely resistive circuits
negligible loading effect on circuits due to its high input impedance
negligible loading effect on circuits due to its low input impedance
low loading effect on inductive circuits
Question Number: 126 Question Id: 67809417949 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Multimeters generally do not have facility for the measurement of
Options:
<sub>1.</sub> frequency
resistance 2.
3. current
4. voltage
Question Number: 127 Question Id: 67809417950 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
bridge is used for the precise measurement of inductances over a
wide range
Options:
1. Wein's
2. Anderson

```
3. Hay's
4. Maxwell
Question Number: 128 Question Id: 67809417951 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 Saw tooth voltage in CRO is produced using
Options:
  sweep generator
, Colpitts oscillator
  Hartley oscillator
RC phase shift oscillator
Question Number: 129 Question Id: 67809417952 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
A 10 MHz CRO has 10 MHz
Options:
1. sweep
supply frequency
vertical oscillator
  horizontal oscillator
Question Number: 130 Question Id: 67809417953 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
A thermocouple is a type transducer
Options:
variable resistance
variable inductance
```

```
3. voltage generating
  voltage divider
Question Number: 131 Question Id: 67809417954 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
An LED causes emission of light due to
Options:
  emission of electrons
  generation of electromagnetic radiation
  conversion of heat energy into light energy
photovoltaic effect
Question Number: 132 Question Id: 67809417955 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Once SCR starts conducting a forward current, its gate loses control over
Options:
  anode circuit voltage only
  anode circuit current only
  anode circuit voltage and current
  anode circuit voltage, current and time
Question Number: 133 Question Id: 67809417956 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
An inverter is a circuit which
Options:
  converts A.C power to D.C power
```

2 inverts the wave form of an A.C voltage converts A.C power to D.C power and vice-versa converts D.C power to A.C power Question Number: 134 Question Id: 67809417957 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Cyclo converters require **Options:** forced commutation in step-up cyclo converters forced commutation in both step-up and step-down cyclo converters forced commutation in step-down cyclo converters natural commutation in both step-up and step-down cyclo converters Question Number: 135 Question Id: 67809417958 Display Question Number: Yes Single Line Question Option: No Option In a communications system, noise is most likely to affect the signal **Options:** at the transmitter in the channel in the information source in the destination

Question Number: 136 Question Id: 67809417959 Display Question Number: Yes Single Line Question Option: No Option

**Orientation: Vertical** 

If the modulation index of an AM wave is changed from 0 to 1, the transmitted
power is
Options:
unchanged 1.
<sub>2.</sub> halved
increased by 50 percent
doubled 4.
Question Number: 137 Question Id: 67809417960 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Balanced modulation produces
Options:  1. DSB
2. AM
3. VSB
4. SSB
Question Number: 138 Question Id: 67809417961 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following is an indirect method of generating FM?
Options:
Varactor diode modulation
Armstrong modulation
Reactance BJT modulator

Reactive FM modulator Question Number: 139 Question Id: 67809417962 Display Question Number: Yes Single Line Question Option: No Option Modulation index in an FM signal **Options:** varies directly as frequency deviation and inversely as the modulation frequency varies directly as the modulation frequency 3. varies inversely as the deviation has no relation to frequency and modulation Question Number: 140 Question Id: 67809417963 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** A receiver producing an accurate reproduction of the modulating signal is said to have **Options:** wide bandwidth good fidelity high sensitivity

Question Number: 141 Question Id: 67809417964 Display Question Number: Yes Single Line Question Option: No Option

better selectivity

The frequency of microwaves is

more than 2000 MHz


**Orientation**: Vertical


<sub>2.</sub> 20 MHz to 50 MHz
3. 15 MHz
4. 15 KHz
Question Number: 142 Question Id: 67809417965 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The Nyquist rate of a signal with maximum frequency fm is
Options:
f <sub>m</sub> samples/sec
1/f <sub>m</sub> samples/sec
$_{3.}$ 1.5 $f_{m}$ samples/sec
2f <sub>m</sub> samples/sec
Question Number: 143 Question Id: 67809417966 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Orientation : Vertical
Orientation : Vertical  Quantization noise occurs in
Orientation : Vertical  Quantization noise occurs in  Options :
Orientation: Vertical  Quantization noise occurs in  Options:  1. FM
Orientation: Vertical  Quantization noise occurs in  Options:  1. FM  2. PPM
Orientation: Vertical  Quantization noise occurs in  Options:  1. FM  2. PPM  3. PCM
Orientation: Vertical  Quantization noise occurs in  Options:  1. FM  2. PPM  3. PCM  4. PWM  Question Number: 144 Question Id: 67809417967 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical  Quantization noise occurs in  Options:  1. FM  2. PPM  3. PCM  4. PWM  Question Number: 144 Question Id: 67809417967 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Frequency Modulation
Double side band suppressed carrier modulation
vestigial side band modulation 3.
single side band modulation
Question Number : 145 Question Id : 67809417968 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Electrical length of an antenna is
Options:
Equal to its physical length
Smaller than its physical length
Greater than its physical length
May be greater or smaller than its physical length depending on the
frequency of radiation 4.
Question Number: 146 Question Id: 67809417969 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The gain of an isotropic antenna in dB is
Options:
1. 0
2. 1
3. 10
4. 100


 $Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$ 

The dominant mode in circular wave guide is
Options:  1. TE <sub>11</sub>
$_{2.}$ TE $_{01}$
$_{3.}$ TM $_{01}$
$_{4}$ $^{\mathrm{TM}_{11}}$
Question Number: 148 Question Id: 67809417971 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The K band frequenncy range of radars is
Options:
<sub>1.</sub> 8 to 12 GHz
<sub>2.</sub> 12 to 18 GHz
3. 18 to 27 GHz
<sub>4.</sub> 25 to 44 GHz
Question Number: 149 Question Id: 67809417972 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The blind speed problem in radars can be solved by
Options:
using monopulse
varying the Pulse Repetition Frequency
3. using MTI
changing the doppler frequency





Question Number: 156 Question Id: 67809417979 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical





1. MTI

pulse radar

3. FM

4 Altimeter

Question Number: 157 Question Id: 67809417980 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following modulation techniques is used in AMPS?

#### **Options:**

1 AM

2. FM

3. PM

4. PCM

Question Number: 158 Question Id: 67809417981 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical


Which of the following is the expression for Poynting's theorem?

$$E = P \times H$$

$$_{2}$$
 H = P x E

$$_{3}$$
  $P = H - E$ 

$$_{4}$$
  $P = E x H$ 



4 97

Question Number: 162 Question Id: 67809417985 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is an universal gate?

#### **Options:**

- EX-OR gate
- 2 AND gate
- 3. NAND gate
- 4 OR gate

Question Number: 163 Question Id: 67809417986 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is the slowest logic family?

#### **Options:**

- 1 PMOS
- 2 CMOS
- 3 ECL
- 4. TTL

**Question Number : 164 Question Id : 67809417987 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical** 

The full adder can be constructed using two half adders and one

- 1. AND gate
- 2 NAND gate
- OR gate

```
Question Number: 165 Question Id: 67809417988 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 When both the J and K inputs of an edge triggered JK flip flop are 1, then
 the flip flop is in
Options:
  Race around condition
  Synchronous condition
Toggle condition
  Reset condition
Question Number: 166 Question Id: 67809417989 Display Question Number: Yes Single Line Question Option: No Option
The minimum number of flip flops required to count up to 15 is
Options:
1.5
2. 4
3. 6
4.3
Question Number: 167 Question Id: 67809417990 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 A flip flop is used to store
Options:
   a word
2 a byte
```

NOT gate

```
3. a bit
4 a nibble
Question Number: 168 Question Id: 67809417991 Display Question Number: Yes Single Line Question Option: No Option
One of the advantages of a dynamic RAM is
Options:
  it needs to be refreshed periodically
  it is small and occupies less space
   it has a large access time
4 it makes use of MOSFETs
Question Number: 169 Question Id: 67809417992 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
  The time taken by a DAC to stabilize to within ½ LSB of its final value is
 termed
Options:
1. cycle time
<sub>2</sub> acquisition time
3. settling time
  access time
Question Number: 170 Question Id: 67809417993 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
In 8051 external interrupts are controlled by
Options:
  SCON
```

<sub>2.</sub> ECON
<sub>3.</sub> IE
4. IP
Question Number : 171 Question Id : 67809417994 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Length of the program counter in 8051 is
Options:  1. 16 bits
2. 32 bits
3. 48 bits
4. 8 bits
Question Number : 172 Question Id : 67809417995 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
MOV A, 40H belongs to addressing mode
Options:
1. immediate
2. indexed
3. register indirect
4. direct
Question Number: 173 Question Id: 67809417996 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Number of addressing modes in 8051 is
Options:
1. 4
2. 5

<sub>3.</sub> 12
4. 16
Question Number: 174 Question Id: 67809417997 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
PIC 8259 is a pin chip
Options: 1. 28
2. 32
3. 36
4. 40
Question Number: 175 Question Id: 67809417998 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The register in the 8085A that is used to keep track of the memory address
of the next op-code to be run in the program is the
Options: stack pointer
2. instruction pointer
3. accumulator
program counter
Question Number: 176 Question Id: 67809417999 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The 8085(A) is a
Options:
16 bit parallel CPU
2. 8 bit parallel CPU

16 bit serial CPU 8 bit serial CPU Question Number: 177 Question Id: 67809418000 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The five flags in 8085 are designated as **Options:** D, Z, S, P and AC , Z, CY, S, P and AC , Z, C, S, P and AC <sub>4</sub> Z, CY, S, D and AC Question Number: 178 Question Id: 67809418001 Display Question Number: Yes Single Line Question Option: No Option A dedicated Intel keyboard/display controller is **Options:** 8251 2 8259 3.8279 4.8237 Question Number: 179 Question Id: 67809418002 Display Question Number: Yes Single Line Question Option: No Option RS 232 standard is meant for **Options:** 1. Serial Data Transfer Parallel Data Transfer

3. Random Data Transfer
4. Data Encryption
Question Number: 180 Question Id: 67809418003 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The three primary colors are
Options:
red, blue and green
<sub>2.</sub> red, orange and blue
red, green and yellow
red, yellow and blue
Question Number: 181 Question Id: 67809418004 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The aspect ratio in the TV system is
Options:
Ratio of raster height to the raster width
Ratio of raster width to the raster height
3. Ratio of raster diagonal to the raster width
Ratio of raster diagonal to the raster height
Question Number: 182 Question Id: 67809418005 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Flyback is the name given to in a TV
Options:
Horizontal retrace

2. Vertical retrace
3. Diagonal retrace
4. Burst
Question Number: 183 Question Id: 67809418006 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In a low level AM transmitter, the stage following the modulator is
Options:
Harmonic generator
2. Class C amplifier
Non linear amplifier 3.
Linear amplifier 4.
Question Number: 184 Question Id: 67809418007 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
An MP3 file encoded at a lower bit rate will generally play back at
Options: Higher quality
2. Lower quality
3. Same quality
4. No relation with quality
Question Number: 185 Question Id: 67809418008 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following topologies requires a multi point connection?
Options:
1. Star

2. Ring	
3. Bus	
4. Mesh	
Question Number : 186 Question Id : 67809 Orientation : Vertical	9418009 Display Question Number: Yes Single Line Question Option: No Option
In OSI Model, thelay	ver lies between transport layer and the application
layer	
Options:	
Session layer	
Network layer	
Data link layer	
Physical layer	
Question Number: 187 Question Id: 67809 Orientation: Vertical	9418010 Display Question Number: Yes Single Line Question Option: No Option
The address uniquely d	lefines a host on the Internet.
Options :	
physical 1.	
2. logical	
MAC 3.	
4. IP	
Question Number : 188 Question Id : 67809 Orientation : Vertical	9418011 Display Question Number: Yes Single Line Question Option: No Option
IEEE standard desc	ribes the token ring
Options:	

1. 802.11
2. 802.5
<sub>3.</sub> 802.3
4. 802.1
Question Number: 189 Question Id: 67809418012 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
GPRS is an extension of system.
Options:  1. GSM
<sub>2.</sub> CDMA
3. WCDMA
4. OFDM
Question Number: 190 Question Id: 67809418013 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The switching technique used in ATM is
Options:  1. Circuit switching
2. packet switching
Message switching
Virtual circuit switching 4.
Question Number: 191 Question Id: 67809418014 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following is a language used for creating web pages?
Options:

1. VHDL
<sub>2.</sub> HTML
3. HTTP
4. MATLAB
Question Number: 192 Question Id: 67809418015 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which of the following is standardised as IEEE 1364?
Options:
1. C
2. C++
<sub>3.</sub> Java
4. Verilog
Question Number: 193 Question Id: 67809418016 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Which level simulates the algorithms that are used within the embedded systems?
Options:
Gate level
2. Switch level
3. Algorithmic level
4. Circuit level
Question Number: 194 Question Id: 67809418017 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
consists of a central conductor and a shield
Options:

Twister Pair , Fibre Cable Microwave component Coaxial cable Question Number: 195 Question Id: 67809418018 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which version of Verilog is known as System Verilog? **Options:** Verilog Version 1.0 Verilog Version 1.5 Verilog Version 2.0 4 Verilog Version 3.0 Question Number: 196 Question Id: 67809418019 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical Verilog HDL originated at **Options:** Gateway Design Automation AT&T Bell laboratories Defense Advanced Research Projects Agency(DARPA) Institute of Electrical and Electronics Engineers(IEEE)

Question Number: 197 Question Id: 67809418020 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In C, which of the following special symbols is allowed in a variable name?
Options:  1 (underscore)
<sub>2.</sub> – (hyphen)
(pipeline)
* (asterisk)
Question Number: 198 Question Id: 67809418021 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In C, the following statement is a statement
extern int i;
Options:
1. Definition
2. Declaration
3. Function
4. Error
Question Number: 199 Question Id: 67809418022 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
From what location are the 1st computer instructions available on boot up?
Options:
1. CPU
<sub>2.</sub> boot.ini
3. ROM BIOS

# 4. CONFIG.SYS

 $Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$ 

A hard disk is divided into tracks which are further subdivided into

### **Options:**

clusters

<sub>2.</sub> heads

vectors

sectors