tscte

Question Paper Name: Aerospace Engineering 30th May 2019 Shift 2

Subject Name: Aerospace Engineering **Creation Date:** 2019-05-29 13:37:18

Duration:120Total Marks:120Display Marks:NoShare Answer Key With DeliveryYes

Engine:

Actual Answer Key: Yes

Aerospace Engineering

Group Number:

Group Id: 39090047

Group Maximum Duration:

Group Minimum Duration:

Revisit allowed for view?:

No
Revisit allowed for edit?:

No
Break time:

0
Group Marks:

Mathematics

Section Id: 39090087

Section Number: 1
Section type: Online
Mandatory or Optional: Mandatory

Number of Questions:10Number of Questions to be attempted:10Section Marks:10Display Number Panel:YesGroup All Questions:No

Sub-Section Number: 1

Sub-Section Id: 39090087 **Question Shuffling Allowed:** Yes

Question Number: 1 Question Id: 3909005521 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Rank of the matrix
$$\begin{bmatrix} -1 & 2 & 3 & 2 \\ 4 & 0 & -1 & -1 \\ -6 & -2 & -2 & -1 \\ 2 & 2 & 3 & 2 \end{bmatrix}$$
 is

Options:

- 1. 1
- 2 2
- 3 3
- 4. 4

Question Number: 2 Question Id: 3909005522 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The number of solutions of the system

$$x + 2y + z = 2$$

$$2x + y + z = 0$$

$$x - y = 2$$

Options:

- 1 0
- 2. 1
- 3. 2
- 4 3

 $Question\ Number: 3\ Question\ Id: 3909005523\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

A is a square matrix of order 3, with eigen value 1, -1, 2 and $A = PBP^{-1}$ for some matrices B, P, then the sum of eigen values of B^2 is

- 1 3
- , 4

3.5

4. 6

Question Number: 4 Question Id: 3909005524 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Global maximum of $f(x) = x - \sin 2x$ in $\left[0, \frac{\pi}{2}\right]$ is attained at $x = \frac{\pi}{2}$

Options:

- $_{1.}$ $\pi/3$
- $_{2}$ $\pi/4$
- $_{3.}$ $\pi/5$
- $_4$ $\pi/6$

Question Number: 5 Question Id: 3909005525 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Domain of the real function $f(x, y) = \ln(x - y) + xy$ is

Options:

$$\{(x,y): x > y\}$$

$$_{2} \{(x,y): x < y\}$$

$$|x| = \{(x,y): |x| > |y|\}$$

$$_{4} \{(x,y): xy > 0\}$$

Question Number : 6 Question Id : 3909005526 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The function
$$f(x) = \begin{cases} \frac{3x^2y}{x^2 + y^2} & \text{if } (x, y) \neq (0, 0) \\ 0 & \text{if } (x, y) = (0, 0) \end{cases}$$
 is continuous on

- $1. R^2$
- $R^2 (0,0)$
- $\{(0,0)\}$
- $R^2 (1,1)$

Question Number: 7 Question Id: 3909005527 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If $z = 3xy^4 + x^2y$, where $x = \sin 2t$, $y = \cos t$, then $\frac{dz}{dt}\Big|_{t=0}$

Options:

- 1. 3
- 2 4
- 3 5
- 4. 6

Question Number: 8 Question Id: 3909005528 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Inverse Laplace transform of $\left(\frac{2}{s^2-2s+5}\right) =$

- $e^{2t}\cos t$
- $e^t \sin 2t$
- $e^t \cos 2t$
- $e^{2t}\sin t$

Question Number: 9 Question Id: 3909005529 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If
$$y = y(x)$$
 is the solution of $y'' + y = 0$, $y(0) = 1$, $y'(0) = 1$, then $y^{2}(x) - 1 = 0$

Options:

$$\sin 2x$$

$$\cos 2x$$

$$\cos 2x$$

Question Number: 10 Question Id: 3909005530 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

$$\frac{1}{D^2 + 1}(1 + x^2) =$$

Options:

$$_{1} x - 1$$

$$_{2}x^{2}+1$$

$$_{3} x + 1$$

$$x^2 - 1$$

Aerospace Engineering

Section Id: 39090088 **Section Number: Section type:** Online **Mandatory or Optional:** Mandatory **Number of Questions:** 110 Number of Questions to be attempted: 110 **Section Marks:** 110 **Display Number Panel:** Yes **Group All Questions:** No

Sub-Section Number: TS PGECET 2019

39090088

Sub-Section Id:

Question Shuffling Allowed: Yes
Question Number: 11 Question Id: 3909005531 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
Under the standard atmospheric conditions, the temperature in the
troposphere.
Options:
decreases with increase in altitude
increases with increase in altitude
remains constant with altitude
varies exponentially with altitude
Question Number: 12 Question Id: 3909005532 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 In the Langeschero, the temperature gradient with altitude is
In the Ionosphere, the temperature gradient with altitude is
Options: positive.
negative.
zero.
complex.
Question Number: 13 Question Id: 3909005533 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
In the stratosphere, pressure
Options: varies linearly with increase in altitude.

varies parabolically with increase in altitude.

- remains constant with altitude.
- varies exponentially with altitude.

Question Number: 14 Question Id: 3909005534 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A barometric altimeter is a

Options:

- pressure gauge which translates pressure reading into altitude.
- temperature gauge which translates temperature reading into altitude.
- density gauge which translates density reading into altitude.
- gauge which translates altitude reading into pressure.

Question Number: 15 Question Id: 3909005535 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The cruise Mach number of SR-71 Blackbird is

Options:

- 1 0.5
- , 1.0
- 3 2.0
- 4 3.0

Question Number : 16 Question Id : 3909005536 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The pressure measured using a sounding rocket at a specific altitude is 5.4 X 10⁴ N/m². The temperature measured at the same location is -18^oC. The density at the same location is

- $1. 2.737 \text{ kg/m}^3$
- 2 1.225 kg/m³
- $_{3}$ 1.737 kg/m³
- $_{4.}$ 0.737 kg/m³

Question Number : 17 Question Id : 3909005537 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Under standard atmospheric conditions, pressure at 5 km altitude is

Options:

- 1. 1.013 N/m²
- 2 1.013 bar
- ₃ 5.4 X 10⁴ N/m²
- 4 5.4 bar

Question Number: 18 Question Id: 3909005538 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Under standard atmospheric conditions, temperature at 12 km altitude is

Options:

- 273 K
- 2. 273°C
- 3. 216°C
- ₄ 216 K

Question Number: 19 Question Id: 3909005539 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Under standard atmospheric conditions, the density at 20 km altitude is

Options:

 0.0889 kg/m^3

- 2. 1.225 kg/m³
- 3. 1.013 kg/m³
- $_4$ 2 kg/m³

Question Number : 20 Question Id : 3909005540 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

In a low speed wind tunnel, the area of cross section of the inlet is $24 \text{ cm} \times 24 \text{ cm}$. The area of the test section is $8 \text{ cm} \times 8 \text{ cm}$. The ratio of the average speed at the test section to that at the inlet is

Options:

- 1. 9
- , 3
- 3 1/9
- 4. 1/3

Question Number : 21 Question Id : 3909005541 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Isentropic relation between pressure and density is

$$\frac{p}{\rho^{\gamma-1}}$$
 = constant

$$\frac{p}{\rho^{\gamma}}$$
 = constant

$$\frac{p}{\rho^{1-\gamma}} = \text{constant}$$

$$\frac{p}{\rho^{\gamma+1}} = \text{constant}$$

Question Number : 22 Question Id : 3909005542 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Mach number is defined as

Options:

True air speed / Speed of sound

, Speed of sound / True air speed

3 True air speed X Speed of sound

(Speed of sound X True air speed)²

Question Number : 23 Question Id : 3909005543 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

For steady, isentropic compressible flow, the relation between pressure, density and velocity is

Options:

$$\int_{1}^{\frac{\gamma}{\gamma-1}} \frac{p}{\rho} + \frac{v^2}{2} = \text{constant}$$

$$\frac{\gamma}{\gamma+1} \frac{p}{\rho} + \frac{v^2}{2} = \text{constant}$$

$$\frac{p}{\rho} + \frac{v^2}{2} = \text{constant}$$

$$\frac{p}{\rho} + \frac{\gamma}{\gamma - 1} \frac{v^2}{2} = \text{constant}$$

Question Number : 24 Question Id : 3909005544 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The speed of sound in air at 0°C is

- 0 m/s
- ₂ 331 m/s
- 3 340 m/s
- 4 1000 m/s

Question Number: 25 Question Id: 3909005545 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0
Pitot tube measures the

Options:

- stagnation pressure only
- stagnation temperature only
- static pressure only
- stagnation and static pressure

Question Number: 26 Question Id: 3909005546 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Equivalent airspeed is calculated based on

Options:

- Density of air at sea-level standard conditions
- Density of water at sea-level standard conditions
- 3 Density of air at the flight altitude
- Density of air at the service ceiling

Question Number: 27 Question Id: 3909005547 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following relations between true air speed (TAS) and equivalent air speed (EAS) is true?

Options:

- $_{1}$ TAS > EAS
- , TAS < EAS
- $_{3}$ TAS = EAS
- $_{4}$ TAS = EAS/2

Question Number : 28 Question Id : 3909005548 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Corrected airspeed indicator reading is

Options:

- Corrected for position error but not for instrument error
- Corrected for position error and instrument error
- Corrected for neither position error nor instrument error
- Corrected for instrument error but not for position error

Question Number: 29 Question Id: 3909005549 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Airplane lift coefficient during steady, level flight is calculated using

$$\frac{T}{\frac{1}{2}\rho V^2 S}$$

$$\frac{D}{\frac{1}{2}\rho V^2 S}$$

$$\frac{T-D}{\frac{1}{2}\rho V^2 S}$$

$$\frac{W}{\frac{1}{2}\rho V^2 S}$$

Question Number : 30 Question Id : 3909005550 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The aspect ratio of a rectangular wing of span 4 m and chord length 1 m is

Options:

- 1 16
- 2 4
- 3 1/16
- 4. 1/4

Question Number: 31 Question Id: 3909005551 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Kutta-Joukowski theorem relates the lift to circulation as

Options:

$$_{1}$$
 $L = \Gamma$

$$L = \rho V \Gamma$$

$$_{3.}L = \rho V/\Gamma$$

$$_{4.}$$
 $L = V\Gamma$

Question Number : 32 Question Id : 3909005552 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

For air at sea level conditions, the coefficient of viscosity

- increases with increase in temperature
- decreases with increase in temperature

- remains constant with increase in temperature
- depends on velocity only

 $Question\ Number: 33\ Question\ Id: 3909005553\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The Reynolds number based on the diameter for a sphere of radius 0.5 cm in a fluid having a freestream velocity of 1 m/s and kinematic viscosity 10⁻⁵ m²/s is

Options:

- 1.10^5
- $_{2}$ 10^{3}
- 0.5×10^5
- 0.5×10^3

Question Number : 34 Question Id : 3909005554 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The laminar boundary layer thickness over a flat plate with no pressure gradient Options:

- grows linearly in the downstream direction
- grows exponentially in the downstream direction
- grows parabolically in the downstream direction
- remains constant

Question Number: 35 Question Id: 3909005555 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The skin friction drag coefficient due to a laminar boundary layer over a flat plate with no pressure gradient is

- independent of the Reynolds number
- directly proportional to Reynolds number
- inversely proportional to square root of Reynolds number
- directly proportional to square root of Reynolds number

Question Number: 36 Question Id: 3909005556 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

At the flow separation, the shear stress due to the flow is

Options:

- 1. positive
- , negative
- 3 zero
- 4 infinite

Question Number: 37 Question Id: 3909005557 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0 Camber is defined as

Options:

- Maximum distance of mean line from the chord line
- Minimum distance of mean line from the chord line
- 3 Curvature of the mean line
- Curvature of the chord line

Question Number: 38 Question Id: 3909005558 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Drag polar relates

Options:

- cm and cd
- 2 c1 and cd
- c1 and cm
- c_1 and α

Question Number: 39 Question Id: 3909005559 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The pitching moment is related to the pitching moment coefficient as

Options:

$$m = c_m q c$$

$$_{2}$$
 $m = c_{m}qc^{2}$

$$m = c_m q c^3$$

$$m = c_m q$$

Question Number: 40 Question Id: 3909005560 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The aerodynamic center is defined as the point

- About which the variation of pitching moment with angle of attack is zero
- 2 At which the aerodynamic forces are acting
- About which pitching moment is zero
- Which is the center of the aerofoil

Question Number: 41 Question Id: 3909005561 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

For an airfoil at low subsonic speeds, the aerodynamic center is at the

Options:

- Leading edge
- 2. Trailing edge
- 3 Center
- 4 Quarter-chord point

Question Number : 42 Question Id : 3909005562 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

At low speeds, the coefficient of pressure is related to velocity as

Options:

$$c_p = 1 - (\frac{v}{v_{\infty}})$$

$$c_p=1-(\frac{v}{v_\infty})^2$$

$$c_p = 1 - \left(\frac{v}{v_{\infty}}\right)^3$$

$$c_p = 1 - \left(\frac{v}{v_{\infty}}\right)^{-2}$$

Question Number: 43 Question Id: 3909005563 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Prandtl-Glauret transformation factor for a Mach number 0.86 is

- 3 1.0
- , 2.0

Question Number : 44 Question Id : 3909005564 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Drag divergence is

Options:

- The increase in zero-lift drag coefficient at high subsonic Mach number
- , Divergence of wing due to aero-elastic effect
- Due to the flow transitioning to turbulent flow
- 4 Flow becoming supersonic on the windward side of airfoil

Question Number: 45 Question Id: 3909005565 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Orientation: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Supercritical airfoils are

Options:

- Characterized by thick trailing edges
- , Characterized by sharp leading and trailing edges

Having higher drag-divergence Mach number compared to conventional airfoil

Designed for operation in supersonic mean flow conditions

Question Number: 46 Question Id: 3909005566 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The maximum thickness of NACA 23015 airfoil is

- _{1.} 0.23 c
- 2 0.30 c
- ₃ 0.15 c
- 3.0 c

Question Number: 47 Question Id: 3909005567 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following statement is correct under low-subsonic speed?

Options:

- A thick airfoil has a steep stall
- A thick airfoil doesn't have stall
- A thick airfoil has a gradual stall
- A thin airfoil doesn't have stall

Question Number: 48 Question Id: 3909005568 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Stall occurs in airfoil because of

Options:

- 1. Flow separation
- Laminar to turbulent transition
- 3 Flow becoming supersonic
- Flow reattachment

Question Number: 49 Question Id: 3909005569 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Using a plain flap on an airfoil will

Options:

- Increase the slope of the lift curve
- 2 Reduce the drag of the airfoil
- Increase the maximum lift coefficient
- Increase the stall angle

Question Number: 50 Question Id: 3909005570 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The induced drag coefficient is related to the lift coefficient as

Options:

$$C_{D_i} = \frac{C_L}{\pi e \, AR}$$

$$C_{D_i} = \frac{c_L^2}{\pi e \, AR}$$

$$C_{D_i} = \frac{c_L^{3/2}}{\pi e \, AR}$$

$$C_{D_i} = Constant$$

Question Number: 51 Question Id: 3909005571 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The propulsive efficiency of a jet flying at 800 kmph with a jet exhaust velocity of 1600 kmph

4. 100 %

Question Number: 52 Question Id: 3909005572 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The bypass ratio of a turbofan engine where 20 % of the mass flows through the turbine is

Options:

- 1 2
- 2 4
- 3 6
- 4 8

Question Number: 53 Question Id: 3909005573 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

During steady un-powered flight, the angle a glider makes with the horizon is given by

Options:

$$\sin \gamma = \frac{c_D}{c_L}$$

$$\cos \gamma = \frac{c_D}{c_L}$$

$$\tan \gamma = \frac{c_D}{c_L}$$

$$\sin \gamma = \frac{c_L}{c_D}$$

Question Number: 54 Question Id: 3909005574 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The maximum possible ratio of lift to drag, $\left(\frac{c_L}{c_D}\right)_{max}$ is

- $\frac{1}{2}\sqrt{\frac{\pi ARe}{C_{D_0}}}$
- $\sqrt{\frac{\pi A R e}{C_{D_0}}}$
- $\frac{1}{2}\sqrt{\frac{\pi}{C_{D_0}}}$
- $2\sqrt{\frac{\pi ARe}{c_{D_0}}}$

 $Question\ Number: 55\ Question\ Id: 3909005575\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The $\left(\frac{c_L}{c_D}\right)_{max}$ for a glider is 15. The minimum possible flight path angle is

Options:

- 1.77^{0}
- 2.770
- 3.770
- 4 4.770

Question Number : 56 Question Id : 3909005576 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following conditions can be used to achieve low-stall speed?

- high wing loading
- 2. high C_{Lmax}
- high C_L/C_D

reducing CD

 $Question\ Number: 57\ Question\ Id: 3909005577\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

During steady climb, the thrust required is related to weight and drag as

Options:

$$T = D + W \sin \gamma$$

$$_{2}$$
 T = W sin γ

$$T = D$$

$$_{4}$$
 $T = D + W$

Question Number: 58 Question Id: 3909005578 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

During the steady, level, powered flight of an aircraft with turbojet engine, the velocity for minimum thrust condition is

$$\frac{\frac{2W}{\rho S}}{\sqrt{\pi AReC_{D_0}}}$$

$$\sqrt{\frac{\frac{2W}{\rho S}}{\frac{\pi AReC_{D_0}}{}}}$$

$$\frac{\frac{2W}{\rho S}}{\sqrt{\pi AReC_{D_0}}}$$

$$\sqrt{\frac{\frac{W}{\rho S}}{\sqrt{\pi A ReC_{D_0}}}}$$

Question Number: 59 Question Id: 3909005579 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 During the steady, level, powered flight of an aircraft with turbojet engine, the ratio of induced drag to total drag is **Options:** 0.25 2 0.33 3. 0.5 4. 0.67 Question Number: 60 Question Id: 3909005580 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 For propeller driven airplane, the ratio of speed for minimum drag to minimum power **Options:** $_{2}$ 1.12 1.22 4 1.32 Question Number: 61 Question Id: 3909005581 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 For a propeller driven airplane, the rate of climb is given by **Options:**

(Power available – Power required)/Weight

Power available/Weight

Power required/Weight

(Power available + Power required)/Weight

Ougstion Number of Constion Id. 2000005592 Ougstion Times MCO. Outlon Chaffling Ves Division Ougstion Number of	7.00
Question Number : 62 Question Id : 3909005582 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Display Question Option : No Option Orientation : Vertical	es
Correct Marks: 1 Wrong Marks: 0	
Absolute ceiling is the altitude at which	
Options:	
1. The rate of climb is maximum	
The rate of climb is zero	
The power available is zero	
The thrust available is zero	
Question Number: 63 Question Id: 3909005583 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0	'es
The service ceiling of a jet-powered commercial airplane is defined as the altitude	e at
which the rate of climb is	
Options:	
1. 0 feet /min	
_{2.} 500 feet /min	
3. 1000 feet/min	
2000 feet/min	
Question Number: 64 Question Id: 3909005584 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0	'es
For a jet-powered aircraft, maximum range occurs when aircraft is flying at a velocity	city
such that is maximum	
Options:	
$_{1.}$ C_{L}/C_{D}	

Question Number: 65 Question Id: 3909005585 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The load factor is defined by

Options:

- L/W
- W/L
- I/D
- 4. W/S

Question Number: 66 Question Id: 3909005586 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following is not an example of buffeting?

Options:

- 1. Flow separation over the wing exciting the wing structure
- Wake from the wing exciting the horizontal tail
- Separated flow from spoilers hitting the horizontal tail
- Aerodynamic forces overcoming wing strength and resulting in divergence

Question Number: 67 Question Id: 3909005587 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The static longitudinal stability criterion is satisfied when

TS PGECET 2019
Aerodynamic center is ahead of center of gravity
2. Aerodynamic center is behind center of gravity
Aerodynamic center and center of gravity coincide
Center of pressure is ahead of center of gravity
Question Number: 68 Question Id: 3909005588 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 An aircraft in flight has degrees of freedom
Options: 1.
_{2.} four
3. Six
4. eight
Question Number: 69 Question Id: 3909005589 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
About trimmed equilibrium of an aircraft, which of the following statement is false
Options:
The aircraft is in equilibrium
The net force on the aircraft is zero
The net moment acting on the aircraft is zero

 $Question\ Number: 70\ Question\ Id: 3909005590\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The aircraft is accelerating

For an aircraft having wing area S, standard mean chord c, area of tail plane S_T and tail moment arm l_T , the tail volume ratio is defined as

Options:

$$\frac{S*C}{S_T*l_T}$$

$$\frac{S_T*l_T}{S*C}$$

$$\frac{S*l_T}{S_T*C}$$

$$\frac{S_{T*}C}{S*l_T}$$

 $\label{lem:question} Question\ Number: 71\ Question\ Id: 3909005591\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks : 1 Wrong Marks : 0

For a conventional aircraft, positive right push on the stick leads to

Options :

nose up pitch response

- , nose to the right response
- 3 left wing down response
- right wing down response

 $\label{lem:question_Number: Yes Display Question Number: Yes Display Question Number: Yes Display Question Number: Yes Display Question Option: No Option Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The tendency of an aircraft to converge to the initial equilibrium condition following a small disturbance from equilibrium is referred to as

- Static stability
- Dynamic stability

3 Trim

Controls free motion

Question Number: 73 Question Id: 3909005593 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Orientation: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

contributes significantly to lateral static stability of an aircraft

Options:

Wing sweep

2. Aspect ratio

3. Wing dihedral

4 Fins

Question Number: 74 Question Id: 3909005594 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A lightly damped, low frequency oscillation in speed which couples with pitch attitude and height of the aircraft is known as

Options:

Dutch roll

, Phugoid

Roll subsidence mode

4. Spiral mode

Question Number: 75 Question Id: 3909005595 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Lanchester's model predicts the phugoid frequency as

$$g\sqrt{2}$$

- $\frac{g}{v_0}$
- $\frac{V_0}{g\sqrt{2}}$
- $\frac{V_0}{g}$

Question Number: 76 Question Id: 3909005596 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The damping ratio of the phugoid mode is approximately proportional to

Options:

- $\frac{C_L}{C_D}$
- $\frac{c_D}{c_L}$
- $\frac{C_M}{C_D}$
- $\frac{C_L}{C_M}$

Question Number: 77 Question Id: 3909005597 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Expand the abbreviation: STOL

Options:

- Short Take-Off and Landing
- 2 Steady Take-Off and Landing
- 3 Smooth Take-Off and Landing
- 4 Supersonic Take-Off and Landing

Question Number: 78 Question Id: 3909005598 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Option: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

An aircraft with VSTOL capability is
Options:
1. F-15
2. Harrier
3. Mig-29
4. Su 30
Question Number: 79 Question Id: 3909005599 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 For aircrafts capable of thrust vectoring, for maximizing the instantaneous turn rate, the thrust should be aligned at the flight direction.
the thrust should be aligned at to flight direction
Options: 1. 0 ⁰
$_{2.}$ 30 0
$_{3.}$ 60^{0}
4. 900
Question Number: 80 Question Id: 3909005600 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
Which of the following is not a flight instrument found on an aircraft?
Options:
1. Densitymeter
2. Machmeter
Accelerometer 3.
4. Altitude indicator

Correct Marks: 1 Wrong Marks: 0

The space program in which people and equipment were sent to moon was

Options:

- Gemini
- ₂ Mercury
- 3 Apollo
- 4 Saturn

 $Question\ Number: 82\ Question\ Id: 3909005602\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

An artificial satellite is moving around earth with r_a being the distance between the center of the earth and the satellite at apogee and r_p being the distance between the center of the earth and the satellite at perigee. The satellite is moving in an elliptical orbit with 'a' being the semi-major axis and 'b' being the semi-minor axis. Then the relation between r_a , r_b and a is

Options:

$$r_a + r_p = 2a$$

$$r_a + r_p = a$$

$$r_a - r_p = 2a$$

$$r_p - r_a = 2a$$

Question Number: 83 Question Id: 3909005603 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Kepler's law states that the time period of a planet around the sun is related to the semi-major axis of its elliptical orbit as

1.
$$T \propto a$$

$$_2$$
 $T^3 \propto a^2$

- $_3$ $T^2 \propto a^3$
- $T \propto \sqrt{a}$

 $Question\ Number: 84\ Question\ Id: 3909005604\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The orbital velocity of a satellite in a circular orbit about the earth at an altitude of h above the equator is

Options:

$$\sqrt{\frac{GM_e}{R_e + h}}$$

$$\sqrt{\frac{2GM_e}{R_e+h}}$$

$$\sqrt{\frac{GM_e}{2(R_e+h)}}$$

$$\sqrt{\frac{GM_e}{R_e + 2h}}$$

 $Question\ Number: 85\ Question\ Id: 3909005605\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The radius of the earth is approximately

- 3370 km
- , 4720 km
- ₂ 5720 km
- 6370 km

Question Number: 86 Question Id: 3909005606 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A geostationary satellite is placed at a height of kms above earth's equator.

Options:

- 35, 786
- 25, 786
- 15, 786
- 5, 786

Question Number: 87 Question Id: 3909005607 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Mach angle is defined as

Options:

$$\tan^{-1}(M)$$

$$\sin^{-1}(M)$$

$$\tan^{-1}\left(\frac{1}{M}\right)$$

$$\sin^{-1}\left(\frac{1}{M}\right)$$

Question Number: 88 Question Id: 3909005608 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following statement is true for an oblique shock wave?

The tangential component of flow velocity decreases across an oblique shock 1 wave

The tangential component of flow velocity remains constant across an oblique shock wave

The tangential component of flow velocity increases across an oblique shock wave

The tangential component of flow velocity becomes zero across an oblique shock wave

Question Number: 89 Question Id: 3909005609 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

When a supersonic flow is turned away from itself, _____ is formed

Options:

- a shock wave
- an expansion wave
- a slip line
- a vortex sheet

Question Number: 90 Question Id: 3909005610 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

For quasi one-dimensional flow, which of the following statement is true?

- In subsonic flow, an increase in area is associated with increase in velocity
- 2 In subsonic flow, an increase in area does not affect velocity
- 3. In supersonic flow, an increase in area is associated with increase in velocity
- In supersonic flow, an increase in area is associated with decrease in velocity

Question Number: 91 Question Id: 3909005611 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In a convergent-divergent nozzle, when the flow goes sonic at the throat, it is called Options:

- Choked flow
- , Stagnation flow
- 3 Stokes flow
- 4 Fanno flow

Question Number: 92 Question Id: 3909005612 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Orientation: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

When the flow through a convergent-divergent nozzle is over expanded, then

Options:

- Expansion waves are formed at the nozzle exit
- A normal shock stands at the nozzle exit
- Oblique shock waves are formed at the exit
- Flow becomes stagnant at the exit

Question Number: 93 Question Id: 3909005613 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Option: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The purpose of a diffuser is to

Options:

- Decrease the pressure of flow
- Increase the pressure of flow
- Increase the velocity of the flow
- Increase the stagnation temperature of the flow

Question Number: 94 Question Id: 3909005614 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The C_p distribution for compressible flow can be found from the $C_{p,0}$ for incompressible flow using the Prandtl-Glauret compressibility correction as

$$C_P = \frac{C_{p,0}}{\beta^2}$$

$$C_P = \frac{C_{p,0}}{\beta}$$

$$_{_3}C_P=\beta C_{p,0}$$

$$C_{P} = \beta C_{p,0}$$

$$C_{P} = \frac{C_{p,0}}{2\beta}$$

Question Number: 95 Question Id: 3909005615 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The area rule for reducing the drag at transonic Mach numbers was proposed by

Options:

- Richard Whitcomb
- Ludwig Prandtl
- Ernst Mach
- Theodore von Karman

Question Number: 96 Question Id: 3909005616 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Prandtl number is an index which is proportional to the ratio of

Options:

Energy dissipated by friction to the energy transported by thermal convection

Energy transported by thermal convection to the energy transported by thermal 2 conduction

- Energy transported by thermal conduction to the energy dissipated by friction
- Energy dissipated by friction to the energy transported by thermal conduction

Question Number: 97 Question Id: 3909005617 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

For a simply supported plate (a X a X t) subjected to uniform pressure (q), the maximum deflection is proportional to

Options:

$$\frac{qa^4}{Et^2}$$

$$\frac{qt^4}{Ea^3}$$

$$\frac{qa^3}{Et^3}$$

$$\frac{qa^4}{Et^3}$$

 $Question\ Number: 98\ Question\ Id: 3909005618\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The critical buckling load of a simply supported column of length l, second moment of area I_0 and Young's modulus E is given by

$$\frac{\pi^3 E I_0}{l^2}$$

$$\frac{\pi^2 E}{l^2}$$

$$\frac{\pi^2 E}{l^2 I_0}$$



Question Number: 99 Question Id: 3909005619 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The critical buckling load of a column with one end fixed and the other end free is that of a similar column with hinged boundary conditions.

Options:

- four times
- 2 twice
- one -fourth
- one half

Question Number: 100 Question Id: 3909005620 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The main structural elements of the wing of an aircraft are

Options:

- Ribs
- , Spars
- 3. Stringers
- 4 Bulkhead

Question Number: 101 Question Id: 3909005621 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following is a structural member that takes bending load in a fuselage?

Options:

Spar

- 2. Rib
- 3 Bulkhead
- 4 Longerons

 $Question\ Number: 102\ Question\ Id: 3909005622\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes$

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following is not true about ribs?

Options:

- They give shape to the wing
- , They transfer load to the spars
- The spacing between the ribs determine the buckling strength of stringers
- They take the bending loads acting on the wing

Question Number: 103 Question Id: 3909005623 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

For an aircraft in steady flight, which statement is false?

Options:

- Compression stresses are created on the upper surface of the wing
- tension stresses are created on the lower surface of the wing
- The top portion of spar is subjected to tension
- The wing is subjected to bending

Question Number: 104 Question Id: 3909005624 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Which characteristic mentioned about aluminum is false?

TS PGECET 2019
High strength to weight ratio
2. Easily available
3. Cost effective
4. High density
Question Number: 105 Question Id: 3909005625 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 Major alloying element in 2XXXX series aluminum alloy is
Options: Copper Copper
2. Silicon
3. Magnesium
4. Zinc
Question Number: 106 Question Id: 3909005626 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
The instantaneous slope of the stress-strain curve at any value of strain is called
Options: 1. Young's modulus
Modulus of rigidity
Tangent Modulus

 $Question\ Number: 107\ Question\ Id: 3909005627\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

Secant Modulus

Twist per unit length of a uniform beam subjected to torsion T is
Options: T/EI
T/GJ
_{3.} T/EJ
EI/T
Question Number: 108 Question Id: 3909005628 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 The time dependent deformation of a material under an applied load is defined as
Options: Fatigue
Stress
Strain
Creep
Question Number: 109 Question Id: 3909005629 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 The planes of maximum shear stress is oriented at to the principal planes of stres
Options: 30°
450
60^{0}
900

 $Question\ Number: 110\ Question\ Id: 3909005630\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

Using the Airy's stress function in the equilibrium equation for a two-dimensional stress problem results in

Options:

- Laplace equation
- Poisson equation
- 3 Biharmonic equation
- A first order differential equation

Question Number: 111 Question Id: 3909005631 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The principle of superposition method for analysis of structures is limited to

Options:

- Linear systems
- Nonlinear systems
- Viscoelastic materials
- Structures undergoing plastic deformation

Question Number: 112 Question Id: 3909005632 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The turbojet as a means of aircraft propulsion was first used by

- Wright brothers
- Otto Lilienthal
- Von Ohain and Whittle
- Von Karman

Question Number: 113 Question Id: 3909005633 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In a turbojet engine, the order in which air passes through different stages of the engine is as follows

Options:

Inlet----low pressure compressor--- high pressure compressor---combustor--low pressure turbine---high pressure turbine---nozzle

- Inlet----high pressure compressor--- low pressure compressor---combustor--low pressure turbine---high pressure turbine---nozzle
- Inlet----low pressure compressor--- high pressure compressor---combustor--high pressure turbine---low pressure turbine---nozzle
- Inlet----high pressure compressor--- low pressure compressor---combustor--high pressure turbine---low pressure turbine---nozzle

Question Number: 114 Question Id: 3909005634 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Across an axial compressor in a turbojet engine,

Options:

- Pressure and temperature decrease
- , Pressure increases and temperature decreases
- Pressure decreases and temperature increases
- 4 Pressure and temperature increase

Question Number: 115 Question Id: 3909005635 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks : 1 Wrong Marks : 0

Typical helicopter engines are of the following type

Options:

Turbojet

- 2. Turbofan
- 3 Turboshaft
- 4 Ramjet

Question Number: 116 Question Id: 3909005636 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The specific impulse for a rocket is defined as

Options:

- , the thrust per unit of propellant weight flow
- the power per unit of propellant weight flow
- the thrust times the velocity of the rocket
- 4 the thrust developed per unit time

Question Number: 117 Question Id: 3909005637 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Connect Marshar 1 Warran Marshar 0

Correct Marks: 1 Wrong Marks: 0

The specific impulse of a typical solid propellant rocket engine is

Options:

- , 50s
- 250s
- 3 450 s
- 1000s

Question Number: 118 Question Id: 3909005638 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Air initially at 20° C and 1 atm is compressed reversibly and adiabatically to a final pressure of 15 atm. Find the final temperature.

- 1. 362° C
- ₂ 412°C
- ₃ 462° C
- _{4.} 512°C

Question Number: 119 Question Id: 3909005639 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The ratio of static to stagnation pressure P/P_t is a

- Monotonously increasing function of Mach number
- Monotonously decreasing function of Mach number
- Increases till sonic conditions and then decreases
- Decreases till sonic conditions and then increases

 $Question\ Number: 120\ Question\ Id: 3909005640\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

Heating a gas in a constant area flow which drives the flow towards

- Subsonic conditions
- Sonic condition
- Transonic condition
- Supersonic condition