tscte

Question Paper Name: Instrumentation Engineering 28th May 2019 Shift 1

Subject Name: Instrumentation Engineering

Creation Date: 2019-05-27 18:29:50

Duration: 120 120 **Total Marks: Display Marks:** No **Share Answer Key With Delivery** Yes

Engine:

Yes **Actual Answer Key:**

Instrumentation Engineering

Group Number:

39090032 Group Id:

Group Maximum Duration: Group Minimum Duration: 120 Revisit allowed for view?: No Revisit allowed for edit?: No **Break time:** 0 **Group Marks:** 120

Mathematics

39090059 **Section Id:**

Section Number: Section type: Online Mandatory **Mandatory or Optional:**

Number of Questions: 10 **Number of Questions to be attempted:** 10 **Section Marks:** 10 **Display Number Panel:** Yes **Group All Questions:** No

Sub-Section Number:

39090059 **Sub-Section Id: Question Shuffling Allowed:** Yes

Question Number: 1 Question Id: 3909003721 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If X is a continuous random variable with $P(X = x) = \frac{1}{k(1+x^2)}$, $-\infty < x < +\infty$, then

k =

- $\frac{1}{3\pi}$
- $_{2}$ 3π
- $\frac{1}{\pi}$
- $_{\Lambda}$ π

Question Number : 2 Question Id : 3909003722 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

$$\oint_{|z|=1} ze^{z^{-3}} dz =$$

Options:

- 1. 0
- $_{2}$ $2\pi i$
- $_3$ $4\pi i$
- , 6πi

Question Number: 3 Question Id: 3909003723 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Let $f(z) = \frac{\tan^2 z}{z^2(1-z)}$. Then the number poles of f(z) that lie in the interval [-2,2] is

- 1. 3
- 2. 4
- 3 5
- 4 6

Question Number: 4 Question Id: 3909003724 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

$$\frac{1}{2\pi i} \oint_{|z|=2} \frac{3z^2 + 7}{z^3 + 7z + 1} dz =$$

Options:

- 1. 1
- , 2
- 3. 3
- 4 4

Question Number : 5 Question Id : 3909003725 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

A particular integral of $y'' + 4y = 2\cos^2 x$ is

Options:

$$\int_{1}^{x} \sin 2x + \frac{1}{2} \cos^2 x$$

$$\int_{2}^{x} \sin 2x + \frac{1}{4} \cos^2 x$$

$$\frac{x}{4}\sin 2x - \frac{1}{2}\cos^2 x$$

$$\int_{4}^{x} \sin 2x - \frac{1}{4} \cos^2 x$$

Question Number : 6 Question Id : 3909003726 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

If a curve
$$y = f(x)$$
 satisfies $f''(x) = 2 - 4f(x)$ with $f(0) = 1$, $f'(0) = -1$ then $y = k(1 + \cos 2x - \sin 2x)$, where $k =$

- $\frac{1}{2}$
- $_{3}$ -1
- $-\frac{1}{2}$

Question Number: 7 Question Id: 3909003727 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If
$$A = \begin{bmatrix} 1 & 1 & -1 \\ -1 & 0 & 1 \\ 1 & 1 & -1 \end{bmatrix}$$
 then $A^{2019} + A =$

Options:

- $_{1}$ 3 × 3 unit matrix
- $_{2}$ -A
- $_3$ 3 × 3 zero matrix
- 4 A

Question Number: 8 Question Id: 3909003728 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The rank of the matrix
$$\begin{bmatrix} 2 & 3 & 0 & -3 \\ 3 & -1 & 0 & 3 \\ 3 & 3 & -2 & -5 \end{bmatrix}$$
 is

- , 0
- , 1
- 3 2
- 4 3

Question Number: 9 Question Id: 3909003729 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The global minimum of $x^2 + y^2 - 9y + 100$ is

Options:

- 1. 90
- 2 91
- 3. 100
- 4 89

Question Number : 10 Question Id : 3909003730 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

$$\int_{0}^{1} \int_{0}^{x} (3 - x - y) \, dy \, dx =$$

Options:

- 1 1
- 2. 2
- 3 3
- 4

Instrumentation Engineering

39090060 **Section Id: Section Number:** 2 **Section type:** Online **Mandatory or Optional:** Mandatory **Number of Questions:** 110 Number of Questions to be attempted: 110 110 **Section Marks: Display Number Panel:** Yes **Group All Questions:** No

TS PGECET 2019

Sub-Section Number:

Options:

absolute humidity

Sub-Section Id: 39090060 **Ouestion Shuffling Allowed:** Question Number: 11 Question Id: 3909003731 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 Stability in discrete domain is defined as **Options:** All the poles lie in the left half of plane 2 All the poles lie in the right half of plane All the poles lie inside the unit circle centered at origin of Z plane All the poles and zeros lie in the left half of plane Question Number: 12 Question Id: 3909003732 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 Find the Seebeck emf for a material with $\alpha=50\mu\text{V/}^{\circ}\text{C}$ if the junction temperatures are 20°C and 100°C? **Options:** 1. 5 mV 4 mV $_{3}$ 3.5 mV $_{4}$ 3 mV Question Number: 13 Question Id: 3909003733 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 The hygrometer is used to measure

, relative humidity

_{3.} humidity

4 specific humidity

Question Number: 14 Question Id: 3909003734 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following principles is used by LVDT?

Options:

self-inductance

parasitic capacitance

- 3 mutual inductance
- parasitic capacitance and inductance

Question Number: 15 Question Id: 3909003735 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

C (M. 1. 1. M. 1. A.

Correct Marks: 1 Wrong Marks: 0

The open loop transfer function of unity feedback system is $G(s) = \frac{K}{s(s+1)(s^2+4s+5)}$.

If the system is stable for a range of K is

Options:

$$_{2}$$
 0 < K < 18.88

$$_{3}$$
 0< K< 10

$$_{4}$$
 0 > K>18.88

Question Number: 16 Question Id: 3909003736 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A system is described by the state equation $\begin{bmatrix} \dot{x_1} \\ \dot{x_2} \end{bmatrix} = \begin{bmatrix} 2 & 0 \\ 0 & 2 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 1 \\ 1 \end{bmatrix} u$. The state

transition matrix of the system is

Options:

$$\begin{bmatrix} e^{2t} & 0 \\ 0 & e^{2t} \end{bmatrix}$$

$$\begin{bmatrix} e^{-2t} & 0 \\ 0 & e^t \end{bmatrix}$$

$$\begin{bmatrix} e^{2t} & 1 \\ 1 & e^{2t} \end{bmatrix}$$

$$\begin{bmatrix} e^{-2t} & 0 \\ 0 & e^{-2t} \end{bmatrix}$$

Question Number: 17 Question Id: 3909003737 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The state matrix of the discrete system is given by

$$\dot{x}(k+1) = \begin{bmatrix} -2 & 1 \\ 1 & -2 \end{bmatrix} x(k) + \begin{bmatrix} 1 \\ 0 \end{bmatrix} u(k), \text{ then the system is}$$

Options:


- Completely observable
- , Not completely observable
- 3 Completely controllable
- Not Completely controllable

Question Number: 18 Question Id: 3909003738 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Reduce the block diagram shown in the Figure and determine the final transfer function.



Options:

$$\frac{C(s)}{R(s)} = \frac{G_1 G_2 G_3 G_4 H_1}{1 + G_3 G_4 + G_2 G_3 H_2 + G_1 G_2 G_3 G_4}$$

$$\frac{C(s)}{R(s)} = \frac{G_1 G_2 G_3 G_4}{1 + G_3 G_4 H_1 + G_2 G_3 H_2 + G_1 G_2 G_4}$$

$$\frac{C(s)}{R(s)} = \frac{G_1 G_2 G_3}{1 + G_3 G_4 H_1 + G_2 G_3 H_2 + G_2 G_3 G_4}$$

$$\frac{G(s)}{R(s)} = \frac{G_1 G_2 G_3 G_4}{1 + G_3 G_4 H_1 + G_2 G_3 G_4 H_2 + G_1 G_2 G_3 G_4}$$

Question Number: 19 Question Id: 3909003739 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Consider a series RLC circuit excited by v(t), and its loop current is i(t). The transfer function I(s)/V(s) of the network is

$$\frac{C}{LCs^2 + RCs + 1}$$

$$\frac{Cs}{LCs^2 + RCs + 1}$$

$$\frac{C}{RCs^2 + LCs + 1}$$

$$\frac{Cs}{RCs^2 + LCs + 1}$$

Question Number: 20 Question Id: 3909003740 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The open loop transfer function of a unity feedback system is given by:

G(s) = K/s(s+2)(s+3). The centroid of a root locus is

Options:

Question Number: 21 Question Id: 3909003741 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The open loop transfer function $G(s) = \frac{120}{s(s+6)}$ has a unity feedback. Find the steady state error when the input r(t) = 1+5t is given to the system.

```
Infinity
```

1/4

 $Question\ Number: 22\ Question\ Id: 3909003742\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The system has a transfer function G(s) = 1 / (1+0.1s). The Gain Margin (GM) of the system is

Options:

Infinity

20 dB


40 dB

Question Number: 23 Question Id: 3909003743 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

For the circuit shown below, the potential difference between points C and E (VcE) is



Options:

Node C is at a higher potential of 5 V with respect to node E

| 2. | Node C is at a lower potential of 5 V with respect to node E | | | |
|------------|--|--|--|--|
| 3. | Node C is at a higher potential of 10 V with respect to node E | | | |
| 4. | Node C is at a lower potential of 10 V with respect to node E | | | |
| Sin | Question Number: 24 Question Id: 3909003744 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 | | | |
| Ι | f the A, B, C, D parameters of a two port network are: $\begin{bmatrix} 2 & 3 \\ 1 & 2 \end{bmatrix}$, then the network is | | | |
| Op | tions: | | | |
| 1. | Symmetrical and non reciprocal | | | |
| 2. | Non Symmetrical and Non Reciprocal | | | |
| 3. | Non -symmetrical and reciprocal | | | |
| 4. | Symmetrical and reciprocal. | | | |
| Sin Cor | estion Number: 25 Question Id: 3909003745 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes gle Line Question Option: No Option Orientation: Vertical rrect Marks: 1 Wrong Marks: 0 The error in measurement whose sources and causes are not fixed is known as | | | |
| e | rror. | | | |
| On | tions: | | | |
| 1. | Gross | | | |
| 2. | Random | | | |
| 3. | Systematic | | | |
| 4. | Instrumental | | | |

TS PGECET 2019

Question Number : 26 Question Id : 3909003746 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The standard range of electronic and pneumatic signal transmission is

Options:

0-20 mA, 0-15 psi.

0-20 mA, 3-15 psi.

4-20 mA, 0-15 psi.

4-20 mA, 3-15 psi.

Question Number: 27 Question Id: 3909003747 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If some values are recorded as 20, 30, 40 and 10, then the variance is

Options:


- , 25
- 2 100/3
- 500/3
- 100

Question Number: 28 Question Id: 3909003748 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Option : Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The 'z' parameters of the network shown in Figure are



Options:

$$\begin{bmatrix} 10 \Omega & 10 \Omega \\ 4 \Omega & 13 \Omega \end{bmatrix}$$

$$\begin{bmatrix} 10 \Omega & 10 \Omega \\ -4 \Omega & 13 \Omega \end{bmatrix}$$

$$\begin{bmatrix} 10 \Omega & 10 \Omega \\ -10 \Omega & -10 \Omega \end{bmatrix}$$

$$\begin{bmatrix} 10 \Omega & -10 \Omega \\ -11 \Omega & 11 \Omega \end{bmatrix}$$

 $Question\ Number: 29\ Question\ Id: 3909003749\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

Time constant of an RC circuit is defined as time during which the capacitor voltage actually rises to ______ % of its final steady value.

Options:

, 63.2

0.632


36.8

0.368

Question Number: 30 Question Id: 3909003750 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The value of current 'i' in the network given in the Figure is



Options:

1. 2.6A

2.8A

3. 3.2A

₄ 2.1A

Question Number: 31 Question Id: 3909003751 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Under maximum power transfer condition, the power transfer efficiency is only

Options:

, 25%

, 50%

, 75%

4. 100%

Options:

Question Number: 32 Question Id: 3909003752 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 A thermometer has time constant of 1s. It is quickly taken from temperature 0°C to 100 °C, then the temperature indicated after 1s is **Options:** 1 63.2°C 50.2°C 3. 88.8°C 4. 25°C Question Number: 33 Question Id: 3909003753 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 In measurement systems which of the following are undesirable static characteristics? **Options:** Accuracy and Sensitivity Resolution and Precision Linearity and Reproducibility Drift and dead zone Question Number: 34 Question Id: 3909003754 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 The Thevenin's equivalent network is dual to network.

- Superposition
- Reciprocity
- , Norton's
- Max power theorem

Question Number: 35 Question Id: 3909003755 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

An ammeter of 0-25 A range has a guaranteed accuracy of 1% of full scale reading.

The current measured is 5 A. The limiting error is

Options:

- . 2%
- 2.5%
- 4%
- 4 5%

Question Number: 36 Question Id: 3909003756 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The resistor value is specified as 500 $\Omega \pm 10\%$ by manufacturer. The limits of resistance between guaranteed value is

- 450Ω to 550Ω
- $_{2}$ 500 Ω to 550 Ω


 $400~\Omega$ to $500~\Omega$

450 Ω to 600 Ω

 $Question\ Number: 37\ Question\ Id: 3909003757\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The transmission parameter matrix of the following network is represented as



Options:

$$\begin{bmatrix} 2 & 1 \\ 4 & 2 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 5 & 2 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 4 \end{bmatrix}$$

 $Question\ Number: 38\ Question\ Id: 3909003758\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The dead zone in certain pyrometer is 0.125% of span. The calibration is 400 °C to 1000 °C. The temperature change of _____ must occur before it is detected.

Options:

1. 0.85°C

- 2 0.65°C
- ₃ 0.75°C
- 4. 0.55°C

Question Number : 39 Question Id : 3909003759 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

An ac series circuit has resistance of 10 Ω , an inductance of 0.2 H and capacitance of 60 μ F. When applied voltage is 200 V, the power at resonance is


Options:

- 1. 4 kW
- 2 4.5 kW
- _{3.} 5.5 kW
- 4. 3 kW

Question Number: 40 Question Id: 3909003760 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In two port network the mutual inductance of coupled inductors is 'M'. The Z parameters of the network shown in Figure is



$$\begin{bmatrix} j\omega L1 & -j\omega M \\ -j\omega M & j\omega L2 \end{bmatrix}$$

| 2. | [jωL1 jωM | −jωM] jωL2] |
|----|-----------------|----------------|
| 3. | [jωL1 [-jωM | jωM] jωL2] |
| 8 | [jωL1 jωM | jωM] jωL2] |

 $\label{eq:Question Number: 41 Question Id: 3909003761 Question Type: MCQ Option Shuffling: Yes \ Display Question Number: Yes \ Single Line Question Option: No \ Option Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The systematic way of the network synthesis is performed by using

Options:

Cauer method

- Superposition method
- Thevenin's method
- Max power technique

Question Number: 42 Question Id: 3909003762 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The system is related by y = 5*x+10; y is the output and x is the input of the system.

It satisfies property

Options:

Both additivity and homogeneity

- Additivity and not homogeneity
- Homogeneity and not additivity

Neither additivity nor homogeneity

Question Number: 43 Question Id: 3909003763 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The principle of superposition theorem is applicable for system.

Options:


- , Nonlinear
- Non causal
- 3 Linear
- Distributed

Question Number: 44 Question Id: 3909003764 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

For maximum power transfer to 3 Ω resistance, the value of R in the circuit given in

Figure is




- $_{1}$ 3 Ω
- $_{2}$ 6 Ω
- , 9 \

4 12 Ω

 $Question\ Number: 45\ Question\ Id: 3909003765\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The magnitude of current (I_L) in circuit given in Figure is



Options:

1.29 A

2. 1.09 A


2.15 A

4. 1.59 A

Question Number: 46 Question Id: 3909003766 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The 'h' parameter's of the circuit shown in Figure are:



$$\begin{bmatrix} 0 & -1 \\ -1 & -1 \end{bmatrix}$$

$$\begin{bmatrix} 0 & 1 \\ -1 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0 & 1 \\ -1 & -1 \end{bmatrix}$$

$$\begin{bmatrix} 0 & -1 \\ -1 & 1 \end{bmatrix}$$

Question Number: 47 Question Id: 3909003767 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Orientation: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The thermistor characteristic is

Options:

- Linear and high sensitivity
- Non-linear and low sensitivity
- 3 Linear and low sensitivity
- Non-linear and high sensitivity

Question Number: 48 Question Id: 3909003768 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Three resistors R1 = $37\Omega \pm 5\%$, R2= $75\Omega \pm 5\%$ and R3 = $50\Omega \pm 5\%$. Determine limiting error in ohm and in percent of the resistance of these resistances connected in series.

$$_{1.}$$
 $\pm 9.25 \Omega$, $\pm 15\%$

$$_{2} \pm 8.1 \,\Omega_{1} \pm 15\%$$

$$_{3} \pm 9.25 \Omega, \pm 5\%$$

$$_{4} \pm 8.1 \,\Omega \,, \, \pm 5\%$$

Question Number: 49 Question Id: 3909003769 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Permanent magnet moving coil (PMMC) galvanometer is used for current measurement.

Options:

DC

2 AC

3 DC & AC

4 Pulsating AC

Question Number: 50 Question Id: 3909003770 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A 1mA meter movement with an internal resistance of 100 Ω is to be converted into (0-101) mA then the value of shunt resistance is

Options:

 100Ω

 10Ω

 1Ω

4 50 Ω

Question Number: 51 Question Id: 3909003771 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The SI unit of specific resistance or resistivity is

Options:


 Ω -meter

- Ω -meter²
- Ω -cm
- Ω /meter

Question Number: 52 Question Id: 3909003772 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In figure, $Z_1 = 200 \angle 60^{\circ}\Omega$, $Z_2 = 400 \angle -90^{\circ}\Omega$, $Z_3 = 300 \angle 0^{\circ}\Omega$. Then Z_4 for bridge to be balanced is



Options:

150∠30°Ω

- 400∠ 90°Ω
- 300∠90°Ω
- 600∠ 150°Ω

Question Number: 53 Question Id: 3909003773 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A dynamometer wattmeter is connected in ac circuit. The reading will be

| 1. VA product |
|---|
| Average power |
| Peak power |
| Instantaneous power |
| Question Number: 54 Question Id: 3909003774 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| In CRT the focussing anode is located |
| Options: between pre-accelerating and accelerating anode |
| after accelerating anode |
| before pre-accelerating anode |
| Between horizontal and vertical deflection plates |
| Question Number: 55 Question Id: 3909003775 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| Energy meter runs slowly even if power is not used. This error is called |
| Options: Speed error |
| 2. Phase error |
| Creeping error |
| Ratio error |

Question Number: 56 Question Id: 3909003776 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A vertical amplifier for a CRO is designed for

Options:

- Only a high gain
- , Only a broad bandwidth
- Constant gain bandwidth product
- 4 Variable gain

 $\label{lem:question_Number: Yes Display Question Number: Yes Display Question Number: Yes Display Question Number: Yes Display Question Option: No Option Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The Lissajous pattern observed on screen of CRO is a straight line inclined at 45° to positive x-axis. If X-plate input is 2 sin ωt, the Y-plate input is

Options:

- 2 sin ot
- $_{2} \sin (\omega t + 45^{\circ})$
- $_{3}$ 2 sin ($\omega t 45^{\circ}$)
- $2.818 \sin (\omega t + 45^{\circ})$

Question Number : 58 Question Id : 3909003778 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of following represents an active transducer?

- Strain gauge
- , Thermistor

3. LVDT

| Thermocouple 4. |
|---|
| Question Number: 59 Question Id: 3909003779 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The gauge factor of semiconductor strain gauge is |
| Options: Low 1. |
| _{2.} Medium |
| 3. High |
| _{4.} Zero |
| Question Number: 60 Question Id: 3909003780 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The flow meter which has high Coefficient discharge is |
| Options: |
| 1. Orifice |
| 2. Flow nozzle |
| 3. Pitot tube |
| 4. Rotameter |
| Question Number: 61 Question Id: 3909003781 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The highly accurate flow meter is |
| Options: |

| 1. Rotameter |
|---|
| 2. Turbine flow meter |
| 3. Vortex flow meter |
| 4. Orifice |
| Question Number: 62 Question Id: 3909003782 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The Pyrometer is used to measure |
| Options: |
| 1. High pressure |
| Low temperature |
| 3. High Temperature |
| 4. Low pressure |
| Question Number: 63 Question Id: 3909003783 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 The dead weight tester is used for |
| Options: |
| 1. Temperature calibration |
| 2. Pressure calibration |
| 3. Flow Calibration |
| 4. Level Calibration |
| Question Number : 64 Question Id : 3909003784 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical |

Correct Marks: 1 Wrong Marks: 0

| An LVDT has a full range output of ± 5.2 V with range of ± 0.5 in. Find out output |
|--|
| voltage when the core is -0.25 in. from the centre is |
| Options: 12.6 V |
| 2. 2.6 V |
| _{3.} -3.1 V |
| 4. 3.1 V |
| Question Number: 65 Question Id: 3909003785 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| Phonocardiogram is the record of |
| Options: arm muscle sound 1. |
| lungs sound |
| heart sound |
| respiratory tract sound |
| Question Number: 66 Question Id: 3909003786 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The resting potential of a neuron is about |
| Options: |
| $_{1.}$ +70 mV |
| _{2.} -70 mV |
| $_{3.}$ +20 mV |

4. -20 mV

Question Number: 67 Question Id: 3909003787 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Option: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Process of changing resting potential to action potential is known as

Options:

- 1 Polarization
- , Re-polarization
- 3. Depolarization
- Uni-polarization

Question Number: 68 Question Id: 3909003788 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Optical fiber operates on the principle of

Options:

- Tyndall effect
- Total internal reflectance
- 3 Photo electric effect
- Laser technology

Question Number : 69 Question Id : 3909003789 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following is an integrating type ADC?

- Successive approximation ADC
- 2. Dual slope ADC

| 3. | Flash ADC |
|----|-----------|
| | |

4. R- 2R ladder network ADC

through which the light is travelling?

Options:

| Question Number : 70 Question Id : 3909003790 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0 |
|---|
| EMG is the measure of |
| Options: The electrical activity of the heart |
| 2. The electrical activity of the visual cortex |
| 3. The electrical activity of the muscle |
| The electrical activity of the brain |
| Question Number: 71 Question Id: 3909003791 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| LED's are made up of |
| Options: |
| 1. Silicon |
| 2. Germanium |
| 3. Gallium Arsenide |
| 4. Platinum |
| Question Number: 72 Question Id: 3909003792 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| Which of the following relates the attenuation of light to the properties of the material |

TS PGECET 2019

| 1. Snell's law |
|---|
| Raman effect |
| Beer's law |
| Huygens-Fresnel equation |
| Question Number: 73 Question Id: 3909003793 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| Photo resistors are light sensitive resistors whose resistance as the |
| intensity of light they are exposed to increases. |
| Options: |
| 1. Decreases |
| Increases 2. |
| Remains constant |
| Becomes zero 4. |
| Question Number: 74 Question Id: 3909003794 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| What is the numerical aperture of a fiber with core and cladding refraction indices as |
| 1.5 and 1.2 respectively? |
| Options: |
| 1. 0.9 |
| 2. 0.81 |
| 0.3 |

4. 3.69

Question Number: 75 Question Id: 3909003795 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following interrupts is non-maskable interrupt?

Options:

- , RST 5.5
- TRAP
- 3 RST 7.5
- 4 INTR

Question Number : 76 Question Id : 3909003796 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The modulation index of an amplitude modulated wave is changed from 0 to 1. The transmitted power is:

Options:

- 1 Halved
- Doubled
- Increased by 50%
- Unchanged

Question Number : 77 Question Id : 3909003797 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

In frequency modulation, if the frequency of the modulating voltage is doubled, the rate of deviation of carrier frequency is

Options:

Halved

- Doubled
- , Four times
- 4 Unchanged

 $Question\ Number: 78\ Question\ Id: 3909003798\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

A sinusoidal message signal of frequency 15 kHz is used to generate a standard FM signal with a modulation index of 5, the approximate bandwidth according to Carson's rule is

Options:

- 1. 15 k Hz
- , 30 kHz
- 90 kHz
- 4 180 kHz

Question Number: 79 Question Id: 3909003799 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Laplace transform of te^{-at} is

$$\frac{s}{(s-a)^2}$$

$$\frac{1}{(s-a)^2}$$

$$\frac{s}{(s+a)^2}$$

$$\int_{a}^{1} \frac{1}{(s+a)^2}$$

Question Number : 80 Question Id : 3909003800 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The maximum permissible duration between two samples of a 2 kHz signal is

Options:

- , 100 µsec
- , 10 μsec
- 250 μsec
- 4. 500 μsec

Question Number: 81 Question Id: 3909003801 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The sequence of operations done in pulse code modulation is

Options:

- Encoding, quantization and sampling
- Quantization, encoding and sampling
- Sampling, quantization and encoding
- Encoding, comparator and sampling

Question Number: 82 Question Id: 3909003802 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Fourier transform of unit step function u(t) is

$$\frac{1}{j\omega} + \pi \,\delta(\omega)$$

$$\frac{1}{j\omega}$$

$$2\delta(\omega) + \frac{1}{j\omega}$$

$$\delta(\omega) + sgn(\omega)$$

Question Number: 83 Question Id: 3909003803 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A carrier is modulated by a digital bit stream having one of the possible phases of 00,

90°, 180°, 270°. Then the modulation is termed as

Options:

BPSK

- QPSK
- 3 QAM
- MSK

Question Number: 84 Question Id: 3909003804 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The bridge is used for measurement of unknown capacitance.

Options:

1 Wheat Stone

- 2 Maxwell
- 3 Kelvin's double
- 4 Schering

Question Number: 85 Question Id: 3909003805 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If the pH of a solution is 3, then it is

Options:

- Acidic
- , Basic
- 3 Neither acidic nor basic
- 4 Neutral

Question Number: 86 Question Id: 3909003806 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following is the difference equation of the FIR filter of length M, input x(n) and output y(n)?

$$y(n) = \sum_{k=0}^{M+1} b_k x(n+k)$$

$$y(n) = \sum_{k=0}^{M-1} b_k x(n-k)$$

$$y(n) = \sum_{k=0}^{M+1} b_k x(n-k)$$

$$y(n) = \sum_{k=0}^{M} b_k x(n+k)$$

| Question Number: 87 Question Id: 3909003807 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
|--|
| The universal gate is |
| Options: |
| NAND gate |
| OR gate |
| AND gate |
| XOR gate |
| Question Number: 88 Question Id: 3909003808 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 2's complement of binary number 0111 is |
| Options: |
| 1. 1001 |
| 2 1111 |
| 3. 1000 |
| 4. 1110 |
| Question Number: 89 Question Id: 3909003809 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| A ring counter with 4 flip flops and the number of states is equal to |
| Options : |
| 1. 4 |
| 2. 8 |
| 3. 16 |

Question Number: 90 Question Id: 3909003810 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The minterms for the sum of a full adder is

Options:


- 1,2,3,4
- 2 1,2,4,7
- 3. 1,5,6,7
- 4, 2,4,6,8

Question Number: 91 Question Id: 3909003811 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The Boolean expression for the circuit given in Figure is



$$(\overline{A} + \overline{B})C + \overline{DE}$$

$$_{2}(\overline{A} + \overline{B}) + \overline{C} + DE$$

$$_{3}(\overline{A}+\overline{B})+C+\overline{D}+E$$

$$_{4}$$
 ABC + DE

Question Number: 92 Question Id: 3909003812 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In the logic equation $A(A + \bar{B}\bar{C} + C) + \bar{B}(\bar{C} + \bar{A} + BC)(A + \bar{B}C + A\bar{C})$, If $C = \bar{A}$, then it is simplified as

Options:

$$A + B$$

$$_{2.}$$
 $\bar{A} + B$

$$_{3.}A+\bar{B}$$

4 A

Question Number: 93 Question Id: 3909003813 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A binary code that progresses such that only one bit changes between two successive codes is


Options:

- Self-complementary
- . Gray code
- Excess 3 code
- BCD

Question Number: 94 Question Id: 3909003814 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In a 4-to-1 multiplexer given in Figure, if $C_1 = 0$ and $C_0 = 1$ then the output M is



Options:

- , X₀
- $_{2}$ X_{1}
- 3. X₂
- 4. X₃

 $Question\ Number: 95\ Question\ Id: 3909003815\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

SR flip flop can be converted into D flip flop by connecting _____ between S and R.

Options:

- 1. E-XOR gate
- 2 NOT gate
- 3. AND gate
- Multiplexer

Question Number: 96 Question Id: 3909003816 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

| The minimum number | of comparators | required to build | l an 8 bit flash | ADC is |
|--------------------|----------------|-------------------|------------------|--------|
|--------------------|----------------|-------------------|------------------|--------|

Options:

- 1. 64
- 2 63
- 3 255
- 4. 256

Question Number : 97 Question Id : 3909003817 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

A 12 bit dual ramp generation has a maximum output voltage of +12 V. Compute the equivalent digital number for the analog signal of +6 V.

Options:

- 100000000001
- 100000000010
- , 010000000000
- 100000000000

Question Number: 98 Question Id: 3909003818 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The smallest resistor in a 12 bit weighted resistor DAC is 2.5 k Ω , what will be the largest resistor value?

- $_{1.}40.96 \, \mathrm{M}\Omega$
- $_{2}$ 10.24 M Ω
- $_{3}$ 61.44 M Ω

_{4.} 18.43 MΩ


| Question Number: 99 Question Id: 3909003819 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
|---|
| Voltage rating of a Zener diode denotes |
| |
| Options: |
| Reverse breakdown voltage |
| 2. Forward breakdown voltage |
| Voltage at which current is maximum |
| Maximum forward voltage which a diode can withstand |
| Question Number: 100 Question Id: 3909003820 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| At 3dB cut-off frequency the voltage gain will be |
| Options: 100% of maximum gain |
| 2. 70.7% of maximum gain |
| 3. 80.7% of maximum gain |
| 47.5% of maximum gain |
| Question Number: 101 Question Id: 3909003821 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| RC phase shift oscillator contains a minimum of Phase shift |
| network (s). |
| Options: |
| one |
| |

- 2 two
- three
- 4. zero

 $Question\ Number: 102\ Question\ Id: 3909003822\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

The output V₀ in Figure is



Options:

-100 V

₂ -100 mV

₃ 10 V

 $_{4}$ 10 mV

Question Number: 103 Question Id: 3909003823 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In class C operation of an amplifier circuit, the collector current exists for Options:

| 360° of input wave |
|---|
| _{2.} 180° of input wave |
| more than 180° of input wave |
| less than 180° of input wave |
| Question Number: 104 Question Id: 3909003824 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| Integral control improves |
| Options: |
| Transient response |
| Steady state response |
| Raise time |
| Settling time 4. |
| Question Number: 105 Question Id: 3909003825 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The transducer used for measurement of pressure less than 1 atmosphere is |
| Options: |
| Bourdon gauge |
| Pirani gauge |
| Solid state pressure gauge |
| LVDT pressure gauge |

Question Number: 106 Question Id: 3909003826 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The ON/OFF Controller with Hysteresis_____

Options:

- Improves Accuracy
- Increases chattering effect
- Reduces Chattering effect
- Improves speed of control action.

Question Number: 107 Question Id: 3909003827 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No. Option Option: Vertical

Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

T-S based fuzzy logic has_____

Options:

- , no rule base evaluation
- no deffuzzification
- Fuzzification, rule base evaluation and defuzzification
- , no fuzzification

Question Number: 108 Question Id: 3909003828 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The period of the function $f(t) = 100\cos\left(\frac{4\pi}{3}t + 21\right)$ is

Options:

3/2 sec

2 sec

```
<sub>3.</sub> 4/3 sec
```

 $Question\ Number: 109\ Question\ Id: 3909003829\ Question\ Type: MCQ\ Option\ Shuffling: Yes\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 1 Wrong Marks: 0

Find the periodic convolution of $x(n) = \{1,2,3,4\}$ with $h(n) = \{1,2,1,-1\}$.

Options:

$$\{1,4,3,-1\}$$

Question Number: 110 Question Id: 3909003830 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Z and Laplace transform are related by

Options:

$$_1$$
 S = $\ln Z$

$$_{2}$$
 S = $(\ln Z)/T$

$$_3$$
 $S = Z$

$$_4$$
 S = T/(ln Z)

Question Number: 111 Question Id: 3909003831 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A system can be completely described by a transfer function, if it is

| Non-linear and Continuous |
|---|
| Linear and Time-varying |
| Non-linear and Time-invariant |
| Linear and Time-invariant |
| Question Number: 112 Question Id: 3909003832 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The Instrumentation Amplifier has Operational Amplifiers |
| Options: |
| Two |
| Three 2. |
| One 3. |
| 4. Infinity |
| Question Number: 113 Question Id: 3909003833 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| The Hall Effect sensor the hall coefficient is 0.008 Vm³/wbA is subjected to magnetic |
| flux density of 1 Wb/ m ² . The thickness is 1 mm. When the current of 1 amps. Flow |
| through the element, what is the voltage output? |
| Options: |
| 1. 8 V |
| 2. 4 V |
| $_{3.}$ 8 mV |
| |

4. 4 mV

Question Number: 114 Question Id: 3909003834 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In the null type Wheatstone bridge, the Voltage source is connected between terminal

A and C. The Resistance $R_{AB} = 2 R_{BC}$ and $R_{AD} = 10 K\Omega$. Under Balanced bridge condition. The value of Rcp is

Options:

 $10 \text{ k}\Omega$

 $15 \text{ k}\Omega$

 $5 \text{ k}\Omega$

 $20 \text{ k}\Omega$

Question Number: 115 Question Id: 3909003835 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The principle of air purge level measurement is based on

Options:

Hydro static

- Magneto-strictive
- Hydro pneumatic
- Electro static

Question Number: 116 Question Id: 3909003836 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In capacitive transducer, the relationship between change in capacitance with respect to change in distance is

| Options: |
|---|
| 1. Parabolic |
| 2. direct |
| 3. Square root |
| 4. Inverse |
| Question Number: 117 Question Id: 3909003837 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 |
| Thermocouple is connected in series is called |
| Options: |
| Thermo well |
| 2. Thermopile |
| 3. Thermistor |
| 4. Thermostat |
| Question Number: 118 Question Id: 3909003838 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 Piezoelectric transducer is not suitable for the measurement of |
| rezociective transducer is not suitable for the measurement of |
| Options: |
| 1. Static displacement |
| 2. Dynamic displacement |
| 3. Pressure |
| 4. Force |
| Question Number : 110 Question Id : 3000003830 Question Type : MCQ Ontion Shuffling : Ves Display Question Number : Ve |

Question Number: 119 Question Id: 3909003839 Question Type: MCQ Option Shuffling: Yes Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

| Correct Marks: 1 Wrong Marks: 0 | | |
|---|---|------------------------------|
| K type thermocouple is made up | of | |
| Options: | | |
| Chormel-alumel | | |
| Platinum- Platinum- Rhodium | | |
| Iron Constantin | | |
| Copper Constantin | | |
| Question Number: 120 Question Id: 3909003840 Question Line Question Option: No Option Orientation Correct Marks: 1 Wrong Marks: 0 | uestion Type : MCQ Option Shuffling : Yes | Display Question Number : Ye |
| In stepper motor with 10 degree | per step rotates at 250 rpm. | The required |
| input pulse rate is | pulses per minute. | |
| Options: | | |
| 1. 9000 | | |
| 2. 150 | | |
| 3. 2500 | | |
| 250 | | |