

QA

<b>Group Number :</b>	3
<b>Group Id :</b>	4891681115
<b>Group Maximum Duration :</b>	60
<b>Group Minimum Duration :</b>	60
<b>Revisit allowed for view? :</b>	No
<b>Revisit allowed for edit? :</b>	No
<b>Break time:</b>	0
<b>Group Marks:</b>	102

QA

<b>Section Id :</b>	4891681226
<b>Section Number :</b>	1
<b>Section type :</b>	Online
<b>Mandatory or Optional:</b>	Mandatory
<b>Number of Questions:</b>	34
<b>Number of Questions to be attempted:</b>	34
<b>Section Marks:</b>	102
<b>Display Number Panel:</b>	Yes
<b>Group All Questions:</b>	No

**Sub-Section Number:** 1  
**Sub-Section Id:** 4891681315  
**Question Shuffling Allowed :** Yes

**Question Number : 67 Question Id : 4891686192 Question Type : SA Display Question Number : Yes**

**Correct : 3 Wrong : 0**

The numbers 1, 2, ..., 9 are arranged in a 3 X 3 square grid in such a way that each number occurs once and the entries along each column, each row, and each of the two diagonals add up to the same value.

If the top left and the top right entries of the grid are 6 and 2, respectively, then the bottom middle entry is

**Response Type:** Numeric

**Evaluation Required For SA:** Yes

**Answers Type:** Equal

**Possible Answers :**

3

**Question Number : 68 Question Id : 4891686377 Question Type : SA Display Question Number : Yes**

**Correct : 3 Wrong : 0**

In a 10 km race, A, B, and C, each running at uniform speed, get the gold, silver, and bronze medals, respectively. If A beats B by 1 km and B beats C by 1 km, then by how many metres does A beat C?

**Response Type:** Numeric

**Evaluation Required For SA:** Yes

**Answers Type:** Equal

**Possible Answers :**

1900

**Question Number : 69 Question Id : 4891685596 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes**  
**Single Line Question Option : No Option Orientation : Vertical**

**Correct : 3 Wrong : 1**

Bottle 1 contains a mixture of milk and water in 7 : 2 ratio and Bottle 2 contains a mixture of milk and water in 9 : 4 ratio. In what ratio of volumes should the liquids in Bottle 1 and Bottle 2 be combined to obtain a mixture of milk and water in 3 : 1 ratio?

**Options :**

1. ✘ 27 : 14

2. ✔ 27 : 13

3. ✘ 27 : 16

4. ✘ 27 : 18

**Question Number : 70 Question Id : 4891685632 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes**  
**Single Line Question Option : No Option Orientation : Vertical**

**Correct : 3 Wrong : 1**

Arun drove from home to his hostel at 60 miles per hour. While returning home he drove half way along the same route at a speed of 25 miles per hour and then took a bypass road which increased his driving distance by 5 miles, but allowed him to drive at 50 miles per hour along this bypass road. If his return journey took 30 minutes more than his onward journey, then the total distance traveled by him is

**Options :**

1. ✘ 55 miles

2. ✘ 60 miles

3. ✔ 65 miles

4. ✘ 70 miles

Question Number : 71 Question Id : 4891685663 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Out of the shirts produced in a factory, 15% are defective, while 20% of the rest are sold in the domestic market. If the remaining 8840 shirts are left for export, then the number of shirts produced in the factory is

Options :

1. ✘ 13600
2. ✔ 13000
3. ✘ 13400
4. ✘ 14000

Question Number : 72 Question Id : 4891685698 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The average height of 22 toddlers increases by 2 inches when two of them leave this group. If the average height of these two toddlers is one-third the average height of the original 22, then the average height, in inches, of the remaining 20 toddlers is

Options :

1. ✘ 30
2. ✘ 28
3. ✔ 32
4. ✘ 26

Question Number : 73 Question Id : 4891685703 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The manufacturer of a table sells it to a wholesale dealer at a profit of 10%. The wholesale dealer sells the table to a retailer at a profit of 30%. Finally, the retailer sells it to a customer at a profit of 50%. If the customer pays Rs 4290 for the table, then its manufacturing cost (in Rs) is

Options :

1. ✘ 1500
2. ✔ 2000
3. ✘ 2500
4. ✘ 3000

Question Number : 74 Question Id : 4891685704 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

A tank has an inlet pipe and an outlet pipe. If the outlet pipe is closed then the inlet pipe fills the empty tank in 8 hours. If the outlet pipe is open then the inlet pipe fills the empty tank in 10 hours. If only the outlet pipe is open then in how many hours the full tank becomes half-full?

Options :

1. ✔ 20
2. ✘ 30
3. ✘ 40
4. ✘ 45

Question Number : 75 Question Id : 4891685714 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Mayank buys some candies for Rs 15 a dozen and an equal number of different candies for Rs 12 a dozen. He sells all for Rs 16.50 a dozen and makes a profit of Rs 150. How many dozens of candies did he buy altogether?

Options :

1. ✓ 50
2. ✗ 30
3. ✗ 25
4. ✗ 45

Question Number : 76 Question Id : 4891686078 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

In a village, the production of food grains increased by 40% and the per capita production of food grains increased by 27% during a certain period. The percentage by which the population of the village increased during the same period is nearest to

Options :

1. ✗ 16
2. ✗ 13
3. ✓ 10
4. ✗ 7

Question Number : 77 Question Id : 4891686139 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If a, b, c are three positive integers such that a and b are in the ratio 3 : 4 while b and c are in the ratio 2 : 1, then which one of the following is a possible value of (a + b + c)?

Options :

1. ✗ 201
2. ✗ 205
3. ✓ 207
4. ✗ 210

Question Number : 78 Question Id : 4891686140 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

A motorbike leaves point A at 1 pm and moves towards point B at a uniform speed. A car leaves point B at 2 pm and moves towards point A at a uniform speed which is double that of the motorbike. They meet at 3:40 pm at a point which is 168 km away from A. What is the distance, in km, between A and B?

Options :

1. ✗ 364
2. ✓ 378
3. ✗ 380
4. ✗ 388

Question Number : 79 Question Id : 4891686141 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Amal can complete a job in 10 days and Bimal can complete it in 8 days. Amal, Bimal and Kamal together complete the job in 4 days and are paid a total amount of Rs 1000 as remuneration. If this amount is shared by them in proportion to their work, then Kamal's share, in rupees, is

Options :

1. ✓ 100
2. ✗ 200
3. ✗ 300

4. ✘ 400

Question Number : 80 Question Id : 4891686183 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Consider three mixtures – the first having water and liquid A in the ratio 1 : 2, the second having water and liquid B in the ratio 1 : 3, and the third having water and liquid C in the ratio 1 : 4. These three mixtures of A, B, and C, respectively, are further mixed in the proportion 4 : 3 : 2. Then the resulting mixture has

Options :

1. ✘ The same amount of water and liquid B
2. ✘ The same amount of liquids B and C
3. ✔ More water than liquid B
4. ✘ More water than liquid A

Question Number : 81 Question Id : 4891685616 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Let ABCDEF be a regular hexagon with each side of length 1 cm. The area (in sq cm) of a square with AC as one side is

Options :

1. ✘  $3\sqrt{2}$
2. ✔ 3
3. ✘ 4
4. ✘  $\sqrt{3}$

Question Number : 82 Question Id : 4891685672 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The base of a vertical pillar with uniform cross section is a trapezium whose parallel sides are of lengths 10 cm and 20 cm while the other two sides are of equal length. The perpendicular distance between the parallel sides of the trapezium is 12 cm. If the height of the pillar is 20 cm, then the total area, in sq cm, of all six surfaces of the pillar is

Options :

1. ✘ 1300
2. ✘ 1340
3. ✔ 1480
4. ✘ 1520

Question Number : 83 Question Id : 4891686086 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The points (2, 5) and (6, 3) are two end points of a diagonal of a rectangle. If the other diagonal has the equation  $y = 3x + c$ , then c is

Options :

1. ✘ -5
2. ✘ -6

3. ✘ -7

4. ✔ -8

Question Number : 84 Question Id : 4891685653 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

ABCD is a quadrilateral inscribed in a circle with centre O. If  $\angle COD = 120$  degrees and  $\angle BAC = 30$  degrees, then the value of  $\angle BCD$  (in degrees) is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

90

Question Number : 85 Question Id : 4891685657 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

If three sides of a rectangular park have a total length 400 ft, then the area of the park is maximum when the length (in ft) of its longer side is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

200

Question Number : 86 Question Id : 4891686379 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

Let P be an interior point of a right-angled isosceles triangle ABC with hypotenuse AB.

If the perpendicular distance of P from each of AB, BC, and CA is  $4(\sqrt{2} - 1)$  cm, then the area, in sq cm, of the triangle ABC is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

16

Question Number : 87 Question Id : 4891685607 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If the product of three consecutive positive integers is 15600 then the sum of the squares of these integers is

Options :

1. ✘ 1777

2. ✘ 1785

3. ✘ 1875

4. ✔ 1877

Question Number : 88 Question Id : 4891685622 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If x is a real number such that  $\log_3 5 = \log_5 (2 + x)$ , then which of the following is true?

Options :

1. ✘  $0 < x < 3$

2. ✘  $23 < x < 30$

3. ✘  $x > 30$

4. ✔  $3 < x < 23$

Question Number : 89 Question Id : 4891685655 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Let  $f(x) = x^2$  and  $g(x) = 2^x$ , for all real  $x$ . Then the value of  $f(f(g(x)) + g(f(x)))$  at  $x = 1$  is

Options :

1. ✘ 16

2. ✘ 18

3. ✔ 36

4. ✘ 40

Question Number : 90 Question Id : 4891685665 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The minimum possible value of the sum of the squares of the roots of the equation

$x^2 + (a + 3)x - (a + 5) = 0$  is

Options :

1. ✘ 1

2. ✘ 2

3. ✔ 3

4. ✘ 4

Question Number : 91 Question Id : 4891686103 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If  $9^{x - \frac{1}{2}} - 2^{2x - 2} = 4^x - 3^{2x - 3}$ , then  $x$  is

Options :

1. ✔  $\frac{3}{2}$

2. ✘  $\frac{2}{5}$

3. ✘  $\frac{3}{4}$

4. ✘  $\frac{4}{9}$

Question Number : 92 Question Id : 4891685729 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

If  $\log(2^a \times 3^b \times 5^c)$  is the arithmetic mean of  $\log(2^2 \times 3^3 \times 5)$ ,  $\log(2^6 \times 3 \times 5^7)$ , and  $\log(2 \times 3^2 \times 5^4)$ , then  $a$  equals

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

3

Question Number : 93 Question Id : 4891686099 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

Let  $a_1, a_2, a_3, a_4, a_5$  be a sequence of five consecutive odd numbers. Consider a new sequence of five consecutive even numbers ending with  $2a_3$ .

If the sum of the numbers in the new sequence is 450, then  $a_5$  is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

51

Question Number : 94 Question Id : 4891686378 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

How many different pairs  $(a, b)$  of positive integers are there such that  $a \leq b$  and  $\frac{1}{a} + \frac{1}{b} = \frac{1}{9}$  ?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

3

Question Number : 95 Question Id : 4891686169 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

In how many ways can 8 identical pens be distributed among Amal, Bimal, and Kamal so that Amal gets at least 1 pen, Bimal gets at least 2 pens, and Kamal gets at least 3 pens?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

6

Question Number : 96 Question Id : 4891686193 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

How many four digit numbers, which are divisible by 6, can be formed using the digits 0, 2, 3, 4, 6, such that no digit is used more than once and 0 does not occur in the left-most position?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

50

Question Number : 97 Question Id : 4891686194 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

If  $f(ab) = f(a)f(b)$  for all positive integers  $a$  and  $b$ , then the largest possible value of  $f(1)$  is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

1



Question Number : 98 Question Id : 4891686080 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Let  $f(x) = 2x - 5$  and  $g(x) = 7 - 2x$ . Then  $|f(x) + g(x)| = |f(x)| + |g(x)|$  if and only if

Options :

1. ✘  $\frac{5}{2} < x < \frac{7}{2}$

2. ✘  $x \leq \frac{5}{2}$  or  $x \geq \frac{7}{2}$

3. ✘  $x < \frac{5}{2}$  or  $x \geq \frac{7}{2}$

4. ✔  $\frac{5}{2} \leq x \leq \frac{7}{2}$

Question Number : 99 Question Id : 4891686083 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

An infinite geometric progression  $a_1, a_2, a_3, \dots$  has the property that  $a_n = 3(a_{n+1} + a_{n+2} + \dots)$   
for every  $n \geq 1$ . If the sum  $a_1 + a_2 + a_3 + \dots = 32$ , then  $a_5$  is

Options :

1. ✘  $1/32$

2. ✘  $2/32$

3. ✔  $3/32$

4. ✘  $4/32$

Question Number : 100 Question Id : 4891686090 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If  $a_1 = \frac{1}{2 \times 5}$ ,  $a_2 = \frac{1}{5 \times 8}$ ,  $a_3 = \frac{1}{8 \times 11}$ , ..., then  $a_1 + a_2 + a_3 + \dots + a_{100}$  is

Options :

1. ✔  $\frac{25}{151}$

2. ✘  $\frac{1}{2}$

3. ✘  $\frac{1}{4}$

4. ✘  $\frac{111}{55}$