

COLLEGEDUNIA

For Lateral Entry (Pharmacy }

- Morphine is present in
(A) Atropa belladonna (B) Papaver somniferum
(C) Ricinus communis (D) Solanum nigrum
- Gray baby syndrome is due to the indiscriminate use of
(A) Streptomycin (B) Chloramphenicol (C) Penicillin (D) Tetracycline
- Which of the following is not a neurotransmitter ?
(A) Heparin (B) Nor adrenaline (C) Hydroxytryptamine (D) Prostaglandin
- Wagner's test is used to detect the presence of
(A) Steroids (B) Alkaloids (C) Glycosides (D) Terpenes
- One nanometer (nm) is equal to
(A) 10^{10} cm (B) 10^{12} cm (C) 10^{-7} cm (D) 10^{-4} cm
- Indian and African Senna leaves differ from each other with respect to
(A) Vein islet number (B) Stomatal index (C) Colour (D) All of the above
- The conc. of sucrose in Simple Syrup BP is
(A) 85% w/w (B) 60.7% w/w (C) 66.7% w/w (D) 66.7% w/v
- The HLB value of Sodium lauryl sulphate is
(A) 4.0 (B) 4.7 (C) 7.4 (D) 40.0
- The disintegration time for enteric coated tablet is
(A) 15 minutes (B) 30 minutes (C) 105 minutes (D) 135 minutes
- Antibiotic which interacts with calcium ion is
(A) Erythromycin (B) Streptomycin (C) Tetracyclin (D) Ampicillin

COLLEGEDUNIA

11. Flow rate of granules from the hopper can be improved by adding
(A) Lubricant (B) Disintegrant (C) Binder (D) Glidant
12. Sterilization temperature for aqueous solution in autoclave is
(A) 60°C (B) 121°C (C) 160°C (D) 180°C
13. The vitamin administered with isoniazid to minimize its adverse reaction is
(A) Vitamin A (B) Pyridoxine (C) Biotin (D) Pantothenic acid
14. State Pharmacy council should have the following number of elected members
(A) Six (B) Nine (C) Five (D) Seven
15. Synthesis of Urea takes place exclusively
(A) Kidney (B) Liver (C) Gall bladder (D) Urinary bladder
16. How many parts of 10% alcohol be mixed with 2 parts of 15% alcohol to get 12% alcohol ?
(A) 2 (B) 3 (C) 5 (D) 6
17. The UV- Visible region in the electromagnetic spectrum of radiation is
(A) 200-400 nm (B) 300-600 nm (C) 400-800 nm (D) 200-800 nm
18. In Drugs & Cosmetics Act and Rules there under, list of substances that should be retail on prescription of Registered Medical Practitioner is given in
(A) Schedule H (B) Schedule G (C) Schedule J (D) Schedule O
19. Alkaloids in cinchona bark are detected by
(A) Iodine test (B) Thalleioquin test
(C) Liebermann-Burchard test (D) Nessler's test

COLLEGEDUNIA

20. The sweetening agent commonly used in chewable tablet formula is
(A) Sucrose (B) Cyclamate sodium (C) Saccharin sodium (D) Mannitol
21. The pH of a Pharmaceutical buffer system can be calculated by
(A) pH partition theory (B) Noyes-Whitney law
(C) Henderson-Hasselbatch equation (D) Michaelis-Menten equation
22. The Pharmacy Council of India is constituted by the
(A) Central Government (B) State Government
(C) Parliament (D) Legislative assembly
23. Sigma blade mixers are commonly used in
(A) Wet granulation (B) Dry granulation
(C) Powder mixing (D) Crude fibre mixing
24. Water for injection differs from sterile distilled water as it is free from
(A) carbon dioxide (B) pyrogens (C) preservatives (D) antioxidant
25. Which of the following steroids shows predominant mineralocorticoid action?
(A) Hydrocortisone (B) Spiranolactone
(C) Dexamethasone (D) Fludrocortisone
26. The Shick test is used to determine susceptibility to
(A) Measles (B) Diphtheria (C) Polio (D) Typhoid
27. Disposable syringes are made up of
(A) Polypropylene (B) Transparent polystyrene
(C) Glass (D) Poly Tetra Chloro Ethylene

COLLEGEDUNIA

28. Choose the correct pH of the lachrymal fluid
(A) 8.0 (B) 6.2 (C) 7.4 (D) 9.0
29. A drug which has antipyretic, anti-inflammatory and antiplatelet activity is
(A) Sulfinpyrazone (B) Aspirin (C) Ticlopidine (D) Acetaminophen
30. Cocaine is used as a
(A) Topical anaesthetic (B) Cough suppressant
(C) Stimulant (D) Respiratory infections
31. Penicillinase resistant penicillin is
(A) Amoxicillin (B) Ampicillin (C) Penicillin V (D) Methicillin
32. Tyndallisation means
(A) Successive autoclaving with a bactericide
(B) Successive heating with a bactericide
(C) Successive heating at low temperature
(D) Successive heating at low temperature and incubation
33. Vincristine and vinblastine act by
(A) Binding with the protein tubulin and arrest at metaphase
(B) Inhibiting the protein synthesis
(C) Acting as antimetabolite
(D) Inhibiting the enzyme system
34. Sulphonamide tragedy was due to its combination with
(A) Penicillin (B) Streptomycin (C) Diethylene hydrochloride (D) Bicarbonate

COLLEGEDUNIA

35. Cholinergic receptor present on intestinal muscle is
- (A) Histamine receptor (B) Muscarinic receptor
(C) Nicotine receptor (D) Beta receptor
36. Metronidazole inhibits anaerobic bacteria and protozoa by
- (A) Affecting the structure of DNA molecule of the organism
(B) Destroying the ribosomes
(C) Inhibiting the cytochrome system
(D) Inhibiting the protein synthesis
37. Antihypertensive drug inhibits the renin-angiotensin system is
- (A) Reserpine (B) Captopril (C) Methyl dopa (D) Propanolol
38. Titanium dioxide is commonly present in
- (A) Vanishing cream (B) Sunscreen cream
(C) Aqueous calamine cream (D) Ophthalmic cream
39. Powdered digitalis is dried at a temperature
- (A) Not exceeding 60°C (B) 65°C (C) 75°C (D) 100°C
40. The Mantoux test uses
- (A) Old tuberculin (B) Diphtheria toxin
(C) Serum antigen (D) Polysaccharide antigen
41. The neurotransmitter released at the end of sympathetic nerve fibre is
- (A) Epinephrine (B) Nor-epinephrine (C) Acetylcholine (D) Physostigmine
42. Rancidity of a fat is due to
- (A) Oxidation (B) Saponification (C) Hydrolysis (D) Neutralisation

COLLEGEDUNIA

43. The vitamin which has deodorant property is
(A) Vitamin A (B) Vitamin C (C) Vitamin D (D) Vitamin E
44. Erythromycin is an antibiotic. It belongs to the class of
(A) β -lactum (B) Aminoglycosides (C) Macrolide (D) Peptide
45. The principal structural component of the cell wall in bacteria is made up of
(A) simple protein (B) peptidoglycan polymer
(C) complex polysaccharides (D) glycoprotein
46. Tetracyclines are avoided during pregnancy because
(A) It is teratogenic (B) it may affect the bone growth of foetus
(C) it causes discolouration of mothers teeth (D) it may cause abortion
47. The tear secretion contains an antibacterial enzyme known as
(A) Zymase (B) Diastase (C) Lysozyme (D) Lipase
48. Schedule M as per Drugs and Cosmetics Act is concerned with
(A) Ophthalmic preparations (B) Life period of drugs
(C) Requirements of factory premises (D) List of prescription drugs
49. Varicella zoster is the causative organism for
(A) Small pox (B) Dermatophytosis (C) Herpes (D) Tuberculosis
50. The statement 'store in a cold place' as per IP, means
(A) store at room temperature (B) store between 2° to 8°c
(C) store between 8° to 25°c (D) store at 0°c

COLLEGEDUNIA

51. Durability of a tablet to combined effects of shock and abrasion is evaluated by using
- (A) Hardness tester (B) Disintegration test apparatus
(C) Friabilator (D) Screw Gauge
52. Emetine is the predominant alkaloid of
- (A) Rauwolfia serpentina (B) Vinca rosea
(C) Cephaelis ipecacuanha (D) Swertia chirata
53. The entire plant of Swertia chirata is used as
- (A) Cardiotonic (B) Bitter tonic (C) Diuretic (D) Anti diabetic
54. Clark's formula for calculation of dose of a drug is based on
- (A) Age (B) Body weight (C) Surface area (D) Drug activity
55. The organism that enter the body only through an injury is
- (A) Salmonella typhi (B) Clostridium tetani
(C) Clostridium botulinum (D) Streptococcus pyrogenes
56. The pH range of methyl orange is
- (A) 2.9-4.6 (B) 1.9-3.6 (C) 3.9- 5.6 (D) 4.2-6.3
57. In the preparation of ointments, macrogols are used as
- (A) Water soluble base (B) Hydrocarbon base
(C) Absorption base (D) Oleogenous base
58. The particle size of the dispersed solids in a suspension is usually greater than
- (A) 0.5 μm (B) 1 μm (C) 5 μm (D) 10 μm

COLLEGEDUNIA

59. In the extemporaneous preparation of a suspension, Levigation is used to

- (A) Reduce the zeta potencial
- (B) avoid bacterial growth
- (C) reduce particle size
- (D) enhance viscosity

60. In order to produce characteristic pharmacological action, a drug must always

- (A) reach high blood levels
- (B) absorbed from GIT readily
- (C) achieve adequate conc. at site of action
- (D) excrete unchanged in urine

COLLEGEDUNIA

Answers:

1. B	21. C	41. B
2. B	22. A	42. A
3. A	23. C	43. B
4. B	24. B	44. C
5. C	25. D	45. B
6. D	26. B	46. C
7. C	27. B	47. C
8. D	28. C	48. C
9. D	29. B	49. C
10. C	30. A	50. B
11. D	31. D	51. C
12. B	32. C	52. C
13. B	33. A	53. B
14. D	34. A	54. B
15. A	35. B	55. B
16. B	36. A	56. A
17. D	37. B	57. A
18. A	38. B	58. A
19. B	39. A	59. C
20. D	40. A	60. C