Question Paper Preview

Question Paper Name :Electronics and Communication Engineering

14th Sep 2020 S2

Subject Name : Electronics and Communication Engineering

Duration: 180

Total Marks: 200

Display Marks: No

Share Answer Key With Delivery Engine : Yes

Actual Answer Key: Yes

Is this Group for Examiner? : No

Mathematics

Section Number:

Mandatory or Optional: Mandatory

Number of Questions: 50

Number of Questions to be attempted: 50

Section Marks: 50

Display Number Panel: Yes

Group All Questions : Yes

Mark As Answered Required?: Yes

Question Number: 1 Question Id: 61097514029 Question Type: MCQ Display Question Number:

Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



If
$$A = \begin{bmatrix} 3 & 1 \\ 1 & 4 \end{bmatrix}$$
 and A^2 - kA - $4I_2 = 0$ then k =

Options:

- 1. 1
- 2 2
- 3 -2
- 4. -1

Ans : no correct option

Question Number : 2 Question Id : 61097514030 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

If $A = \begin{bmatrix} 0 & 2 & 1 \\ -2 & 0 & -2 \\ -1 & x & 0 \end{bmatrix}$ is a skew-symmetric matrix, then x is

- 1. 0
- 2 1
- 3
- 4. -2

Question Number: 3 Question Id: 61097514031 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If a+b+c=0, one root of
$$\begin{vmatrix} a-x & c & b \\ c & b-x & a \\ b & a & c-x \end{vmatrix} = 0$$
 is

Options:

1.
$$x=0$$

$$x=2$$

$$x=a^2+b^2+c^2$$

Question Number: 4 Question Id: 61097514032 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The co-factors of the elements 2,-5 in the matrix $\begin{pmatrix} -1 & 0 & 5 \\ 1 & 2 & -2 \\ -4 & -5 & 3 \end{pmatrix}$ is

Question Number: 5 Question Id: 61097514033 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The solution of a system of linear equations 2x-y+3z=9, x+y+z=6, x-y+z=2 is

Options:

$$x = -1, y = -2, z = -3$$

$$x = -1, y = -2, z = 3$$

$$x = -1, y = 2, z = -3$$

$$x = 1, y = 2, z = 3$$

Question Number : 6 Question Id : 61097514034 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If
$$\frac{2x+4}{(x-1)^3} = \frac{S_1}{(x-1)} + \frac{S_2}{(x-1)^2} + \frac{S_3}{(x-1)^3}$$
 Then $\sum_{j=1}^3 S_j$ is equal to

$$S_2$$

2.
$$2S_2$$



$$3.^{4}S_{2}$$

Question Number: 7 Question Id: 61097514035 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If
$$\frac{3x^3 - 2x^2 - 1}{x^4 + x^2 + 1} = \frac{Ax + B}{x^2 + x + 1} + \frac{Cx + D}{x^2 + kx + 1}$$
 then k =

Options:

- 1. 0
- 2.
- 3. -1
- 1

Question Number: 8 Question Id: 61097514036 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If $\sin 780^{\circ} \sin 480^{\circ} - \cos 120^{\circ} \sin 330^{\circ} = k$ then k is

Options:

1. 0



- 2. 1
- 3. 1/2
- 4. -1/2

Question Number: 9 Question Id: 61097514037 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If A,B,C,D are the angles of cyclic quadrilateral taken in order, then cosA+cosB+cosC+cosD=

Options:

- 1. 0
- 2. 2
- 3
- 4 -2

Question Number: 10 Question Id: 61097514038 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If
$$\tan \theta = \frac{4}{3}$$
 then $\sqrt{\frac{1-\sin \theta}{1+\sin \theta}} =$

$$\frac{1}{3}$$

$$\frac{2}{3}$$

$$\frac{-1}{3}$$

$$\frac{-2}{3}$$

Question Number: 11 Question Id: 61097514039 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The period of the function $f(x) = |\sin x|$ is

$$2\pi$$

$$3\pi$$

$$4\pi$$

${\bf Number: Yes\ Is\ Question\ Mandatory: No\ Single\ Line\ Question\ Option: No\ Option\ Orientation:}$

Vertical

The value of tan10 tan20 tan30..... tan890 is

Options:

- 1.
- 2. 0
- 3 -1
- 4 00

Question Number: 13 Question Id: 61097514041 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

If $f(x)=\cos^2 x + \sec^2 x$ then its value always is

- f(x)<1
- 2. f(x)=1
- $2 \le f(x) \le 1$
- $f(x) \ge 2$

Question Number: 14 Question Id: 61097514042 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If n is odd, then
$$\left(\frac{\cos x + \cos y}{\sin x - \sin y}\right)^n + \left(\frac{\sin x + \sin y}{\cos x - \cos y}\right)^n =$$

Options:

- 1. -1
- 2.
- 3.
- 4.

Question Number: 15 Question Id: 61097514043 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The value of Tan-1(2)+ Tan-1(3) is

$$\frac{\pi}{4}$$

$$\frac{\pi}{2}$$

$$\frac{\pi}{3}$$



$$\frac{3\pi}{4}$$

Question Number: 16 Question Id: 61097514044 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The trigonometric equation sin-1x=2sin-1 a, has a solution for

Options:

$$|a| < \frac{1}{2}$$

$$|a| \ge \frac{1}{\sqrt{2}}$$

$$\frac{1}{2} < |a| < \frac{1}{\sqrt{2}}$$

$$|a| \le \frac{1}{\sqrt{2}}$$

Question Number: 17 Question Id: 61097514045 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The solution set of the system of equations $x + y = \frac{2\pi}{3}$ and $\cos x + \cos y = \frac{3}{2}$ is



$$\left\{ n\pi + \frac{2\pi}{3}, n = 12,3......\right\}$$

$$\left\{ n\pi - \frac{2\pi}{3}, n = 12, 3 \dots \right\}$$

4

Question Number: 18 Question Id: 61097514046 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

if
$$z = \frac{7 - i}{3 - 4i}$$
 then z^{14} is

2.
$$2^{7}i$$

3.
$$-2^7 i$$

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation :

Vertical

$$i^2+i^4+i^6+....(2n+1)$$
 terms is

Options:

- 1
- 2. -1
- 3
- 4. i

Question Number: 20 Question Id: 61097514048 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The equation of the polar of (-2,3) with respect to x-+y-4x-6y+5=0 is

- х=у
- 2. x+y=0
- 3. x=0
- 4. y=0



Question Number : 21 Question Id : 61097514049 Question Type : MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

A parabolic arc has a height of 12m and a span of 20m. The height of the arc, 5m away

on either side of the centre is

Options:

- 1. ^{2m}
- 2 3m
- 3. 6m
- 4. 9m

Question Number : 22 Question Id : 61097514050 Question Type : MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The eccentricity of the ellipse whose latus-rectum is one third of its minor axis is

$$\frac{2}{3}$$

$$\sqrt{\frac{2}{3}}$$

$$\frac{2\sqrt{2}}{3}$$

$$2\sqrt{\frac{2}{3}}$$

Question Number: 23 Question Id: 61097514051 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A conic with eccentricity $\frac{3}{2}$ is

Options:

- Parabola
- 2. Ellipse
- 3. hyperbola
- 4. Circle

Question Number: 24 Question Id: 61097514052 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The focus of the parabola $(y-1)^2=8(x-3)$ is

- (4,2)
- 2. (3,5)



- 3. (5,1)
- 4. (2,1)

Question Number : 25 Question Id : 61097514053 Question Type : MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The tangents drawn from the point P(-2,19) to the parabola y²=8x are perpendicular to each other. Then the point P lies on the parabola at

Options:

- Tangent at the vertex
- directrix
- latus-rectum
- diameter through the focus

Question Number: 26 Question Id: 61097514054 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

$$Lt_{n\to\infty}\left(\frac{n}{n+1}\right)^{2n}$$
 is

Options:

1. 0



e

Question Number: 27 Question Id: 61097514055 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If x=ylogxy then
$$\frac{dy}{dx}$$
=

Options:

$$\frac{x-y}{1+\log xy}$$

$$\frac{x-y}{x(1+\log xy)}$$

$$\frac{x+y}{x(1+\log xy)}$$

$$\frac{x+y}{x\log y}$$

Question Number : 28 Question Id : 61097514056 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical



If
$$f(x) = \frac{x}{1+|x|}$$
, $x \in R$ then $f'(0) =$

Options:

- 1. 0
- 2. 1
- 3
- 4. 4

Question Number: 29 Question Id: 61097514057 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If
$$y = (x^x)^x$$
 then $\frac{dy}{dx} =$

1.
$$x.x^{x}(1+2\log x)$$

$$(1 + 2\log x)x^{(x^2+1)}$$

3.
$$(1+2\log x)x^{x^2}$$

4.
$$x \cdot x^{x} (1 - 2 \log x)$$

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation :

Vertical

If
$$x=e^{3t}\cos 3t$$
 then $\frac{d^2x}{dt^2}$ at $t=\frac{\pi}{2}$ is

Options:

- . 6e^π
- 2. $12e^{\pi}$
- 3. $-12e^{\pi}$
- $4. 6e^{\pi}$

Question Number: 31 Question Id: 61097514059 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The maximum area of a rectangle with perimeter 176cm is

- 1. 1936cm²
- 2 1854cm²
- 3. 2110cm²
- 4. 1735cm²



Question Number: 32 Question Id: 61097514060 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Two positive numbers whose sum is 64 and sum of whose cubes is minimum are given by

Options:

- 1. 32,32
- 2. 48,16
- 3. 40,24
- 4. ^{32, 24}

Question Number: 33 Question Id: 61097514061 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

If u be a homogeneous function of degree n, then $x \frac{\partial^2 u}{\partial x^2} + y \frac{\partial^2 u}{\partial y^2} =$

- nu
- $2. \quad n \frac{\partial u}{\partial x}$
- $(n-1) \frac{\partial u}{\partial x}$



$$n(n-1)\frac{\partial u}{\partial x}$$

Ans : no correct option

Question Number: 34 Question Id: 61097514062 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If
$$u=f(x-y, y-z, z-x)$$
 then $\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} + \frac{\partial u}{\partial z}$ is

Options:

- 1 3
- 2. -3
- 3. ^u

4.

Question Number: 35 Question Id: 61097514063 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

A stone is dropped into a quite lake and waves move in a circle at a speed of 6cm/sec. At the instant when the radius of the circular wave is 16cm, the enclosed area increases at

the rate

Options:

1. $100 \,\pi \, cm^2 \,/\, \text{sec}$



2.
$$32 \pi cm^2 / \sec^2$$

$$192 \pi cm / sec$$

$$192 \pi \, cm^2 / \sec 4$$
.

Question Number: 36 Question Id: 61097514064 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

$$\int \frac{dx}{1+\sin x + \cos x} =$$

Options:

$$\int_{1}^{\infty} \log \left(\tan \left(\frac{x}{2} \right) \right) + c$$

$$\log\left(1+\tan\left(\frac{x}{2}\right)\right)+c$$

$$\frac{1}{2}\log\left(1+\tan\left(\frac{x}{2}\right)\right)+c$$

$$\log\left(1+\sec\left(\frac{x}{2}\right)\right)+c$$

Question Number : 37 Question Id : 61097514065 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical



$$\int_{0}^{1} \frac{\log(1+x)}{x} dx$$
 is

Options:

- 1. 0
 - $\frac{\pi}{4}$
- 2.
- $\frac{\pi^2}{4}$
- $\frac{\pi^2}{12}$

Question Number: 38 Question Id: 61097514066 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

$$\int \frac{e^x - 1}{e^x + 1} dx =$$

$$2\log(e^{x}+1)+c$$

2.
$$\log(e^{2x}-1)+c$$

3.
$$2\log(e^{x}+1)-x+c$$

4.
$$\log(e^{2x}+1)+c$$



Question Number : 39 Question Id : 61097514067 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The mean value of the ordinate of a semi circle of radius a taken along the diameter is

Options:

$$\frac{a\pi}{2}$$

$$2a\pi$$

$$\frac{a\pi}{4}$$

4.
$$24a\pi$$

Question Number: 40 Question Id: 61097514068 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The area enclosed by the curve |x| + |y| = 1 is

$$\pi^2$$



1

1

Question Number: 41 Question Id: 61097514069 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

$$\int_{a}^{b} f(x)dx \text{ represents}$$

Options:

The area bounded by the curve and the x-axis

The area bounded by the curve and the ordinates x=a, x=b

250

2.

- The area bounded by the curve, the x-axis and the ordinates x=a,x=b
- 4 The area not bounded by the curve

Question Number: 42 Question Id: 61097514070 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

$$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \sin|x| \, dx \quad \text{is}$$

Options:

1. 0



Question Number: 43 Question Id: 61097514071 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Mean value of
$$\frac{1}{1+x^2}$$
 on $[-1,1]$ is

Options:

$$\frac{\pi}{2}$$

$$\frac{\pi}{4}$$

$$\frac{\pi}{3}$$

Question Number : 44 Question Id : 61097514072 Question Type : MCQ Display Question Number :

Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



The order and degree of the differential equation $y = x \frac{dy}{dx} + \frac{3}{\frac{dy}{dx}}$ is

Options:

- 1,2
- 2,1
- 2 1,1
- 4. 2,2

Question Number: 45 Question Id: 61097514073 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The differential equation $y \frac{dy}{dx} + x = a$ represents

- a set of circles whose centers are on the x-axis
- a set of circles whose centers are on the y-axis
- 3. a set of parabolas
- 4. a set of ellipses



Question Number: 46 Question Id: 61097514074 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Solution of
$$\frac{dy}{dx} + \sqrt{\frac{1-y^2}{1-x^2}} = 0$$
 is

Options:

$$\sin^{-1}x + \sin^{-1}y = c$$

Question Number: 47 Question Id: 61097514075 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Particular solution of (D2-D-2)y=sin2x is

$$\frac{\cos 2x - 3\sin 2x}{20}$$

$$2. \frac{\cos x}{2}$$

$$\frac{\sin x}{2}$$

$$4. \frac{x \sin 2x}{8}$$

Question Number: 48 Question Id: 61097514076 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The integrating factor of $y(xy+2x^2y^2)dx+x(xy-x^2y^2) = 0$ is

Options:

1.
$$\frac{1}{3x^3y^3}$$

$$\frac{1}{x^3}$$

$$\frac{1}{y^3}$$

$$\frac{3}{x^3y^3}$$

4

Question Number: 49 Question Id: 61097514077 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If y=Aex+Be2x, where A and B are arbitrary constants, then the differential equation is

Options:

$$y_2 + 3y_1 + 2y = 0$$

2.
$$y_2 - 3y_1 - 2y = 0$$

3.
$$y_2 + 3y_1 - 2y = 0$$

4.
$$y_2 - 3y_1 + 2y = 0$$

Question Number: 50 Question Id: 61097514078 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The length of the sub normal at any point on y²=4ax is

$$\frac{a}{2}$$

$$\frac{a}{3}$$



Section Number :

Mandatory or Optional : Mandatory

Number of Questions: 25

Number of Questions to be attempted : 25

Section Marks: 25

Display Number Panel: Yes

Group All Questions: Yes

Mark As Answered Required?: Yes

Question Number: 51 Question Id: 61097514079 Question Type: MCQ Display Question

2

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The dimensional formula for magnetic flux is

Options:

1.
$$[ML^2T^{-2}A^{-1}]$$

3.
$$[M^0L^{-2}T^{-2}A^{-2}]$$

$$[ML^2T^{-1}A^2]$$

Question Number: 52 Question Id: 61097514080 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The unit for angular frequency is

Options:

1. Hertz



- 2. Newton
- 3. Degrees (or) radians per second
- 4. Steradian

Question Number: 53 Question Id: 61097514081 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The sum of two vectors A and B is at right angles to their difference. Then

Options:

- 1. A = B
- 2. A = 2B
- 3. B = 2A
- 4. A and B have the same direction

Question Number: 54 Question Id: 61097514082 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The resultant of two forces, one double the other in magnitude, is perpendicular to the smaller of the two forces. The angle between the two forces is

- 1. 1200
- 2. 60⁰



$$3.90^{0}$$

Question Number: 55 Question Id: 61097514083 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A body starts from rest travels a distance x in first two seconds and a distance y in next

two seconds. The relation between x and y is

Options:

$$y = 4x$$

$$y = x$$

$$y = 3x$$

4.
$$y = 2x$$

Question Number: 56 Question Id: 61097514084 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Two bodies are projected from the ground with the same speed. If the angles of their projection from the ground are 45° and 15° respectively, the ratio of their ranges is

Options:

1:2



- 2. 2:1
- $3. \sqrt{3}:2$
- $4.1:\sqrt{2}$

Question Number: 57 Question Id: 61097514085 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Two bodies of different masses are dropped from heights of 2 m and 8 m respectively,

then the ratio of the time taken by them is _____.

Options:

- 1. 1:4
- 2 1:1
- 3. 1:2
- 4. 1:3

Question Number: 58 Question Id: 61097514086 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The angle of projection of a projectile for which the horizontal range and maximum height are equal is

Options:

sin⁻¹(4)



2.
$$\tan^{-1}(4)$$

Question Number: 59 Question Id: 61097514087 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If μ_k is the coefficient of kinetic friction, μ_r is the coefficient of rolling friction and μ_s is

the coefficient of static friction, then

Options:

1.
$$\mu_s > \mu_k > \mu_r$$

$$2. \quad \mu_s < \mu_k < \mu_r$$

3.
$$\mu_s < \mu_r < \mu_k$$

$$\mu_s > \mu_r > \mu_k$$

Question Number: 60 Question Id: 61097514088 Question Type: MCQ Display Question Number:

Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical



A boy of mass 40 kg is climbing a vertical pole at a constant speed. If the coefficient of friction between his palms and the pole is 0.8 and $g = 10 \text{ m/s}^2$, the horizontal force that he is applying on the pole is

Options:

- 300 N
- 2. 400 N
- 3. 500 N
- 4. 600 N

Question Number: 61 Question Id: 61097514089 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

How many 2.5 kg bricks can a man carry up a 3.6 meter staircase in one hour if he works

at an average rate of 9.8 watt?

Options:

- 1. 800
- 2. 200
- 3. 600
- 4, 400

Question Number: 62 Question Id: 61097514090 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

A spring of force constant 800 N m⁻¹ has an extension of 5 cm. The work done in extending it from 5 cm to 15 cm is

Options:

- 16 J
- 2. 8 J
- 3. 32 J
- 4. 24 J

Question Number: 63 Question Id: 61097514091 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Among the following sources of energy, for which source, sun is not a chief source of energy

- 1. Hydroelectric power plant
- 2 Ocean thermal energy
- Tidal energy
- 4. Biomass



Question Number: 64 Question Id: 61097514092 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A particle executes simple harmonic motion along a straight line so that its period is 12 seconds .

The time it takes in traversing a distance equal to half of its amplitude from its equilibrium position is

Options:

- 6 seconds
- 2. 4 seconds
- 3. 2 seconds
- 4. 1 second

Question Number : 65 Question Id : 61097514093 Question Type : MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A particle executes simple harmonic motion with a frequency f. The frequency with which the potential energy oscillates is

- 1. f
- 2. f/2
- 3. 2f
- 4. zero



Question Number: 66 Question Id: 61097514094 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A tuning fork A of frequency 512 Hz produces 4 beats per second when sounded with a tuning fork B. Due to filing of the prongs of the tuning fork B, the number of the beats per second becomes 6. The actual frequency of B is

Options:

- 1. 516 Hz
- 2. 508 Hz
- 3. 512 Hz
- 4 500 Hz

Question Number: 67 Question Id: 61097514095 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A car sounding a horn of frequency 1000 Hz passes an observer. The ratio of frequencies of the horn noted by the observer before and after passing of car is 11: 9. If the speed of sound is v, then the speed of the car is

- 1. v/10
- 2. v/20
- 3. v/2



4. v/5

Question Number: 68 Question Id: 61097514096 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The reverberation time is

Options:

- Directly proportional to sound absorption
- 2. Inversely proportional to volume
- 3. Inversely proportional to sound absorption
- 4. Directly proportional to pressure

Question Number: 69 Question Id: 61097514097 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The pressure P₁ and density d₁ of a diatomic gas $(\gamma = 7/5)$ change to P₂ and d₂ during an

adiabatic operation. If $\frac{d2}{d1} = 32$, then $\frac{P2}{P1}$ is

- 1 125
- 2. 128
- 3. 32

Question Number: 70 Question Id: 61097514098 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The first law of thermodynamics is concerned with conservation of

Options:

- 1 No. of molecules
- 2. No. of moles
- 3. Energy
- 4. Temperature

Question Number: 71 Question Id: 61097514099 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

When ice cube melts into water,

- 1. Entropy decreases and internal energy decreases
- 2 Entropy decreases and internal energy increases
- 3. Entropy increases and internal energy increases
- 4. Entropy increases and internal energy decreases



Question Number: 72 Question Id: 61097514100 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

For nitrogen, C_P - C_V = x and for argon, C_P - C_V = y. The relation between x and y is

Options:

$$1.$$
 $x = y$

$$x = 7y$$

$$y = 7x$$

$$x = y/2$$

Question Number: 73 Question Id: 61097514101 Question Type: MCQ Display Question

 ${\bf Number: Yes\ Is\ Question\ Mandatory: No\ Single\ Line\ Question\ Option: No\ Option}$

Orientation: Vertical

A Carnot's engine extracts 1.5 x 10³ kilocalories of heat from a reservoir at 627⁰C and exhausts it to a sink maintained at 27⁰C. The work performed by the engine is

$$2. \, ^{4.2} \, \mathrm{x} \, 10^{2} \, \mathrm{J}$$

4.
$$4.2 \times 10^6 \text{ J}$$



Question Number: 74 Question Id: 61097514102 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

At critical angle, the angle of refraction is

Options:

- 1. 45⁰
- 2. 90⁰
- 3.180^{0}
- 4. 60⁰

Question Number: 75 Question Id: 61097514103 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Superconductivity is due to the formation of

- Domain walls
- 2. Electron-hole pairs
- 3 Hysteresis
- Cooper pairs



Chemistry

Section Number: 3

Mandatory or Optional: Mandatory

Number of Questions: 25

Number of Questions to be attempted: 25

Section Marks: 25

Display Number Panel: Yes

Group All Questions : Yes

Mark As Answered Required?: Yes

Question Number: 76 Question Id: 61097514104 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The atomic weight and atomic number of an element are A and Z respectively.

The number of neutrons in the atom of that element is.

Options:

- 1. A
- 2. Z
- Z + A
- 4. A Z

Question Number: 77 Question Id: 61097514105 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The two electrons present in an orbital are distinguished by:

Options:

- Principal Quantum number
- 2. Spin Quantum number
- 3. Magnetic Quantum number
- 4. Azimutal Quantum number

Question Number: 78 Question Id: 61097514106 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

The order of increasing energies of the orbitals follows:

Options:

Question Number: 79 Question Id: 61097514107 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Ionic bond is formed by



Sharing of electrons 2 Donating of electron 3. Transfer of Electrons 4. Donating of electron pair Question Number: 80 Question Id: 61097514108 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** The total number of electrons that take part in forming bonds in N2 is **Options:** 1 2 2. 4 3. 10 4. 6

Question Number: 81 Question Id: 61097514109 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Sum of mole fractions of the two components of a solution is always

Options:

more than one



2. less than one 3. exactly one 4. not fixed Question Number: 82 Question Id: 61097514110 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** A 10N Solution stands for **Options:** Normal solution 2. Decanormal solution 3. Decinormal solution 4. Seminormal solution Question Number: 83 Question Id: 61097514111 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** The molarity of pure water is **Options:** 1. 55.6

2, 50

3. 100
4. 18
Question Number : 84 Question Id : 61097514112 Question Type : MCQ Display Question
Question Number: 84 Question Id: 61097514112 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option
Orientation : Vertical
According to Bronsted -Lowry theory which one of the following is
considered as an acid?
Options:
1. OH-
2. HSO ₄ -
3. H ₃ O ⁺
4. Cl-
Question Number: 85 Question Id: 61097514113 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The pH of a solution containing 10 ⁻⁶ HCl is
Options:
1. ⁴
2. 6

3. 8



4. 10

Question Number: 86 Question Id: 61097514114 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Calculate the quantity of electricity that will be required for liberating 710g of chlorine gas by the electrolysis of a concentrated solution of NaCl.

Options:

- 10 faradys
- 2. 20 faradays
- 3. 5 faradays
- 4 18 faradays

Question Number: 87 Question Id: 61097514115 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The standard reduction potentials (E⁰) for the half reactions are as given below

$$Zn = Zn^{2+} + 2e^{-}$$
: $E^{0} = +0.76V$

$$Fe=Fe^{2+}+2e^{-}; E^{0}=+0.41V$$

The EMF for the cell reaction $Fe^{2+} + Zn \rightarrow Zn^{2+} + Fe$ is





2. ^{+0.35} V

Question Number: 88 Question Id: 61097514116 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The best electronic conductor is

Options:

Copper

2. Aluminium

3. Zinc

4. Silver

Question Number: 89 Question Id: 61097514117 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The electric charge for electrode deposition of one gram equivalent of a

substance is

Options:

1. Charge on one mole of electrons

2. One ampere per second



3. 96500 coulombs per second One ampere for one hour Question Number: 90 Question Id: 61097514118 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** Hardness of water is expressed in terms of ----- equivalents **Options:** MgCO₃ 2. CaCO₃ 3. Na₂CO₃ 4. K2CO3 Question Number: 91 Question Id: 61097514119 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** Which of the following is a powerful disinfectant? **Options:** O2 2. Cl₂

3. CaOCl2



	Ma
4.	INZ

Question Number: 92 Question ld: 61097514120 Qu	uestion Type: MCQ Display Question
---	------------------------------------

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The process of killing pathogenic bacteria in water is called

Options:

- Softening
- 2. Osmosis
- 3. Sterilization
- 4. Reverse osmosis

Question Number: 93 Question Id: 61097514121 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The metal oxide film that can easily undergo corrosion is

- 1 Stable
- 2. Porous
- 3. Volatile
- 4. Unstable



Question Number: 94 Question Id: 61097514122 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
In galvanised articles, which metal protects the base metal?
Options:
1. Fe
2. Cu
3. Zn
4. Pb
Question Number: 95 Question Id: 61097514123 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Which of the following is thermosetting plastic?
Options:
1. PVC
2. Bakelite
3. Polystyrene
4. Teflon



Question Number : 96 Question Id : 61097514124 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
Natural rubber is a polymer of:
Options:
1. Isoprene
2. Ethylene
3. Vinyl chloride
4. Styrene
Question Number: 97 Question Id: 61097514125 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical Ebonite is a:
Options:
1. PVC
2. Synthetic rubber
3. Highly vulcanised rubber
4. Polystyrene
Ouestion Number: 98 Question Id: 61097514126 Question Type: MCQ Display Question Numb

Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation : Vertical
The coal having the highest ranking is
Options:
1. Anthracite
2. Peat
3. Lignite
4. Bituminous
4. Dittillinous
Question Number : 00 Question Id : 61007514127 Question Type : MCQ Display Question
Question Number : 99 Question Id : 61097514127 Question Type : MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical
Orientation : Vertical
Orientation: Vertical Which of the following causes Minamata disease
Orientation : Vertical Which of the following causes Minamata disease Options :
Orientation : Vertical Which of the following causes Minamata disease Options :
Orientation: Vertical Which of the following causes Minamata disease Options: 1. Argan 2. Sulphur
Orientation: Vertical Which of the following causes Minamata disease Options: 1. Argan
Orientation: Vertical Which of the following causes Minamata disease Options: 1. Argan 2. Sulphur 3. Mercury
Orientation: Vertical Which of the following causes Minamata disease Options: 1. Argan 2. Sulphur
Orientation: Vertical Which of the following causes Minamata disease Options: 1. Argan 2. Sulphur 3. Mercury

Question Number: 100 Question Id: 61097514128 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Which of the following is not a green house gas?



Options:

- Carbon dioxide
- 2. Methane gas
- 3. Water vapour
- 4. Nitrogen gas

Electronics and Communication Engineering

Section Number: 4

Mandatory or Optional : Mandatory

Number of Questions: 100

Number of Questions to be attempted: 100

Section Marks: 100

Display Number Panel: Yes

Group All Questions : Yes

Mark As Answered Required?: Yes

Question Number: 101 Question Id: 61097514129 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation

: Vertical

At room temperature the current in an intrinsic semiconductor is due to

- Electrons and Ions
- 2. Holes and Ions



- 3. Electrons only
- 4. Electrons and Holes

Question Number: 102 Question Id: 61097514130 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The breakdown voltage in zener diode

Options:

- 1. is almost constant
- 2. is very small
- 3. may destroy the diode
- decrease with increase in current

Question Number: 103 Question Id: 61097514131 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Which circuit is used for obtaining desired output waveform in operational amplifier?

- Clamper
- 2. Clipper



Peak amplifier

4. Sample and hold

Question Number: 104 Question Id: 61097514132 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The diode in a half wave rectifier has a forward resistance R_F. The voltage is V_msinot and the load resistance is RL. The DC current is given by

Options:

1.
$$V_m/\sqrt{2R_L}$$

$$V_m/(R_F+R_L)\pi$$

3.
$$2V_m/\sqrt{\pi}$$

4.
$$V_m/R_L$$

Question Number: 105 Question Id: 61097514133 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If input frequency is 50Hz for a full wave rectifier, the ripple frequency of it would be



3. ²⁵Hz

4. 500Hz

Question Number: 106 Question Id: 61097514134 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The relation between α and β is

Options:

$$\beta = \alpha/(1-\alpha)$$

2.
$$\alpha = \beta/(1+\beta)$$

3.
$$\beta = \alpha/(1+\alpha)$$

4.
$$\alpha = \beta/(1-\beta)$$

Question Number: 107 Question Id: 61097514135 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation

: Vertical

The application of a CC configured transistor is_____

Options:

voltage multiplier

2. level shifter



- rectification
- impedance matching

Question Number: 108 Question Id: 61097514136 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Conduction electrons have more mobility than holes because they

Options:

- are lighter
- 2. experience collisions less frequency
- have negative charge
- need less energy to move them

Question Number: 109 Question Id: 61097514137 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation

: Vertical

The depletion region in a semiconductor p-n junction diode has

- Electrons and holes
- 2 positive and negative ions on either side



Neither electrons nor ions

No electrons

Question Number: 110 Question Id: 61097514138 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Thermal runaway will take place if the quiescent point is such that

Options:

1. $V_{CE} > 1/2 V_{CC}$

2. VCE VCC

 $V_{CE} < 2 V_{CC}$

V_{CE} < 1/2 V_{CC}

Question Number: 111 Question Id: 61097514139 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The voltage gain of an amplifier without feedback and with negative feedback respectively are 100 and 20. The percentage of negative feedback (β) would be

Options:

1. 4%



- 2. 5%
- 3. ^{20%}
- 4. 80%

Question Number: 112 Question Id: 61097514140 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A 1 msec pulse can be stretched to 1 sec pulse by using

Options:

- An astable multivibrator
- 2. A monostable multivibrator
- A bistable multivibrator 3.
- A Schmitt trigger circuit

Question Number: 113 Question Id: 61097514141 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

For an Op-Amp with negative feedback, the output is

Options:

Equal to the input



- Increased
- Fed back to the inverting input
- fed back to the non-inverting input

Question Number: 114 Question Id: 61097514142 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

An ideal amplifier has

Options:

- Infinite output impedance
- Zero input impedance
- 3. Infinite bandwidth
- 4. Zero frequency

Question Number: 115 Question Id: 61097514143 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

An Oscillator converts

Options:

A.C. power into D.C. power 1.



2.	D.C. power into A.C. power
3.	Mechanical power into A.C. power
4.	Mechanical power into D.C.power
	estion Number : 116 Question Id : 61097514144 Question Type : MCQ Display Question Imber : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
	ertical
	there are 8 nodes in network, we can get number of equations in the nodal analysis.
	etions :
1.	
2.	8
3.	7
4.	6
	estion Number : 117 Question Id : 61097514145 Question Type : MCQ Display Question
	mber : Yes Is Question Mandatory : No Single Line Question Option : No Option
	ientation : Vertical
	nder the condition of maximum power transfer, the efficiency is?
Op	tions:
1.	100%

collegedunia [s

- 2. 10 %
- 3. 30%
- 4. 50%

Question Number: 118 Question Id: 61097514146 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Quality factor-Q of a resonant circuit signifies

Options:

- 1. Loss in the resonant circuit
- Gain in the resonant circuit
- 3 Magnetic energy stored in the circuit
- 4 Electric energy stored in the circuit

Question Number: 119 Question Id: 61097514147 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

What is the Standing wave ratio if a 75Ω antenna load is connected to a 50Ω transmission line?

Options:

1. 1



- 2. 2
- 3. 1.5
- 4. 1.43

Question Number: 120 Question Id: 61097514148 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

In a series resonance circuit, series resonance occurs when?

Options:

$$X_L = 1$$

$$X_{\rm C} = 1$$


$$X_L = X_C$$

$$X_{L} = 0$$

Question Number : 121 Question Id : 61097514149 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical



Find current through R2 resistor



Options:

- 1 3
- 2. 3.25
- 3. 3.5
- 4. 3.75

Question Number: 122 Question Id: 61097514150 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Thevenin's theorem is true for _____

- 1. Linear networks
- 2. Non-Linear networks
- Both linear networks and nonlinear networks



Neither linear networks nor non-linear networks Question Number: 123 Question Id: 61097514151 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** When VSWR is 3, the magnitude of the reflection coefficient will be **Options:** 1/4 2. 1/3 3. 4. 1 Question Number: 124 Question Id: 61097514152 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** Alternating current is measured by **Options:** Induction type ammeter Permanent magnet type ammeter

Electrostatic ammeter



1

Question Number: 125 Question Id: 61097514153 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

An ammeter has a resistance of 50 Ω and a shunt of 0.01 Ω . The deflection is ' Θ '. If the shunt resistance is increased to 0.02 Ω , the deflection will be

Options:

1. O

2. 20

3. 0.50

0.25⊖

Question Number: 126 Question Id: 61097514154 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The input impedance of CRO is about

Options:

zero

 $_{2}$ $^{10}\Omega$

 $3 \frac{100 \Omega}{}$



4. 1M Ω

Question Number: 127 Question Id: 61097514155 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Q meter operator is the principle of

Options:

series resonance

current resonance

self – inductance

4. eddy currents

Question Number: 128 Question Id: 61097514156 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

A voltmeter using thermocouples measures

Options:

1. rms value

2. peak value

average value



4. peak to peak value

Question Number: 129 Question Id: 61097514157 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If the full-scale deflection current of a multimeter is 50 μA, its sensitivity is

Options:

 $10 \, k\Omega/V$

2. $100 \text{ k}\Omega/\text{V}$

 $_{2}$ 50 k Ω /V

20 kΩ/V

Question Number: 130 Question Id: 61097514158 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

For display of signal pattern what type voltage is applied to the horizontal plates of a CRO

Options:

Sinusoidal

Rectangular

Saw tooth



4. D.C. voltage

Question Number: 131 Question Id: 61097514159 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The material used to coat inside the face of CRT screen is

Options:

- Carbon
- Sulphur
- Silicon
- 4. Phosphorous

Question Number: 132 Question Id: 61097514160 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A CRO can display

- only AC signals
- only DC Signals
- 3. only Time invariant signals



Both AC and DC Signals

Question Number: 133 Question Id: 61097514161 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

An ideal ammeter resistance is

Options:

Low

2. Zero

Infinite

4. High

Question Number: 134 Question Id: 61097514162 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

For the SCR to remain in the ON (conducting) state

Options:

gate signal is continuously required

2. no continuous gate signal is required

no forward anode-cathode voltage is required



4

Question Number: 135 Question Id: 61097514163 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A dual converters has

Options:

two full converters in series

2. two half converters in series

3. two full converters in anti-parallel

two half converters in anti-parallel

Question Number: 136 Question Id: 61097514164 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

IGBT & BJT both posses___

Options:

1. low on-state power losses

2. high on-state power losses

low switching losses



high input impedance

Question Number: 137 Question Id: 61097514165 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

In IGBT, the p+ layer connected to the collector terminal is called as the

Options:

- drift layer
- injection layer
- body layer
- collector Layer

Question Number: 138 Question Id: 61097514166 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The voltage in a single phase half wave inverter varies between

- Vs and 0
- Vs/2 and 0
- 3. Vs/2 and –Vs/2



4. Vs and –Vs

Question Number: 139 Question Id: 61097514167 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Choppers converts

Options:

AC to DC

2. DC to AC

DC to DC

AC to AC

Question Number: 140 Question Id: 61097514168 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

A cycloconverter is a

Options:

one stage power converter

one stage voltage converter

one stage frequency converter



Two stage voltage converter

Question Number: 141 Question Id: 61097514169 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The single phase mid-point type cycloconverter uses _____ number of SCRs.

Options:

1. 4

2. 8

2 6

4. 10

Question Number: 142 Question Id: 61097514170 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A wire strain gauge has a gauge factor of 2, resistance of 125 ohms and length of 1m.If the length of wire changes by 0.005m, change in resistance will be

Options:

0.25

2. 0.5



3. 1.25
4. 2.5
Question Number: 143 Question Id: 61097514171 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical
LVDT windings are wound on
Options:
Steel sheets
2. Aluminum
3. Ferrite
4. Copper
Question Number: 144 Question Id: 61097514172 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The ratio between the modulating signal voltage and the carrier voltage is called?
Options :
1. Amplitude modulation
2. Modulation frequency



Modulation index A Ratio of modulation Question Number: 145 Question Id: 61097514173 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** When does over-modulation occur? **Options:** Modulating signal voltage < Carrier voltage Modulating signal voltage > Carrier voltage Modulating signal voltage = Carrier voltage Modulating signal voltage = 0 Question Number: 146 Question Id: 61097514174 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation : Vertical For 100% modulation, power in each sideband is _____ of that of carrier? **Options:** 50% 2. 70%



- 3. 60%
- 4. 25%

Question Number: 147 Question Id: 61097514175 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Maximum power efficiency of an AM modulator is

Options:

- 25%
- 2. 50%
- 3. 33%
- 4. 100%

Question Number: 148 Question Id: 61097514176 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation

: Vertical

What is the disadvantage of FM over AM?

- high modulating power is needed
- requires high output power



high noise is produced

4. large bandwidth required

Question Number: 149 Question Id: 61097514177 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

If the modulating frequency of a carrier wave varies between 700 Hz and 7 KHz, find it's AM bandwidth?

Options:

- 10 KHz
- 23 KHz
- ₃ 17.3 KHz
- 4. 12.6 KHz

Question Number: 150 Question Id: 61097514178 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Audio frequency range lies between

Options:

2 MHz to 20 MHz

20 Hz to 20 KHz



20 KHz to 200 KHz

20 MHz to 200 MHz

Question Number: 151 Question Id: 61097514179 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Signal to quantization noise ratio in PCM system depends on

Options:

sampling rate

2. signal bandwidth

number of quantization levels

△ bit rate

Question Number: 152 Question Id: 61097514180 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Aliasing refers to

Options:

Sampling of signals less than at Nyquist rate

Sampling of signals at Nyquist rate



- Sampling of signals greater than at Nyquist rate
- Unsampled the original signal

Question Number: 153 Question Id: 61097514181 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Standard intermediate frequency used for AM receiver is

Options:

- 455 MHz
- 2. 455 KHz
- 3 455 Hz
- 4. 20 KHz

Question Number: 154 Question Id: 61097514182 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Which statement is true about multiplexing?

- it is used to reduce the bandwidth
- 2. it is used to combine multiple data streams over a single data channel



- it is used to allow multiple data streams over multiple channels
- it is used to match and pass the same frequency signal

Question Number: 155 Question Id: 61097514183 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

In a super heterodyne receiver, the IF is 455 KHz, if it is tuned to 1200 KHz, the image frequency will be

Options:

- 1655 KHz
- 745 KHz
- 2110 KHz
- 910 KHz

Question Number: 156 Question Id: 61097514184 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

A 10 KW carrier is sinusoidally modulated by two carriers corresponding to a modulation index of 30% and 40% respectively. The total radiated power is

Options:

1. 11.25 KW



- 12.5 KW
- 15 KW
- 4. 17 KW

Question Number: 157 Question Id: 61097514185 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Signal x(t)= $\sin 2\pi 10^3$ t+2 $\sin 2\pi 660$ t. At what sampling frequency should this signal be sampled to avoid aliasing?

Options:

- 2x660Hz
- 2x1000Hz
- ²[1000+660]Hz
- 4. 2[1000-660]Hz

Question Number: 158 Question Id: 61097514186 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation

: Vertical

13 dBm is equivalent to

Options:

2 mW



- 2. 20 W
- 3. 20 mW
- 4. 2 MW

Question Number: 159 Question Id: 61097514187 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

If the antenna increases 3.3 times how much does the radiated power increase?

Options:

- 3.3 times
- 2. 10.89 times
- 9.9 times
- 4. 6.6 times

Question Number: 160 Question Id: 61097514188 Question Type: MCQ Display Question
Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical


What is the front-to-back ratio of an antenna which radiates 500 watts in a northernly direction and 50 watts in a southernly direction?



1. ²⁵⁰⁰ dB
10 dB
3. ¹⁰⁰ dB
4. ^{20 dB}
Question Number: 161 Question Id: 61097514189 Question Type: MCQ Display Question
Number: Yes Is Question Mandatory: No Single Line Question Option: No Option
Orientation : Vertical
Which antenna does not use the ground?
Options:
1. Marconi
Rhombie 2.
Hertz 3.
3.
Yagi 4.

Question Number : 162 Question Id : 61097514190 Question Type : MCQ Display Question Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical







- TM, TEM
- TE, TEM

Question Number: 163 Question Id: 61097514191 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical

In TE10 mode of wave propagation in a rectangular waveguide, if the broader dimension of the waveguide is 4 cm, then the cutoff wavelength for that mode is:

Options:

1. 8 cm

6 cm

3 4 cm

2 cm

Question Number : 164 Question Id : 61097514192 Question Type : MCQ Display Question Number :

Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The lowest mode of TM wave propagation is:

Options:

- TM₁₀ mode
- TM₀₁ mode
- TM₁₁ mode
- TM₁₂ mode

Question Number: 165 Question Id: 61097514193 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Single cavity klystron tube that operates as an oscillator by using a reflector electrode after the cavity is

- Backward wave oscillator
- Reflex klystron
- 3. Travelling wave tube
- Magnetrons



Question Number: 166 Question Id: 61097514194 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option
Orientation : Vertical
The transmitter-receiver combination in the satellite is known as
Options:
1. Relay
2. Repeater
3. Transponder
4. Duplexer
Question Number: 167 Question Id: 61097514195 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation: Vertical
Why are VHF, UHF, and microwave signals used in satellite communication?
Options:
1. More bandwidth
2. More spectrum space
Are not diffracted by the ionosphere
4. Economically viable



Question Number: 168 Question Id: 61097514196 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Multimode step index fiber has

Options:

- Large core diameter & large numerical aperture
- 2 Large core diameter and small numerical aperture
- Small core diameter and large numerical aperture 3.
- Small core diameter & small numerical aperture

Question Number: 169 Question Id: 61097514197 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The decimal equivalent of the octal number (645)8 is

- (450)10
- 2. (451)10
- 3. (421)10



Question Number: 170 Question Id: 61097514198 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The expression for Absorption law is given by

Options:

$$A + AB = A$$

$$A + AB = B$$

$$AB + AA' = A$$

4.
$$A + B = B + A$$

Question Number: 171 Question Id: 61097514199 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

How many AND, OR and EXOR gates required for the configuration of Full-Adder



Question Number: 172 Question Id: 61097514200 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

How much storage capacity does each stage in a shift register represent?

Options:

- 1. One bit
- 2. Two bits
- 3. Four bits
- 4. Eight bits

Question Number: 173 Question Id: 61097514201 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Which of the following is volatile in nature?

- ROM
- 2. RAM
- 2 PROM



Question Number: 174 Question Id: 61097514202 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Find out the integrating type analog to digital converter?

Options:

- Flash type ADC
- 2. Dual slope ADC
- 3. Counter type ADC
- Successive Approximation ADC

Question Number: 175 Question Id: 61097514203 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

In a signed magnitude representation the binary equivalent of 22.5625 is

- 010110.1011
- 2. 010110.1001
- 110101.1001



Question Number: 176 Question Id: 61097514204 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Minimum number of J-K flip flops needed to construct a BCD counter is

Options:

- 1. 2
- 2. 3
- 3. 4
- 1 5

Question Number: 177 Question Id: 61097514205 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Which one of the following can be used as parallel to series converter?

- Decoder
- Digital Counter
- Multiplexer



4. De multiplexer

Question Number: 178 Question Id: 61097514206 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The initial state of mod-16 down counter is 0110. After 37 clock pulses, the state of the counter will be

Options:

1. 1011

2. 0110

2 0101

4. 0001

Question Number: 179 Question Id: 61097514207 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

8051 series has how many 16 bit registers?

Options:

1.

2 3

3. 1



4. 0

Question Number: 180 Question Id: 61097514208 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

How are the status of the carry, auxiliary carry and parity flag affected if the instructions

MOV A,#9C

ADD A,#64H are executed.

Options:

CY=0,AC=0,P=0

2. CY=1,AC=1,P=0

3. CY=0,AC=1,P=0

4. CY=1,AC=1,P=1

Question Number: 181 Question Id: 61097514209 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The number of registers and flags in 8086 are

Options:

13 and 5 respectively

9 and 5 respectively



- 3. 13 and 9 respectively
- 9 and 9 respectively

Question Number: 182 Question Id: 61097514210 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

JZ, JNZ, DJNZ, JC, JNC instructions monitor the bits of which register?

Options:

- DPTR
- 2. B
- 3. A
- PSW

Question Number: 183 Question Id: 61097514211 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Which of the ports of 8051 act as the 16 bit address lines for transferring data through it?

- PORT 0 and PORT 1
- PORT 1 and PORT 2



3. PORT 0 and PORT 2

4 PORT 1 and PORT 3

Question Number: 184 Question Id: 61097514212 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Port C of 8255 can function independently as

Options:

- input port only
- output port only
- either input or output ports
- both input and output ports

Question Number: 185 Question Id: 61097514213 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

In 8257 (DMA), each of the four channels has

- a pair of two 8-bit registers
- 2. a pair of two 16-bit registers



3. one 16-bit register

one 8-bit register

Question Number: 186 Question Id: 61097514214 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The instruction, MOV AX, 1234H is an example of

Options:

register addressing mode

- 2 direct addressing mode
- 3. immediate addressing mode
- 4. based indexed addressing mode

Question Number: 187 Question Id: 61097514215 Question Type: MCQ Display Question

Number : Yes Is Question Mandatory : No Single Line Question Option : No Option

Orientation: Vertical

Because of Pentium's superscalar architecture, the number of instructions that are executed per clock cycle is

Options:

1. 1



- 2. 2
- 3. 3
- 4. 4

Question Number: 188 Question Id: 61097514216 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The unit that is used to implement the multiple branch prediction in Pentium-Pro is

Options:

- 1. Branch target buffer
- bus interface unit
- 3. Control unit
- branch instruction register

Question Number: 189 Question Id: 61097514217 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

AFC stands for

Options:

Audio Frequency Control



- 2. Automatic Frequency Control
- 3 Amplitude Frequency Control
- Adjacent Frequency Control

Question Number: 190 Question Id: 61097514218 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

The purpose of sync separator in television receiver is:

Options:

- To separate horizontal and vertical sync pulses
- To separate sync pulses from associated noise
- To separate sync pulses from the CVS
- 4 video signal

Question Number: 191 Question Id: 61097514219 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

Automatic correction of colour error is possible in

Options:

NTSC



2. PAL
3. SECAM
Audio 4.
Question Number: 192 Question Id: 61097514220 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
: Vertical
Sound system uses in PAL transmitter
Options:
1. AM
2. FM
3. DSB
4. VSB
Question Number: 193 Question Id: 61097514221 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
: Vertical
If the frequency of a sound wave is 20 Hz, the time period is
Options:
1. 20 secs

collegedunia [India's largest Student Review Platform

2 secs
3. 0.2 secs
4. 0.05 secs
Question Number: 194 Question Id: 61097514222 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
: Vertical
The inner core of an optical fiber isin composition.
Options:
1. glass or plastic
2. copper
3. bimetallic
4. liquid
Question Number: 195 Question Id: 61097514223 Question Type: MCQ Display Question
Number : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
: Vertical
What is the major factor that makes coaxial cable less susceptible to noise than twisted- pair cable?



1. ^{ir}	nner conductor
2. ^d	liameter of cable
3.	outer conductor
4. ⁱ	insulating material
Nun	estion Number : 196 Question Id : 61097514224 Question Type : MCQ Display Question nber : Yes Is Question Mandatory : No Single Line Question Option : No Option entation : Vertical
	topology that involves Tokens is
	ions :
_	Star
2. R	Ring
3.	Bus
4.	Daisy Chaining
Que	stion Number : 197 Question Id : 61097514225 Question Type : MCQ Display Question
Nun	nber : Yes Is Question Mandatory : No Single Line Question Option : No Option

The number of layers in ISO OSI reference model is

Orientation: Vertical

collegedunia
India's largest Student Review Platform

Options: 1. 4 2. 5 3. 6 Question Number: 198 Question Id: 61097514226 Question Type: MCQ Display Question Number: Yes Is Question Mandatory: No Single Line Question Option: No Option **Orientation: Vertical** Bluetooth is the wireless technology for **Options:** local area network 2. personal area network 3. metropolitan area network

Question Number: 199 Question Id: 61097514227 Question Type: MCQ Display Question

Number: Yes Is Question Mandatory: No Single Line Question Option: No Option

Orientation: Vertical

4. wide area network

The domain name system is maintained by



	otions:
1.	distributed database system
2.	a single server
3.	a single computer
4.	Mail transfer agent
Qu	uestion Number : 200 Question Id : 61097514228 Question Type : MCQ Display Question
	uestion Number : 200 Question Id : 61097514228 Question Type : MCQ Display Question umber : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
Nu	
Nu : V	umber : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation
Nu : V	umber: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation
Nu : V	umber: Yes Is Question Mandatory: No Single Line Question Option: No Option Orientation Vertical Which protocol provides e-mail facility among different hosts?
Nu : V V Op	umber : Yes Is Question Mandatory : No Single Line Question Option : No Option Orientation Vertical Which protocol provides e-mail facility among different hosts? Options :

4. SMTP

