POST GRADUATE COMMON ENTRANCE TEST - 2015

DATE & TIME		COURSE	SUBJECT			
08-08-2015 10.30 AM TO 12,30 PM	ME / M.Tech/ M.Arch / Courses Offered by VTU / UVCE / UBDTCE			Courses POLYMER SCIENCE (UBDTCE TECHNOLOGY		
MAXIMUM MARKS	TOTA	LDURATION	MAXIN	HUM TIME FOR ANSWERING		
100	150	MINUTES	120 MINUTES			
MENTION YOUR PGC	ET NO.	QUESTION B SERIAL NU				
		VERSION	CODE	A-1		

DOs:

- Check whether the PGCET No. has been entered and shaded in the respective circles on the OMR answer sheet.
- Ensure whether the circles corresponding to course and the specific branch have been shaded on the OMR answer sheet.
- 3. This question booklet is issued to you by the invigilator after the 2nd bell i.e., after 10.25 am.
- 4. The serial number of this question booklet should be entered on the OMR answer sheet.
- The version code of this question booklet should be entered on the OMR answer sheet and the respective circles should also be shaded completely.
- 6. Compulsorily sign at the bottom portion of the OMR answer sheet in the space provided.

DON'TS:

- THE TIMING AND MARKS PRINTED ON THE OMR ANSWER SHEET SHOULD NOT BE DAMAGED / MUTILATED / SPOILED.
- 2. THE 3RD BELL RINGS AT 10.30 AM, TILL THEN;
 - Do not remove the seal / staple present on the right hand side of this question booklet.
 - · Do not look inside this question booklet.
 - Do not start answering on the OMR answer sheet.

IMPORTANT INSTRUCTIONS TO CANDIDATES

- This question booklet contains 75 (items) questions and each question will have one statement and four answers. (Four different options / responses.)
- After the 3rd Bell is rung at 10.30 am, remove the seal / staple stapled on the right hand side of this
 question booklet and check that this booklet does not have any unprinted or torn or missing pages or
 items etc., if so, get it replaced by a complete test booklet. Read each item and start answering on the
 OMR answer sheet.
- 3. During the subsequent 120 minutes:
 - Read each question (item) carefully.
 - Choose one correct answer from out of the four available responses (options / choices) given
 under each question / item. In case you feel that there is more than one correct response, mark
 the response which you consider the best. In any case, choose only one response for each item.
 - Completely darken / shade the relevant circle with a blue or black ink ballpoint pen against the question number on the OMR answer sheet.
- Use the space provided on each page of the question booklet for Rough Work. Do not use the OMR
 answer sheet for the same.
- After the last bell is rung at 12.30 pm, stop marking on the OMR answer sheet and affix your left hand thumb impression on the OMR answer sheet as per the instructions.
- 6. Hand over the OMR answer sheet to the room invigilator as it is.
- After separating the top sheet (KEA copy), the invigilator will return the bottom sheet replica (candidate's copy) to you to carry home for self evaluation.
- 8. Preserve the replica of the OMR answer sheet for a minimum period of ONE year.
- Only Non-programmable calculators are allowed.

	MARKS DISTRIBUTION
PART - 1	50 QUESTIONS CARRY ONE MARK EACH (1 TO 50)
PART - 2	25 QUESTIONS CARRY TWO MARKS EACH (51 - 75)



335nn9



POLYMER SCIENCE & TECHNOLOGY

PART - 1

(Each question carries one mark)

(50 X 1 = 50)

- 1. In a closed system, there is
 - a. No change of energy of the system
 - Exchange of energy with surroundings and not mass
 - Exchange of mass and energy with surroundings
 - d. Exchange of mass with surroundings
- 2. A State function is
 - a. Internal energy
 - b. Free energy
 - c. Pressure
 - d. All of these
- 3. During adiabatic expansion of gas
 - a. Pressure remains constant
 - b. Pressure is increased
 - c. Temperature is decreased
 - d. None of these
- 4. Work of expansion is given by
 - e. PAV
- b APV
- c. VAP
- d. None of these
- 5. In an isobaric process
 - a. dp=0
- b. dq = 0
- c. dv = 0
- d dr o

- According to first law of thermodynamics, the total energy of an isolated system
 - a. Increases
 - b. Decreases
 - c. Remains constant
 - d. None of these
- 7. C C = R is valid for
 - a. Ideal gases
 - h. Real gases
 - c. All gases
 - d Nobel gases
- Solid and liquid phases of a substance are in equilibrium at
 - a. Melting point
 - b. Freezing point
 - c. Both (a) & (b)
 - d. None of these
- In the reaction, N₂ +O₂ ⇒ 2NO, Increasing pressure will result in
 - a. Shifting of equilibrium towards right
 - b. Shifting the equilibrium towards left
 - c. No change in equilibrium condition
 - d. None of these

10.	For an ideal gas,	enthalpy	with	rise	in
	pressure	2002			
	CONT. C. L. Marchard Control Control Control				

- a. Increases
- b. Decreases
- c. Is independent
- d None of these

11. The value of gas constant R is

- a. 1.987 cal/g mole 6/C
- b. 1.987 BTU/Ib mole PR
- c. Both (a) & (b)
- d. None of these

Free energy change of mixing two liquid substances is a function of

- a. Concentration of the constituents only
- b. Quantities of the constituents only
- c. Temperature only
- d. All of these

Transfer of heat by molecular collision is called

- a. Conduction
- b. Convection
- c. Radiation
- d. All of these

Heat is transferred by conduction, convection and radiation in

- a. Boiler furnaces
- b. Melting of ice
- c. Condensation of steam in condenser
- d. None of these

- A mixture of acetone chloroform can be separated by
 - a. Steam distillation
 - b. Azeotropic distillation
 - c. Flash distillation
 - d. None of these

16: Term used in diffusion theory is

- a. Velocity
- h Transfer rate across a plane
- c. Flux & concentration
- d. All of these

17. Mass transfer is a result of

- a. Concentration difference
- b. Diffusion
- c. Both (a) & (b)
- d None of these

In a distillation operation, the reflux ratio may vary between

- a. Zero & one
- h Zero & infinity
- c. Minimum & infinity
- d. One & two

Polyethylene is a polymer obtained by the polymerization of

- a. Ethane
- b. Ethylene
- c. Isoprene
- 1. Methylene

20.	LDPE	18 8
(CO)(F/E)	102500000000000000000000000000000000000	SEP SE

- a. Linear
- b Branched
- c. Crosslinked
- d. Thermoset
- 21. The kinetics and degree of polymerization of polymer during emulsion polymerization depends upon
 - a. Temperature and time of process
 - b. Quantity of initiator
 - c. Intensity of agitator
 - d All of these

22. Thermoset is

- a. Phenol-formaldehyde resin
- b. Epoxy
- c. Melamine-formaldehyde resin
- d. All of these
- In extrusion blow molding, the barrel heaters is of the type of
 - a. Band heater
 - h Cast heater
 - c. Either (a) or (b)
 - d. None of these
- 24. Blow molding is a process to produce
 - a. Hollow articles
 - b. Bottles
 - c. Both (a) & (b)
 - d. None of these

- 25. Extrusion machine can be used for the making of
 - a. Thermoplastic
- b. Thermoset
- c. Elastomers
- d. All of these
- 26. Rotational molding
 - a. Is also called roto molding
 - is used to make plastic hollow articles
 - c. Has moulds usually made of aluminium
 - d. All of these
- 27. An extrusion machine cannot be used for the production of
 - a. Pipes
- b. Buckets
- c. Filaments
- d. All of these
- 28. Purpose of preheating of sheet in thermoforming is to reduce the
 - a. Heating time
 - b. Forming time
 - c. Clamping time
 - d. All of these
- 29. Styrene can be polymerized by
 - a. Bulk polymerization
 - b. Solution polymerization
 - c. Suspension polymerization
 - d. All of these

14.66		primaric acic	1 10 4 111	ALIONACT 101	500	****	imai accomposic	IOH OF THE	Jiv Jicius	
	a.	Nylon	b.	Polyacetal	2000	a.	co	b	CO ₂	
	c.	PET	d.	PC		c.	N ₂	d	NO	
31.		h pressure dyst in the m		uses oxygen as are of	37.	Ex	ample for free ra	dical initi	ator	
	8,	LDPE	b.	HDPE		8.	Benzoyl peroxi	de		
	c.	LLDPE	ď	XLPE		b	NaOH	0,925		
32,	The	polymer SBS	s represe	ents		c.	TiCl4			
	a.	Block copol	ymer			d.	Nitrobenzene			
	b.	Graft copol	ymer							
	C.	Blend			38.	Ch	ain carrier in ca	tionic na	lumacisation	
	d.	Random co	polymer	Ť	36.	C.		ning and the state	ly met 126tion	
			100	NOTE HER	и	В.	Carbonium ion	d I		
33.	Livi	b. Cationic polymerization c. Addition polymerization				b.	Carbanion		Œ.	
	a.					c.	Hydroxyl group			
	b.					d	None of these			
	C.					4	None of these			
	d.	d. Free radical polymerization								
					39.	EPI	M is an example	for		
34.	100000000000000000000000000000000000000	ich of the fol mers?	lowing a	ire water resistive		a.	Blend			
	8.	PIFE	b.	HDPE		b	Alloy			
	C.	Iso PP	d	All of these		c,	Copolymer			
35.	Pear	rl or bead typ	e polyme	rization is nothing		d	None of these			
	at.	Suspension polymerization Solution polymerization			400	WE			annestration.	- 7
	b.				40.		ch of the follow cropolymer?	ung 16 ai	n example i	a
	C,					a.	PVC	ь	PET	
	d.						7 C 1 S C	9750	TELEPHONE S.	
			11-07-			c.	PMMA	d,	PP	



41.	Polymer	is nothing	but
1000		in manning	

- a. Oligomer
- h Macromolecule
- c. Subpolymer
- d. None of these

42. PP is an example for

- a. Tacticity
- b Geometric isomerism
- c. Conformation
- d. All of these

43. Requirements for geometric isomerisms is

- a. Asymmetric carbon atom
- b. Symmetric carbon atom
- c. Carbon-carbon double bond
- d. Carbon-carbon single bond

44. Copolymer is a

- a. Physical mixture of polymers
- b. Chemical mixtures of polymers
- c. Both (a) & (b)
- d. None of these

45. Reaction between diol and diol yields

- a. Polyether
- h. Polyester
- c. Polyol
- d. None of these

46. Polyurethane can be produced by

- a. Ring opening polymerization
- b. Polyaddition polymerization
- c. Condensation polymerization
- d. Solution polymerization

47. Latex polymer product is obtained from

- a. Solution polymerization
- b. Bulk polymerization
- c. Emulsion polymerization
- d. Melt polymerization

48. Caprolactum is the monomer for

- a. PU
- b Nylon 6
- c. PC
- d. Nylon 66

49. Stereoregular polymers are produced by

- a. Co-ordination polymerization
- b. Vinyl polymerization
- c. Condensation polymerization
- d. None of these

Kinematic similarity is obtained when there is equal

- a. Liquid motion
- b. Solid suspension
- c. Mass transfer
- d. Surface behaviour

Advantages of emulsion polymerization	18
---------------------------------------------------------	----

- a. Control of temperature & viscosity
- b. High molecular weight obtained
- c. Homogeneity of the polymer
- d. All of these

52. Nylon is a

- a. Thermoplastic polymer
- b. Condensed polymer
- c. Polyamide
- d. All of these

53. Vulcanization of rubber is carried out to increase

- a. Strength
- b. Weight of polymer
- c. Oxidation resistance
- d. All of these

54. Which of the following statement is true with reference to thermoset?

- a. They cannot be remoldable/recyclable
- b. They do not possess T_m and not soluble
- c. Both (a) & (b)
- d None of these

- 55. Which of the following statements is true for addition polymerization?
 - a. Elemental composition of reactant and product are same
 - h Is a single step polymerization
 - c. Polymerization occurs without by products
 - d. All of these

56. Which of the following belongs to thermoplastic, thermoset and elastomer family?

- a. PP, epoxy and PF
- b. PMMA, PP and NR
- c. PP, epoxy and NR
- d. PP, NR and epoxy

57. Which of the following contain nitrogen clement?

- a. Nylon
- b PAN
- c. NBR
- d. All of these

58. Example for ring opening polymerization

- i. Epoxy
- II. Caprolactum
- III. Vinyl chloride
- IV. Styrene
- a. Both (1) & (11)
- h Both (I) & (III)
- c. Both (1) & (IV)
- d. Both (II) & (III)

59.	Exa	mple	for sy	mmet	rical p	olymer	pair

- a. PS& HDPE
- b . HDPE & PTFE
- c. PP & PTFE
- d. None of these

60. Barometers are used to measure

- a. Flow rate
- h Temperature
- c. Viscosity
- d. Pressure

61. Functionality of ethylene glycol and acetylene is

- a. 2&4
- b 484
- c. 2&2
- d 483

A screw is used in extrusion blow molding process to

- a. Get minimum difference in melttemperature
- b. Permit materials and colors to be blended
- c. Deliver a more uniform melt to the mold
- d. All of these

Advantage of blow molding as compared to injection molding is

- a. Possibility of re-entrant curves (irregular)
- h Low stresses and favourable cost factor
- c. Possibility of variable wall thickness
- d. All of these

64. In an injection molded article, the shrinkage cannot be minimized by

- a. Decreasing temperature
- b. Increasing pressure
- c. A longer cycle
- d. Keeping the mold cool

65. HDPE water storage tank is an example of

- a. Extrusion process
- h Injection molding
- c. Rotational molding
- d Thermoforming

56. The unit of diffusion coefficient is

- a. m2/s
- m/s
- c. mole/(m², s)
- None of these

67. I g mol of ammonia contains

- a. 6.02×10^{21} atoms of hydrogen
- h 3 g mol of hydrogen
- c. 2 x 10²³ molecules of ammonia
- d None of these

- 68. For an ideal gas the relation between the enthalpy change (ΔH) and internal energy
 - (ΔE) at constant temperature is given by
 - a. $\Delta H = \Delta E + PV$
 - $\Delta H = \Delta E + \Delta n$, RT
 - C. AG AH+TAS
 - $d \Delta H = \Delta E + P \Delta T$

where P,V,T & S are pressure, volume, temperature and entropy respectively and n is the number of moles.

- 69. In Vander Wall's equation $P = \frac{RT}{v b} \frac{a}{v^2}$ the constants a and b are zero for
 - a. Ideal gases
 - h Real gases
 - c. Liquid
 - d. None of these
- 70. In p v diagram of isotherms as given by equation of state, for the isotherm $T > T_C$, with increasing v, pressure decreases
 - a. Rapidly
- b Monotonically
- c. Slowly
- d. None of these
- Intensive properties are the properties whose magnitude
 - Depends on the quantity of material involved
 - Does not depend on the quantity of material involved
 - c. Depends on the path followed
 - d None of these

- If the degree of polymerization of polybutadiene is 1000, the molecular weight of polybutadiene is
 - a. 5400
- b 54000
- c. 10800
- d. 42000
- 73. A high Reynolds number
 - Power number tends to be independent of impeller Reynolds number
 - Power number is dependent on the geometry of the impeller
 - c. Both (a) & (b)
 - d. All of these
- 74. Laminar flow region exists during agitation, when Reynold's number is
 - a. Less than 10
 - b More than 50
 - c. More than 1000
 - d. More than 2500
- 75. Newton's law of Viscosity states that
 - Shear stress is directly proportional to the velocity
 - Shear stress is directly proportional to velocity gradient
 - Shear stress is directly proportional to shear strain
 - d. Shear stress is directly proportional to the viscosity



