answer the following questions:

		and tangential acceleration is?
	C.	900
	D.	180°
g position vector of of the particle will		o in S.I units is $\vec{r} = 4t^2\hat{i} + 3t^2\hat{j} + 2t\hat{k}$
or the particle will		5 m /s ²
		None of these
s fired with the vel	ocity of 1	0 m/s at an angle of 45°, Calculat
		11.2 m
	D.	11.2 cm
ed from the top of a n the first 7 second	very high	h cliff, approximately how far does ee-fall? (Assume no air friction.)
	C.	240.1 m
	D.	None of these
ent of inertia and 'E momentum will be	' is the ki	netic energy of rotation of a body,
¥	C.	El
	D.	√(2EI)
of moment of inertia	D.	
arough its centre		: (1) 1 (1) (1) 1 (1) 1 (1) (1) (1) (1) (
[2] [2] [2] [2] [2] [2] [2] [2] [2] [2]	is placed ir velocity	l over another disc of moment ω' about the same axis. The
ng with an angula	is placed ir velocity	l over another disc of moment ω' about the same axis. The
ng with an angula locity of the combin	is placed ar velocity nation of C.	l over another disc of moment 'ω' about the same axis. The discs is:
ng with an angula locity of the combin	r velocity nation of C. D.	l over another disc of moment 'ω' about the same axis. The discs is: ω (1 ± 2 ω πentulm, what is true out of the
ng with an angula locity of the combin	r velocity nation of C. D.	l over another disc of moment 'ω' about the same axis. The discs is: ω (1 ± 2 ω -
ng with an angula locity of the combines es with constant and be non zero but	r velocity nation of C. D.	i over another disc of moment 'ω' about the same axis. The discs is: ω ([] ([] ([] ([] ([] ([] ([]
es with constant and be non zero but be zero.	c. D.	i over another disc of moment 'ω' about the same axis. The discs is: ω (1 ± 2 ω mentulm, what is true out of the displacement are parallel to each other
es with constant and be non zero but be zero.	c. D.	i over another disc of moment 'ω' about the same axis. The discs is: ω (l ₁ ±l ₂)ω/l ₁ mentulm, what is true out of the Linear momentum and displacement are parallel to each other None of these by 10%, isothermally, then its
es with constant and be non zero but	c. D. D. ecreased	i over another disc of moment 'ω' about the same axis. The discs is: ω (lı±l₂)ω/lτ mentulm, what is true out of the Linear momentum and displacement are parallel to each other None of these by 10%, isothermally, then its Increases by 9%
be non zero but be zero. of an ideal gas is de	D. ecreased	i over another disc of moment 'ω' about the same axis. The discs is: ω (l ₁ ±l ₂)ω/l ₁ mentulm, what is true out of the Linear momentum and displacement are parallel to each other None of these by 10%, isothermally, then its Increases by 9%
be non zero but be zero. of an ideal gas is de	D. ecreased	i over another disc of moment 'ω' about the same axis. The discs is: ω ((1) ± (2) ω/(1) mentum; what is true out of the Linear momentum and displacement are parallel to each other None of these by 10%, isothermally, then its Increases by 9% None of these f the gas, is equal
be non zero but be zero. of an ideal gas is de 10.1% netic energy for on	D. ecreased	over another disc of moment 'ω' about the same axis. The discs is: ω (l1±l2)ω/l1 mentulm, what is true out of the Linear momentum and displacement are parallel to each other None of these by 10%, isothermally, then its Increases by 9% None of these f the gas, is equal 3/2 kT
be non zero but be zero. of an ideal gas is de 10.1% netic energy for on	D. ecreased	i over another disc of moment 'ω' about the same axis. The discs is: ω (l1±l2)ω/l1 mentum, what is true out of the Linear momentum and displacement are parallel to each other None of these by 10%, isothermally, then its Increases by 9% None of these f the gas, is equal 3/2 kT
	ed from the top of a in the first 7 second ent of inertia and 'E momentum will be axis passing through gm²)	ed from the top of a very high in the first 7 seconds of its from C. D. ent of inertia and 'E' is the kind momentum will be C. D. disc of mass 4 kg has a diam axis passing through the engm²) C. D.

.	B. Oscillate perpendicular to each other and also to the direction of light	D. None of these
2	What is not must for the propagation of	Electromagnetic waves
-	A. medium	C. electric field
1		D. a charge
	The work function of Na is greater than that of K. If both the surface irradiated with yellow light, then the K.E. of the emitted photoelectrons in Na surface as compared to the K.E. of the photoelectrons in the K surface be	
-	A. Less	C. More
-		D. Cannot be determined
14	B. Same The Half Life of a radioactive substance one eighth of the radioactivity in a same	is 6 hours. After how much time will
-	A. 12	C. 15
-	B. 18	D. 24
	The Radioactive Decay Law is expresse	d by
	A. a linear function	C. a quadratic function
H	D -iidal function	D. an exponential function
16	The electron affinity of chlorine is 349 k the formation of chloride?	J/mol. What is the correct equation for
-	A. Cl (s) $+ e^- \rightarrow Cl^-$ (s) $+ 349 \text{ kJ}$	C. Cl (s) + 349 kJ + e → Cl (s)
	D 01/-1 - Ct/a) + 3/0 kl	D. Cl (g) + 349 kJ + e → Cl (g)
17	Which set of elements has the stronges gaseous state? A. Li, Na, K	C. F, Cl, Br
. 1	B. Be, Mg, Ca	D. O, S, Se
18	Out of these diatomic molecules C2, N2	O ₂ , F ₂ which has maximum bond order
	A. C ₂	Gr N2
1	D 0	D. F ₂ .
19	Which of the following ions would have	the smallest ionic radius?
.	A. 02- 11	C. Cl
Ì	D Ma ²⁺	D. Al ³⁺
20	The geometry and type of hybrid orbita	
	A. Linear, sp	C. Tetrahedral, sp ³
	B Trigonal planar, Sp ²	D. Pyramidal, sp ³
21	Which statement does not explain why together?	
	A. They have the same number of valence electrons	C. They tend to have the same electronegativities
	They tend to have similar oxidation number	D. They tend to have the same chemical reactivity
22	What is the empirical formula for a column and 82.68% carbon	mpound that contains 17.32% hydroge
	A. C ₆ H	C. CH ₄
-	D CU	D. C₂H ₆
23	Uncertainty in position of a particle of uncertainty in velocity (m s 1) is (Plan	720 g in space is 10° m. Hence, lck's constant, h ≅ 6.6 x 10° Js)

L	B. 2.2 x 10	d 2n orbitals are respectively:
24	The number of radial nodes of 4s and	a 2p orbitals are respectively
	A. 3, 0	C. 0, 3
	B. 2, 0	D. 2, 1
25	The values of four quantum numbers I=0, m=0 and s=+1/2. The element is :	of valence electron of an element are n=
	A. V	C. Na
	B. K	D. Sc
26	What is the oxidation number of phos	sphorus in KH₂PO₄?
	AVI	C. +V
	B. II	D. +VI
27	Which one of the following is not a fo	rm of chemical bonding?
	Covalent bonding	C. Ionic bonding
	B. Hydrogen bonding	D. Metallic bonding
28	According to the Bohr model of the at	
	A. Electrons in orbit around nuclei lose	
	energy so slowly	the ultra-structure of an atom.
	B. Electrons around a nucleus can have only certain particular energies and can only occupy certain specific orbits at particular distances from the nucleus	D. None of these.
29	Calculate the molarity of NaOH in solu	tion prepared by dissolving its 25 in
	water of 250 mL of the solution	don prepared by dissolving its 2g in
	A. 0.2 mol L ⁻¹	C. 0.1 mol L ⁻¹
	B. 0.4 mol L ⁻¹	D. 0.02 mol L ⁻¹
0	The wave function Ψ (psi)	D. C.OZ MOI E
	Represents the particle function associated with a wave	C. A large value of psi square indicates the strong possibility of the particle's presence
	It is not related to quantum theory and de Broglie waves	D. A small value of psi square indicates the strong possibility of the
1	Amla (gooseberries) is the richest sour	ce of thick vitamin?
. F	YE VICEITIET A	-S- Vitamin C
_	B. Vitamin B	D Vitamia D
Ľ	Which of the following elements is a me	otal3
- 1	A. S	
Ľ	B. Se	C. CI
		D. Ga
	ndian Constitution was amended for the	e first-time in
1 /	ndian Constitution was amended for the	e first-time in — C. 1951
I A	Indian Constitution was amended for the A. 1950	e first-time in — C. 1951
I A	Indian Constitution was amended for the A. 1950	e first-time in — C. 1951
I A E V A	Indian Constitution was amended for the A. 1950 B. 1952 Which of the following states has the lar	e first-time in — C. 1951 D. 1953 rgest representation in the Lok Sabba?
I A E V A B	Indian Constitution was amended for the 1950 B. 1952 Which of the following states has the lark. Bihar	c. 1951 D. 1953 rgest representation in the Lok Sabha? C. Madhya Pradesh

_'		
•	A. These are highly polished	C. These are monolithic
	The shaft of pillars is tapering is shape	in D. These are parts of architectural structures
36	The river most mentioned in early	Vedic literature is
	A. Sindhu	C. Sarasvati
	B. Sutudri	D. Ganga
37	10 cats caught 10 rats in 10 secon rats in 100 seconds?	nds. How many cats are required to catch 100
	A. 100	C. 10
	B. 20	D. 50
38	pattern. 4, 9, 13, 22, 35, <u>?</u>	fill in the blank that will continue the same
	A. 57	C., 63
	B. 60	D. 75
39	Which of the following was a reco	mmendation of Hunter's Commission?
	A. Women's education	 C. Gradual withdrawal of state support from higher education
	New regulation for the organize senates system	college and university level
40	Choose the correct meaning of the Smell a rat	e phrase/idiom-
	A. To act unfairly	C. To have reason for suspect
	B. To talk boastfully	D. To discourage
11	Where was the final match of Cric	ket World Cup 2015 held?
	A. Melbourne	C. Sydney
	B. Wellington	D. Auckland
12 .	Who is the Chief Minister of Gujar	at?
	A. Narendra Modi	C. Shri Santosh Kumar Gangwar
	B. Anandiben Patel	D. K. Chandrashekar Rao
13	What is meaning of underlined idi	
	A. Becoming overgenerous	C. Wasting his money
	B. Overtaxing his energies	D. Losing his objectives
14	What is meaning of underlined idi in the organised society of today in furrow.	om in the following sentence? no individual or nation can <u>plough a lonely</u>
	A. Remain unaffected	C. Do without the help of others
	B. Survive in isolation	D. Remain non-aligned
5	Ganga is a sacred river:	
	A. The	C. An
	B. A .	D. None
6	Gandhi ji on charkha every	
	A. was spinning	C. had spun
		
7		
7	This isbest player I have e	
	A. a	C. Both (A) and (B)
学	B. the	D. None of these
18	My brother football in th	e same club to which I am associated.

	A. play	C. played
	B. plays	D. Is playing
49	Tomit days, Toman go dicio . mulicot	narration form of this sentence is -
1 .	A. John said that he went there.	C. John says that he went there.
50	B. John says that he will go there.	D. John Said that I will go there.
30	Robert will say to me, "I am your class sentence is -	
	 A. Robert will tell me that he is my classmate. 	 C. Robert will tell me that he will be m classmate.
	 B. Robert will tell me that he was my classmate. 	 D. Robert said me that he is my classmate.
51	If a+b=1, then $\sum_{r=0}^{n} C(n,r)a^{r}b^{n-r}$ is equ	al to
1	A. 1	C. 0
	B. n ·	D. None of these
52	following is true?	$.+(2K-1) = 3+K^2$. Then which of the
1	A. S(K) does not imply S(K+1)	C. S(1) is correct
	B. S(K) imply S(K+1)	Principle of mathematical induction can be used to prove the formula
53	Let α and β are the roots of equation x^2	2 -x+1=0, then $\alpha^{2009} + \beta^{2009} =$
	A1	C. 1
	B. 2	D2
54	If a>0, b>0, c>0, then (a+b)(b+c)(c+a) is	
*	A. 2(a+b+c)	C 2/albia
	D. Cobo	
55	Total number of four digit odd numbers	that are the man wing 04 2 2 5 7 are
	A. 216	diaty by Joined using 0,1,2,3,5,7 ar
	B. 375	3 500
56	tan9° + tan81° +tan27° +tan63° =	120
••		· · · · · · · · · · · · · · · · · · ·
	140	C. √5/4
	B. 4	D. None of these
57	In a triangle ABC, cosA + 2cosB + cosC	= 2, then a,b,c are in
	A. H.P.	C. A.P.
	B. G.P	D. None of these
58	A flagstaff 10m high stands at the centr horizontal. At the top of the flagstaff eac length of each side of triangle is	e of an equilateral triangle, which is ch side subtends an angle of 60°. The
	A. 6√3	C. 5√6
	B. 4√6	.D. 6√5
59	The equation of $sin^6x + cos^6x = a$ has a	real solution in vite
	A. 0.5 ≤ a ≤ 1	
-	B. 0.25 ≤ a ≤ 1	C1 ≤ a ≤ 1
_		D. 0≤a≤0.5
-	If $\sec 2\theta = \tan \phi + \cot \phi$, then a value of θ	9+φ is.
	Α. π/2	С. п/3

•	2A
Β. π/4	D. П .
If C is the reflection of A(2,4) in x-axis a	and B is the reflection of C in y-axis, then
	C. 4√5
210	D. 4
The circles $x^2 + y^2 = 9$ and $x^2 + (y-5)^2 = 1$	16
A. Touch each other internally	C. Do not intersed
B. Touch each other externally	D. Cut orthogonally
The axis of the parabola, 9y2-16x-12	y – 57 = 0
A. 3y = 2	C. y = 0
B. 16x + 61 = 0	D. None of these
The eccentricity of an ellipse, with its c directrices is x=4, then the equation of	
A. $4x^2 + 3y^2 = 12$	C. $3x^2 + 4y^2 = 1$
B. $3x^2 + 4y^2 = 12$	D. $4x^2 + 3y^2 = 11$
The locus of the equation, (x2+y2) (x2+y	$(x^2+x+y) = 0$ is
	C. A circle with centre at origin
	D. None of these
	en x is equal to
Δ 0	C. 2
	D. None of these
Control of the contro	th other only if
	C. AB = 0, BA = 1
	D. None of these
	C. both triangle and rectangle.
1 1	D. none of these
d^2x	
	$\dot{C} = \left(\frac{d^2y}{dx^2}\right) \left(\frac{dy}{dx}\right)^{-3}$
	$D. \left(\frac{d^2y}{dx^2}\right)^{-1}$
$\int_0^{\pi/2} \sin^2 x dx \text{ equal to}$	
A. $\frac{\pi}{4}$	C. $\frac{\pi}{6}$
B. $\frac{\pi}{2}$	D. $\frac{\pi}{3}$
	C. brinell hardness number
A. yield strength .	C. brinell hardness number
B: elastic strength	D. toughness
	If C is the reflection of A(2,4) in x-axis at [AB] is A 20 B. $2\sqrt{5}$ The circles $x^2 + y^2 = 9$ and $x^2 + (y-5)^2 = 10$ A. Touch each other internally B. Touch each other externally The axis of the parabola, $9y^2 - 16x - 12$ A $3y = 2$ B. $16x + 61 = 0$ The eccentricity of an ellipse, with its of directrices is $x=4$, then the equation of A. $4x^2 + 3y^2 = 12$ B. $3x^2 + 4y^2 = 12$ The locus of the equation, $(x^2+y^2)(x^2+y^2)$ A. A straight line B. A circle through the origin If $\sin^{-1}x + \sin^{-1}(1-x) + \cos^{-1}x = 0$ th A. 0 B. 1 Matrices A and B will be inverse of each A. AB = BA B. AB = BA = 0 A simplex in two dimension is A. triangle B. rectangle $\frac{d^2x}{dy^2}$ equal to A. $\left(\frac{d^2y}{dx^2}\right)^{-1}\left(\frac{dy}{dx}\right)^{-3}$ B. $\left(\frac{d^2y}{dx^2}\right)^{-1}\left(\frac{dy}{dx}\right)^{-3}$

(8)

		Ddurance limit
	B. Young's modulus	D. endurance innic
73		The state of the s
	 A. variations in load acting on a member 	C. abrupt change of cross-section
	 B. variations in properties of materials 	D. all of these
74	The size of a gear is usually specified	by
1	A. circular pitch	C. diametral pitch
	B. pressure angle	D. pitch circle diameter
75	The radial distance of a tooth from the called	pitch circle to the top of the tooth is
	A. working depth .	C. dedendum
	B. clearance	D. addendum
76	A machine part subjected to	is called a strut.
	an axial tensile force	'C. a tangential force
	an axial compressive force	D. any one of these
77	Which one of the following is a positive	drive?
	Crossed flat belt drive	C. V-belt days
	B. Rope drive	D. ChanNive
78	The Included angle for the British Asso	ciation thread is
	A. 47.3°	0.455
	B. 29°	PD- 60°
79	A differential nulley block has larger and	d smaller diameters of 100 mm and 00
	A differential pulley block has larger an mm respectively. Its velocity ratio is	
	A. 40	C. 10
80	A. 40 B. 5 A body of weight W is required to mo	D. 20
80	 A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) 	C. 10 D. 20 ove up on rough inclined plane whos is α. The effort applied parallel to the coefficient of friction between the plane
80	 A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) 	C. 10 D. 20 ove up on rough inclined plane whos is α. The effort applied parallel to the coefficient of friction between the plan C. P=W (cosα + μsinα)
	A. 40 B. 5 A body of weight W is required to morangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα	C. 10 D. 20 Ove up on rough inclined plane whose is α. The effort applied parallel to the coefficient of friction between the plane C. P = W (cosα + μsinα) D. P = W (sing + μcosα)
	A. 40 B. 5 A body of weight W is required to morangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body	C. 10 D. 20 D. 20 D. The effort applied parallel to the coefficient of friction between the plane C. P=W (cosα + μsinα) D. P=W (sinα + μcosα) rotating at N revolutions per minute is
	A. 40 B. 5 A body of weight W is required to morangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60	C. 10 D. 20 D. 20 D. 20 D. The effort applied parallel to the coefficient of friction between the plan C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180
81	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60	C. 10 D. 20 D. 20 D. 20 D. The effort applied parallel to the coefficient of friction between the plan C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180 D. 2πN/180
81	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it	C. 10 D. 20 D. 20 D. The effort applied parallel to the coefficient of friction between the plane C. P=W (cosα + μsinα) D. P=W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180 D. 2πN/180 will possess
81	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy	C. 10 D. 20 C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) Totating at N revolutions per minute is C. πN/180 D. 2πN/180 Will possess C. heat energy
81	A. 40 B. 5 A body of weight W is required to morangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy	C. 10 D. 20 C. Pe W (cosα + μsinα) D. Pe W (sinα + μcosα) Totating at N revolutions per minute is C. πN/180 D. 2πN/180 Will possess C. heat energy D. electrical energy
81	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller	C. 10 D. 20 C. Pe W (cosα + μsinα) D. Pe W (sinα + μcosα) Totating at N revolutions per minute is C. πN/180 D. 2πN/180 D. 2πN/180 Will possess C. heat energy D. electrical energy
81	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N	C. 10 D. 20 C. Pe W (cosα + μsinα) D. Pe W (sinα + μcosα) Totating at N revolutions per minute is C. πN/180 D. 2πN/180 D. 2πN/180 Will possess C. heat energy D. electrical energy
81 82 83	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N	C. 10 D. 20 Ove up on rough inclined plane whose is α. The effort applied parallel to the coefficient of friction between the plane. C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180 D. 2πN/180 will possess C. heat energy D. electrical energy The bigger force is 40N and the one. The smaller force is C. 40 N D. none of these
81 82 83	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N The centre of gravity a T-section 100 mm	C. 10 D. 20 Ove up on rough inclined plane whose is α. The effort applied parallel to the coefficient of friction between the plane. C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180 D. 2πN/180 will possess C. heat energy D. electrical energy The bigger force is 40N and the cone. The smaller force is C. 40 N D. none of these
81 82 83	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N The centre of gravity a T-section 100 mm A. 50mm	C. 10 D. 20 Ove up on rough inclined plane whose is α. The effort applied parallel to the coefficient of friction between the plane. C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180 D. 2πN/180 will possess C. heat energy D. electrical energy The bigger force is 40N and the cone. The smaller force is C. 40 N D. none of these 1 x 150 mm x 50 mm from its bottom is
81 82 83	A. 40 B. 5 A body of weight W is required to more angle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N The centre of gravity a T-section 100 mm A. 50mm B. 87,5mm	C. 10 D. 20 Ove up on rough inclined plane whose is α. The effort applied parallel to the coefficient of friction between the plane is c. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is c. πN/180 D. 2πN/180 will possess C. heat energy D. electrical energy C. heat energy D. electrical energy C. 40 N D. none of these 1 x 150 mm x 50 mm from its bottom is c. 75mm
81 82 83	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N The centre of gravity a T-section 100 mm A. 50mm B. 87,5mm As compared to uniaxial tension or combending is only	C. 10 D. 20 Ove up on rough inclined plane whose is α. The effort applied parallel to the coefficient of friction between the plane is c. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is c. πN/180 D. 2πN/180 will possess C. heat energy D. electrical energy C. heat energy D. electrical energy C. 40 N D. none of these 1 x 150 mm x 50 mm from its bottom is c. 75mm
81 82 83	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N The centre of gravity a T-section 100 mm A. 50mm B. 87.5mm As compared to uniaxial tension or combending is only A. 1/3	C. 10 D. 20 D. 20 D. 20 D. 20 D. The effort applied parallel to the oefficient of friction between the plane C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) rotating at N revolutions per minute is C. πN/180 D. 2πN/180 Will possess C. heat energy D. electrical energy The bigger force is 40N and the one. The smaller force is C. 40 N D. none of these 1 × 150 mm × 50 mm from its bottom is C. 75mm D. 125mm D. 125mm pression, the strain energy stored in
81 82 83	A. 40 B. 5 A body of weight W is required to mangle of inclination with the horizontal plane is given by (where μ = tanφ = C and the body.) A. P = W tan(α + φ) B. P = W tanα The angular velocity (in rad/s) of a body A. πN/60 B. 2πN/60 When the spring of a watch is wound, it A. strain energy B. kinetic energy Two forces are acting at an angle of 120 resultant is perpendicular to the smaller A. 20 N B. 30 N The centre of gravity a T-section 100 mm A. 50mm B. 87,5mm As compared to uniaxial tension or combending is only A. 1/3 B. 1/2	C. 10 D. 20 C. P = W (cosα + μsinα) D. P = W (sinα + μcosα) Totating at N revolutions per minute is C. πN/180 D. 2πN/180 D. 2πN/180 Will possess C. heat energy D. electrical energy C. 40 N D. none of these The x 150 mm x 50 mm from its bottom is C. 75mm D. 125mm

1	is doubled, the deflection of the bear	C. 4
1	A. 0.5	- 110
-	B. 2	D. 1/8 agram over the length of a beam, carrying
	The shape of the bending moment d a uniformly distributed load is alway	0
7	A. parabolic	C. cubical
	B. linear	D. circular
3	The ratio of strengths of solid to hol and hollow having inside diameter D	low shafts, both having outside diameter D 0/2, in torsion, is
-	A. 1/2	C. 1/4
-	B. 1/16	D. 15/16
9	The unit of modulus of elasticity is s	same as those of
"	A. stress, strain and pressure	C stress, pressure and stress
H	B. stress, force and shear modulus	D. strain, force and pressure
-	The springs in brakes and clutches	are used to
0	A. to store strain energy	C. to absorb shocks
}	n to substance	D: to measure forces
1	Fluid is a substance which does no	t offer any resistance to change of
"		C. Volume
		D. Shape
12	B. Temperature Ideal fluid is that fluid which is	and the second s
92 .		C. Viscous
	D. Incompressible and inviscous	D. Viscous and compressible
	B. Incompressible and inviscous If 867 kg of a liquid occupies volument	me of 1 m ³ , 0.867 represents its
93		C. specific weight
	D. Caraifia internal energy	D. specific gravity
0.4	B. Specific internal energy	the sea the metacentre should lie
94	A. Below its centre of gravity	gravity
	B. At the centre of gravity	D. above its centre of gravity
25	B. At the centre of gravity Buoyancy of liquid depends on	
95	t it it displaced t	C. Depth of immersion of the body
	D Viscosity of the liquid	D. Temperature of the liquid
96	If atmospheric pressure, gauge prepresented by A, B and C respec	ressure and absolute pressure be ctively, the correct equation is
	A. A+B= C	C. A+C=B
	D A D-C	D. A-C =B
07	The centre of gravity of the volum	e of the liquid being displaced by the body
97	immersed in it is known as	
•	A. Centre of buoyancy	C. Centroid
	B. Meta -centre	D. Centre of gravity
00	Kinematic viscosity is equal to	
98		C. Reciprocal of A
		D. Reciprocal of B
	B. Dynamic viscosity/density	Dttospicture
99		C. N-s/m ²
١.	A. N-s/m	D Numb
	B. N-s ² /m	D. N-m/s sure at a point is equal in all directions in a

		*
	A. Laminar flow	C. Fluid at rest
_	B. Turbulent flow	D. Liquid at rest
10		
	A. Thermal equilibrium	C. Mechanical equilibrium
	B. Chemical equilibrium	D. All the above
102	2 A system and its surroundings com	bined together constitute
1	A. An open system	C. A closed system
_	B. An isolated system	D. A homogeneous system
103	An example of closed system is	
1	Bomb calorimeter	C. Universe
	B. Boiler	D. Turbine
104	An example of intensive property is	- Turbino
- 1	A. Temperature	C. Work
	B. Volume	
105		D. Enthalpy
	A. Temperature	any change in isochoric process is
	B. Work	.C. Pressure
106		D. Volume
	Kelvin-Plank's statement of second I A. Conservation of work	aw of thermodynamics deals with
	B. Conversion of heat into work	C. Conservation of energy
107	The state of the at the work	 D. Conversion of work into heat
1	The measurement of temperature is b	pased on .
- 1	- die modynamics	C. Zeroth law of thermodynamics
108	a solid law life illicity namice	'I D 11 11
	known as	ocess, pV^{π} = constant, the process is
	A. Isometric process	<u> </u>
-	B. Isothermal process	C. Isobaric process
_	isothermal process	D. Isentropic process
.	the efficiency of Carnot engine	with increase in the temperature of sink
	A. Increases	
-	B. Decreases	C. Remains constant
_	200,00303	D =:
-	n a Carnot cycle, the net change in en	tropy is
1	" Negative	C. Sometimes positive and sometime
E	3. Positive	negative
11	n a reversible sucle to	D. Negative
2	27°C respectively. The manifestures of the	D. Negative he sink and the source are 27°C and lable work for a heat input of 150 kJ is
A	. 60 kJ	lable work for a heat input of 150 kg
В	. 90 kJ	C. 150 kJ
2 T	hé difference bet	D. 132 kJ
A	he difference between two specific he Increase in potential energy of gas	ats, C, and C, for a gas
1	Increase in potential energy of gas molecules	C. Increase in volume
B.		C. Increase in volume
-	Increase in kinetic energy of gas molecules	D. External works to
3 A	heat engine	- Atomai work done
re	lects heat at 2001/ F	at a fixed temperature of 227°C and
1 -1	ould be	at a fixed temperature of 227°C and reversible the amount of heat rejected
sh	00.00	amount of heat relected
A.	90 kus	
A. B.	90 kg/s	C. 135 kJ/s

	The efficiency of air standard diesel cycle same	
1	A. Cylinder dimensions and rpm of engine	addition
	B. Compression and pressure ratio	Compression ratio and heat addition
1 :	Polytropic specific heat is given by expresspecific heat at constant pressure, specific polytropic exponent respectively,	ic neat at constant volume and
	A. $(c_p - 2n c_v)/(1-n)$	C. $(c_p - n c_v)/(1-n)$
	B. $(n c_p - c_v)/(1-n)$	D. (2c _p -n c _v)/(1-n)
116	Dryness fraction represents quality of ste	eam and its value lies between
	A. 2 and 3	C. 0 and 1
		D1 and 0
117	For a thermodynamic system, the odd o	ne among the following is
	A. Enthalpy	C. Entropy
- 1		D. Heat
	A system contains ideal gas as working following isothermal process wherein the kPa and volume changes from 60 m ³ to is A. 200 kJ	C. 0
ŀ	B. 100 kJ	D. 300 kJ
140	The unit of specific entropy is	
119		C. kJ/m³-kg
-	A. Rong II	D. Kg/kJ-Pa
	B. K/kg-kJ An irreversible process	
120	the second public	C. Exhibits both A and B
	A. Must pass through a continuous series of equilibrium states	
•	B. Leaves history of the events in the	D. Exhibits neither A nor B
121		carried out to
121	A Increase hardness of annealed steel	C. Control carpetres
		D. Improve wear resistants
	which is different	rom the outers
122		O. Ojameng
•	- straiding	D. Galvanizing
	B. Nitriding Delta iron occurs at temperature t in the	e range of
123	Delta iron occurs at temperature < t < 600°c	
	A. Room temperature < t < 600°c B. 600°c < t < 730°c	D. 1400°c < t < 1530°c
	B. 600°c < t < 730°C	
	B. 000.0 transferial is	
124	Dielectric strength of a material is	C. Capacity to attract magnetic
124	A. Capacity to withstand stresses	C. Capacity to attract magnetic materials
124	A. Capacity to withstand stresses without yielding	materials D. None of the above
	A. Capacity to withstand stresses without yielding	D. None of the above ed for making a heating element
124	Dielectric strength of a material is A. Capacity to withstand stresses without yielding B. Capacity to withstand high voltage Which of the following materials is us	D. None of the above ed for making a heating element C. Muntz Metal
	A. Capacity to withstand stresses without yielding B. Capacity to withstand high voltage Which of the following materials is us A. Nichrome	D. None of the above ed for making a heating element
125	Dielectric strength of a material is A. Capacity to withstand stresses without yielding B. Capacity to withstand high voltage Which of the following materials is us	D. None of the above ed for making a heating element C. Muntz Metal

ţ

Which of the following welding processes make use of consumable

TIG

C. Laser elding

Thermit welding

SAW

MIG

MIG welding

TIG welding

A.

B.

139

140	Which of the following is a welding de	fect
-	A. Scabs	C. Pouled arion
-	B. Undercut	D. Mis-run
141	\overline{X} and R charts are used to establish	
-	- Lustian control	C. Cost control
-	- control	D. Material control
142	X charts indicate	C. Variability
	 A. Central tendency of the process 	D. Proportion of defectives
	B. Consistency of the process	nce number, the rejection number will be
143	In a sampling plan, if c is the accepta-	nce number, are reje
	A. c+1	0. 0 .
	B. 1-c	D. C
144	In a double sampling plan, second sa	mple is taken, when the
	defectives	Tarita Laturage C. and Ca
1	A. Exceed c ₁	Cth-see
.	B. Exceed c ₂	
145	A product layout is generally sugges	C. Efficient machine utilization criteria
	A. Job production work	C. Elliotist production
	B. Batch production work	D. Continuous production
146	of itams	are large in number.
	A. A .	C. C D. Any of the three classes can be large
	B. B	in number
		2 Dr
147	Economic Order Quantity is obtained	ed using formula $Q = \sqrt{\frac{2Dr}{k}}$; what does
	Economic Order Quality is	
	Loons	17
	represents in the formula?	The second second
	represents in the formula?	C. Shortage cost
	represents in the formula? A. Inγentory holding cost B. Reorder cost	The second second
149	represents in the formula? A. Inγentory holding cost B. Reorder cost	C. Shortage cost D. None of these
148	A. Inventory holding cost B. Reorder cost A gagger is a tool used in	C. Shortage cost D. None of these C. Powder metallurgy
148	A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work
	A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work
148	represents in the formula? A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding B. Press working In a foundry shop, the molasses is to the core making	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work used for: C. Preventing rusting of castings
	represents in the formula? A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding B. Press working In a foundry shop, the molasses is to the core making	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work used for: C. Preventing rusting of castings
149	represents in the formula? A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding B. Press working In a foundry shop, the molasses is used. A. Core making B. Cleaning of castings	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work used for: C. Preventing rusting of castings D. Application as fuel in furnace
	represents in the formula? A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding B. Press working In a foundry shop, the molasses is used. A. Core making B. Cleaning of castings	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work used for: C. Preventing rusting of castings D. Application as fuel in furnace
149	represents in the formula? A. Inventory holding cost B. Reorder cost A gagger is a tool used in A. Welding B. Press working In a foundry shop, the molasses is to the core making	C. Shortage cost D. None of these C. Powder metallurgy D. Foundry work used for: C. Preventing rusting of castings D. Application as fuel in furnace

(14)

