# Sample Paper

## Time: 90 Minutes


## **General Instructions**

- 1. The Question Paper contains three sections.
- 2. Section A has 24 questions. Attempt any 20 questions.
- 3. Section B has 24 questions. Attempt any 20 questions.
- 4. Section C has 12 questions. Attempt any 10 questions.
- 5. All questions carry equal marks.
- 6. There is no negative marking.


# SECTION-A

Section – A consists of 24 questions. Attempt **any 20** questions from this section. The first attempted 20 questions would be evaluated.

1. In the following sketch of stomatal apparatus, parts I, II, III and IV were labelled differently by four students. The correct labelling is:




- (a) I-guard cell, II-stoma, III-starch granule, IV-nucleus
- (b) I-cytoplasm II-nucleus, III-stoma, IV-chloroplast
- (c) I-guard cell, II-starch, III-nucleus, IV-stoma
- (d) I-cytoplasm, II-chloroplast, III-stoma, IV-nucleus
- 2. The following picture depicts the photodecomposition of silver chloride. Photodecomposition of which compound is used in Black and white photography?





Max. Marks: 40




- (b) Heterotrophic nutrition (q)
- (c) Parasitic nutrition
- (r) Paramaecium

Deer


- (d) Digestion in food Leech nutrition (s) vaculoes
- The diagram below represents a group of organs in the human body. Urine leaves the urinary bladder by passing through this 6. structure labelled

(c)

Mg




## Sample Paper-1



(c) The solution remained colourless. A gas evolved which burns with a pop sound.


The solution becomes green in colour. (d)

SP-4



SECTION-B

Section – B consists of 24 questions (Sl. No.25 to 48). Attempt **any 20** questions from this section. The first attempted 20 questions would be evaluated.



27. A student performed a reaction between egg shell and HCl. A gas 'X' produce in this reaction was passed through the solution of slaked lime, it turn milky. This milkiness disappeared to on passing excess of X due to formation of 'Y' when 'Y' is heated very strongly, above 825°C, substance 'Z' is formed which reacts vigorously with water. X, Y, Z respectively are:

(a) 
$$CO_2$$
,  $CaCO_3$ ,  $Ca(HCO_3)_2$   
(c)  $CO_2$ ,  $Ca(HCO_3)_2$ ,  $CaO$ 

(b) 
$$CO_2$$
,  $Ca(HCO_3)_2$ ,  $CaCO_3$   
(d)  $O_2$ ,  $Ca(HCO_3)_2$ ,  $CaCO_3$ 

#### Sample Paper-1


28. The following observations are given for four metals: I. Metal H does not react with dilute HCl. II. Metal K reacts with warm water. III. Metal L does not react with water but displaces metal H from its aqueous salt solution. IV. Metal M reacts with cold water. Choose the correct decreasing order of reactivity of these metals amongst the following: (a) M > L > H > K(b) K > M > H > L(c) M > K > L > H(d) L>H>K>M**29.** Consider the following reaction :  $xC_{2}H_{6}(g) + yO_{2}(g) \longrightarrow mCO_{2}(g) + nH_{2}O(l)$ Which of the following set of coefficients balances the above redox reaction? n 3 (a) 1 2 2 (b) 2 7 4 6 2 2 3 2 (c) (d) 1 7 2 3 30. CuO reacts with X, forming CuSO<sub>4</sub> and H<sub>2</sub>O. X and type of reaction will be (a)  $K_2SO_4$ , Displacement reaction H<sub>2</sub>SO<sub>4</sub>, Acid-base reaction (b) (c)  $H_2SO_4$ , Combination reaction (d)  $K_2SO_4$ , Acid-base reaction Glass rod Beaker Unreacted 00 copper (II) oxide Tripod

*Question No. 31 to 35 consist of two statements-Assertion (A) and Reason (R). Answer these questions selecting the appropriate option given below:* 

- (a) Both A and R are true and R is the correct explanation of A.
- (b) Both A and R are true and R is not the correct explanation of A.
- (c) A is true but R is false.
- (d) A is false but R is true.
- **31.** Assertion : On adding  $H_2SO_4$  to water the resulting aqueous solution get corrosive. **Reason :** Hydronium ions are responsible for corrosive action.
- **32.** Assertion : Different metals have different reactivities with water and dilute acids. Reason : Reactivity of a metal depends on its position in the reactivity series.
- Assertion: During physiology of excretion, deamination does not take place in liver.
  Reason: Deamination is a process to make use of excess of amino acids which can not be incorporated into protoplasm.
- **34.** Assertion: Danger signals are made of red colour **Reason:** Velocity of red light in air is maximum, so signals are visible in dark.
- **35.** Assertion : The balancing of chemical equations is based on law of conservation of mass. **Reason :** Total mass of reactants is equal to total mass of products.
- **36.** In respiration, air passes through
  - (a) Pharynx  $\rightarrow$  nasal cavity  $\rightarrow$  larynx  $\rightarrow$  trachea  $\rightarrow$  bronchi $\rightarrow$  bronchioles  $\rightarrow$  Lungs
  - (b) Nasal cavity  $\rightarrow$  pharynx  $\rightarrow$  larynx  $\rightarrow$  trachea  $\rightarrow$  bronchi  $\rightarrow$  bronchioles  $\rightarrow$  Lungs
  - (c) Larynx  $\rightarrow$  nasal cavity  $\rightarrow$  pharynx  $\rightarrow$  trachea
  - (d) Larynx  $\rightarrow$  pharynx  $\rightarrow$  trachea  $\rightarrow$  lungs

SP-5

Science



- screen. To determine the focal length of the lens, she/he should measure the distance between the
  - (a) lens and the screen only lens and the window only (b)
- (c) screen and the window only screen and the lens and also between the screen and the window (d) Which statement best describes the property of light waves illustrated in the diagram below? **46**.



(a) Some materials absorb light waves.

SP-6

Some materials reflect light waves. (b)

900

- (c) Light waves are refracted by some materials. (d) Light waves are emitted by some materials.
- 47. Light is incident on an air-water interface at an angle of  $25^{\circ}$  to the normal. What angle does the refracted ray make with the normal
  - (a) 19° 34°  $25^{\circ}$ (b) (c)(d)

Sample Paper-1

**48.** You are provided with aqueous solutions of three salts — A, B and C, 2-3 drops of blue litmus solution, red litmus solution and phenolphthalein were added to each of these solution in separate experiments. The change in colours of different indicators were recorded in the following table:

Sample	With blue litmus solution	With red litmus solution	With phenolphthalein solution	
А	No change	No change	No change	
В	Turns red	No change	No change	
С	No change	Turns blue	Turns pink	

On the basis of above observations, identify A, B, and C from the following options:

(a)  $A = NH_4 Cl, B = NaCl, C = CH_3 COONa$ 

(b)  $A = NH_4 Cl, B = CH_3 COONa, C = NaCl$ 

(c)  $A = NaCl, B = NH_4Cl, C = CH_3COONa$ 

(d)  $A = CH_3COONa, B = NH_4Cl, C = NaCl$ 

## SECTION-C

Section -C consists of three Cases followed by questions. There are a total of 12 questions in this section. Attempt any 10 questions from this section. The first attempted 10 questions would be evaluated.

#### Case-I

Ionic compounds are usually formed when metals react with non-metals. In other words, Elements can gain or lose electrons in order to attain their nearest noble gas configuration. Formation of ions (either by gaining or losing electrons) for the completion of octet helps them gain stability.following are some general properties for ionic compounds:

- (i) **Physical Nature:** Ionic compounds are solids and are somewhat hard because of the strong force of attraction between the positive and negative ions. These compounds are generally brittle and break into pieces when pressure is applied.
- (ii) Melting and Boiling points: Ionic compounds have high melting and boiling points (see Table). This is because a considerable amount of energy is required to break the strong inter-ionic attraction.
- (iii) Solubility: Electrovalent compounds are generally soluble in polar solvent and insoluble in non polar solvent.
- (iv) Conduction of Electricity: Ionic compounds in the solid state do not conduct electricity because movement of ions in the solid. Ionic compounds conduct electricity in the molten state. This is possible in the molten state since the elecrostatic forces of attraction between the oppositely charged ions are overcome due to the heat. Thus, the ions move freely and conduct electricity.

Compound	mp (°C)	bp (°C)
CsBr	636	1300
Nal	661	1304
MgCl <sub>2</sub>	714	1412
KBr	734	1435
CaCl2	782	>1600
NaCl	801	1413
LiF	845	1676
KF	858	1505
MgO	2852	3600

#### Melting and Boiling Points of Some Ionic Compounds

- 49. Ionic bonds could be best described as:
  - (a) A bond formed when 2 atoms share electrons
  - (b) A firm handshake
  - (c) An electrostatic attraction between oppositely charged ions
  - (d) An electrostatic attraction between anions
- **50.** In what form can an ionic compound conduct electricity?

		•••••••••••••••••••••••••••••••••••••••				
	(a) when dissolved in w	rater	(b)	when warmed slightly		
	(c) as a crystal		(d)	All of these forms		
51.	Which of the following compound will be best to make electrical insulator					
	(a) CsBr	(b) MgCl <sub>2</sub>	(c)	MgO	(d)	KF
52.	Which of the following c	ompounds are not ionic c	compounds	?		
	$(i)  C_{2}C_{1}$		· (:::)	N-HCO	$( \cdot - \cdot )$	LICI

NaHCO<sub>3</sub> (1) CaCl<sub>2</sub> (11) NaCl (111) (iv)HCI (v) Sugar crystals (iv) and (v)(b) (iii), (iv) and (v)only (iv) only (v) (a) (c)(d)

SP-**8** 

#### Case-II

The main exretory system in humans is the urinary system. The skin also acts as an organ of excretion by removing water and small amounts of urea and salts. They remove urea, toxins, medications and excess ions and farm urine. The kidneys also balance water and salts as well as acids and bases.


Nephron is called as functional unit of kidney. It is the structure that actually produces urine in the process of removing waste and excess substances from the blood.

- 53. What is the approximate length and thickness of kidneys? 5cm and 3cm (d) 15cm and 5cm (a) 10 cm and 5 cm(b) 11 cm and 3 cm(c) 54. Which structure allows the entry of blood vessels, lymph vessels and nerves to enter kidney? (b) fibrous capsule hilum (a) cortex (c) (d) major calyx 55. The correct order of processes that occur in urine formation is (a) glomerular filteration  $\rightarrow$  secretion  $\rightarrow$  reabsorption (b) secretion  $\rightarrow$  glomerular filteration  $\rightarrow$  reabsorption secretion  $\rightarrow$  reabsorption  $\rightarrow$  glomerular filteration glomerular filteration  $\rightarrow$  reabsorption  $\rightarrow$  secretion (d) (c)
- 56. Order of toxicity among ammonia, urea and uric aicd (from lower to higher is)
  - (a) uric acid < urea < ammonia
  - (c) uric acid < uric acid < ammonia
- (b) uric acid < ammonia < urea
- (d) uric acid < urea < uric acid


## Case-III

Light travels through a vacuum at a speed  $c = 3 \times 10^8$  m/s. It can also travel through many materials, such as air, water and glass. Atoms in the material absorb, reemit and scatter the light, however. Therefore, light travels through the material at a speed that is less than c, the actual speed depending on the nature of the material. To describe the extent to which the speed of light in a material medium differs from that in a vacuum, we use a parameter called the index of refraction (or refractive index).

57. Figure shows a ray of light as it travels from medium A to medium B. Retractive index of the medium B relative to medium A is



58. A light ray enters from medium A to medium B as shown in the figure. The refractive index of medium B relative to A will be



(a) greater than unity(b) less than unity(c) equal to unity(d) zero59. On the basis of experiment 'to trace the path of a ray of light passing through a rectangular glass slab' four students arrived at the following interpretations :

- I. Angle of incidence is greater than the angle of emergence.
- II. Angle of emergence is less than the angle of refraction.
- III. Emergent ray is parallel to the incident ray.
- IV. Emergent ray is parallel to the refracted ray.
- The correct interpretation is that of the student.
- (a) I (b) II (c) III (d) IV
- **60.** You are given water, mustard oil, glycerine and kerosene. In which of these media, a ray of light incident obliquely at same angle would bend the most?
  - (a) Kerosene (b) Water (c) Mustard oil (d) Glycerine