

ZOOLOGY
(Final)

1. The science of classification of biodiversity is
 - (A) Ecology
 - (B) Parasitology
 - (C) Genetics
 - (D) Taxonomy
2. Study of interaction between living organisms and environment is called
 - (A) Ecosystem
 - (B) Eco-geography
 - (C) Ecology
 - (D) Endemism
3. All the living organisms of the earth constitute
 - (A) Biosphere
 - (B) Community
 - (C) Biome
 - (D) Association
4. Estuary ecosystem is maintained in
 - (A) River running water
 - (B) Confluence of river with sea
 - (C) Intertidal region
 - (D) Deep seas
5. Classification of cold blooded and warm blooded animals is on the basis of
 - (A) Influence of temperature
 - (B) Temperature tolerance
 - (C) Morphological variations
 - (D) Capacities to tolerate extreme temperatures
6. Hibernation is observed in
 - (A) Poikilotherms
 - (B) Homotherms
 - (C) Stenohaline
 - (D) Euryhaline
7. Zone which extends up to the depth of light penetration is
 - (A) Profundal zone
 - (B) Abyssal zone
 - (C) Eulittoral zone
 - (D) Euphotic zone
8. Benthos are animals living at
 - (A) Surface waters
 - (B) Deep sea waters
 - (C) Euphotic zone
 - (D) Eulittoral zone
9. The basic unit of classification is
 - (A) Order
 - (B) Class
 - (C) Family
 - (D) Species

29. Glomerulus of vertebrates is an organ of
(A) Sweating (B) Excretion
(C) Respiration (D) Reproduction

30. Veins carrying oxygenated blood are
(A) Pulmonary veins (B) Caudal vein
(C) Caval veins (D) Aorta

31. Bioluminescence is caused by the oxidation of
(A) Luciferin (B) Luciferase
(C) Oxytocin (D) Pectin

32. The salinity of standard sea water is
(A) 30‰ (B) 35‰
(C) 40‰ (D) 45‰

33. Notochord is present in all chordates during
(A) Adult stage (B) Reproductive stage
(C) Embryonic stage (D) None of the above

34. Elphidium belongs to
(A) Rhizopoda (B) Ciliata
(C) Dinoflagellata (D) Radiolaria

35. Malarial parasite belongs to the order
(A) Haemosporidia (B) Sarcodina
(C) Metacercaria (D) Heleozoa

36. Process of ingestion in amoeba is
(A) Autophagus (B) Circumvallation
(C) Ciliary action (D) Encystation

37. Endo-erythrocytic cycle in Plasmodium vivax occurs in
(A) Mosquitos (B) Bed bugs
(C) Humans (D) Armadillos

38. Following is a shelled protozoa
(A) Entamoeba (B) Arcella
(C) Arca (D) Glochidium

39. Monocystis is a parasite in
- | | |
|-----------------|----------------|
| (A) Scorpion | (B) Spider |
| (C) Earth worms | (D) Centipedes |
40. Among protozoa the only class that contains two nuclei in all the species is
- | | |
|---------------------|------------------------|
| (A) Class Rhizopoda | (B) Class Mastigophora |
| (C) Class Ciliata | (D) Class Sporozoa |
41. Dicyemid mesozoans are parasitic in the reproductive system of
- | | |
|----------------|-----------------|
| (A) Arthropods | (B) Cephalopods |
| (C) Isopoda | (D) Amphipoda |
42. Amphiblastula is the larva of
- | | |
|---------------|----------------|
| (A) Amphioxus | (B) Obelia |
| (C) Sponges | (D) Amphineura |
43. *Euplectella* is commonly known as
- | | |
|-------------------------|-----------------------|
| (A) Venus flower basket | (B) Deadman's fingers |
| (C) Boring sponge | (D) Freshwater sponge |
44. Sponges are characterised by
- | | |
|---------------------------|------------------------|
| (A) Water vascular system | (B) Canal system |
| (C) Perihæmal system | (D) Haemocoelic system |
45. Coelenterates are
- | | |
|-------------------|-----------------------|
| (A) Coelomatic | (B) Acoelomatic |
| (C) Triploblastic | (D) None of the above |
46. Polymorphism in coelenterates is highly developed in
- | | |
|------------|----------------|
| (A) Corals | (B) Halistemma |
| (C) Obelia | (D) Jelly fish |
47. The process of strobilisation occurs in
- | | |
|---------------|-----------------------|
| (A) Anthozoa | (B) Hydrozoa |
| (C) Scyphozoa | (D) None of the above |
48. The largest Barrier Reef of the world is in
- | | |
|---------------|-----------------|
| (A) India | (B) New Zealand |
| (C) Australia | (D) West Indies |

69. Haemocoel is characteristic of

- | | |
|---------------------|---------------------|
| (A) Arthropoda | (B) Echinodermeta |
| (C) Nemethelminthes | (D) Platyhelminthes |

70. *Limulus* is a

- | | |
|-------------------|-------------------|
| (A) Living legend | (B) Living fossil |
| (C) Scorpion | (D) Crustacean |

71. Book lungs are respiratory organs of

- | | |
|--------------------|----------------------|
| (A) <i>Daphnia</i> | (B) Scorpions |
| (C) Cockroaches | (D) <i>Peripatus</i> |

72. Crystaline style is present in

- | | |
|--------------------|-----------------------|
| (A) <i>Pila</i> | (B) Freshwater mussel |
| (C) <i>Lingula</i> | (D) <i>Limulus</i> |

73. *Nautilus* belongs to

- | | |
|-----------------|----------------|
| (A) Cephalopoda | (B) Gastropoda |
| (C) Scaphopoda | (D) Pelecypoda |

74. The marine mollusk *Onchidium* is a

- | | |
|---------------------|-------------------|
| (A) Pulmanate | (B) Prosobranchia |
| (C) Opisthobranchia | (D) Nudibranchia |

75. Scaphopoda is typically represented by

- | | |
|-------------|----------------------|
| (A) Octopus | (B) <i>Dentalium</i> |
| (C) Chiton | (D) <i>Pila</i> |

76. Eviceration takes place in

- | | |
|------------------|----------------|
| (A) Star fish | (B) Sea-lily |
| (C) Sea cucumber | (D) Sea-urchin |

77. *Beche-de-mer* is a product obtained from

- | | |
|------------------|--------------|
| (A) Sardines | (B) Mackerel |
| (C) Sea cucumber | (D) Crabs |

78. Dipleurula is the larva of

- | | |
|-------------------|-----------------------|
| (A) Echinoidea | (B) Astroidea |
| (C) Holothuroidea | (D) None of the above |

79. Tornaria is the larva of
- | | |
|---------------|------------------|
| (A) Phoronis | (B) Enterpneusta |
| (C) Ascidians | (D) Amphioxis |
80. Pogonophora do not have a
- | | |
|------------------------|-------------------------|
| (A) Circulatory system | (B) Digestive system |
| (C) Urinary tracts | (D) Reproductive tracts |
81. Peripatus belongs to
- | | |
|-----------------|-----------------|
| (A) Trilobita | (B) Ostracoda |
| (C) Onychophora | (D) Brachiopoda |
82. Buccal diverticulum acts as notochord in
- | | |
|------------------------|-------------------|
| (A) Amphioxus | (B) Doliolids |
| (C) Enteropneust worms | (D) Tadpole larva |
83. Endostyle of tunicates is part of
- | | |
|-----------------------|------------------------|
| (A) Alimentary system | (B) Respiratory system |
| (C) Excretory system | (D) Nervous system |
84. Thaliacea are
- | | |
|-----------------------|-------------------------|
| (A) Pelagic tunicates | (B) Sessile tunicates |
| (C) Fish larvae | (D) Planktonic annelids |
85. Tadpole larva is the larva of
- | | |
|--------------|---------------|
| (A) Frog | (B) Toad |
| (C) Ascidian | (D) Amphioxus |
86. In land vertebrates, gill skeleton is reduced and modified as
- | | |
|---------------------|--------------|
| (A) Hyoid apparatus | (B) Larynx |
| (C) Pharynx | (D) mandible |
87. Coelacanth is a
- | | |
|-------------------|----------------------------|
| (A) Scorpion fish | (B) Planktonic fish larvae |
| (C) Living fossil | (D) Cephalochordate |
88. Whale shark, *Rhynodon typus* is a
- | | |
|---------------|---------------------|
| (A) Carnivore | (B) Herbivore |
| (C) Omnivore | (D) Plankton feeder |

89. Lateral line in fish function as

- | | |
|-----------------------|---------------------|
| (A) Respiratory organ | (B) Sense organ |
| (C) Digestive organ | (D) Excretory organ |

90. Clown fish are

- | | |
|---------------------|----------------------------------|
| (A) deep water fish | (B) associated with sea anemones |
| (C) extinct fish | (D) associated with sharks |

91. Skeleton in Holocephalii is

- | | |
|-------------------|------------|
| (A) Absent | (B) Bony |
| (C) Cartilaginous | (D) Fleshy |

92. This clupeid fish forms a major fishery along Kerala coast

- | | |
|---------------------------------|-----------------------------|
| (A) <i>Sardinella fimbriata</i> | (B) <i>Sardinella sirm</i> |
| (C) <i>Sardinella longiceps</i> | (D) <i>Coilia dussumeri</i> |

93. Tadpoles of frog have

- | | |
|--------------------|--------------------|
| (A) External gills | (B) Internal gills |
| (C) Lungs | (D) Air bladder |

94. *Barkudia insularis* is a

- | | |
|---------------------|------------------------|
| (A) Limbless lizard | (B) Limbless amphibian |
| (C) Finless fish | (D) Sea snake |

95. Dinosaurs existed during the period from

- | | |
|-------------------------------|-------------------------------|
| (A) Precambrian to Ordovician | (B) Silurian to Carboniferous |
| (C) Triassic to Cretaceous | (D) Miocene to Pliocene |

96. *Typhlops braminus* is a

- | | |
|--------------------|---------------------|
| (A) Sea snake | (B) Blind snake |
| (C) Venomous snake | (D) Limbless lizard |

97. The following is a living fossil

- | | |
|---------------|----------------------|
| (A) Sea snake | (B) Hawksbill turtle |
| (C) Sphenodon | (D) Crocodile |

98. Fangs of poisonous snakes are modified

- | | |
|---------------------|----------------------|
| (A) Maxillary teeth | (B) Mandibular teeth |
| (C) Canines | (D) Pre-molars |

99. Ostrich is a/an

- | | |
|--------------------|----------------------|
| (A) Antarctic bird | (B) Flightless bird |
| (C) Arctic bird | (D) Bird of paradise |

100. Skeleton in birds is

- | | |
|---------------|-----------|
| (A) Pneumatic | (B) Heavy |
| (C) Short | (D) Long |

101. Feathers of birds are derivatives of

- | | |
|--------------|--------------|
| (A) Ectoderm | (B) Endoderm |
| (C) Mesoderm | (D) Coelomic |

102. Prototheria are

- | | |
|--------------------------|-------------------------|
| (A) Egg laying sea birds | (B) Egg laying reptiles |
| (C) Egg laying amphibian | (D) Egg laying mammals |

103. Kangaroo is a

- | | |
|---------------------|---------------|
| (A) Rodent | (B) Marsupial |
| (C) Edentate mammal | (D) Ungulate |

104. Sea cow (Dugong) belongs to order

- | | |
|-----------------|--------------|
| (A) Cetacea | (B) Sirenia |
| (C) Proboscidae | (D) Ungulate |

105. Intestinal caecum in rabbit aids in

- | | |
|----------------------------|------------------|
| (A) Digestion of food | (B) Assimilation |
| (C) Digestion of cellulose | (D) Vestigial |

106. Canine teeth are characteristic of

- | | |
|--------------|----------------|
| (A) Rodentia | (B) Logomorpha |
| (C) Ungulata | (D) Carnivora |

107. Eyes of mammals differ from those of birds in not having

- | | |
|------------|----------|
| (A) Pecten | (B) Lens |
| (C) Retina | (D) Iris |

108. Amber grease is obtained from

- | | |
|------------------|-----------------|
| (A) Dugong | (B) Dolphin |
| (C) Killer whale | (D) Sperm whale |

109. Haemocoel contains

- | | |
|-----------------|-----------------------|
| (A) Haemoglobin | (B) Plasma |
| (C) Lymph | (D) None of the above |

110. Dissolving unwanted and decaying body cell is the function of

- | | |
|------------------|-----------------|
| (A) Mitochondria | (B) Chromosomes |
| (C) Ribosomes | (D) Lysosomes |

111. Power house of a cell is

- | | |
|---------------|------------------|
| (A) Ribosomes | (B) Lysosomes |
| (C) Centriole | (D) Mitochondria |

112. Animal cell differs from plant cell mainly due to the absence of

- | | |
|---------------|---------------|
| (A) cell wall | (B) cytoplasm |
| (C) nucleus | (D) nucleolus |

113. Meiotic cell division occurs in

- | | |
|------------|------------|
| (A) Liver | (B) Kidney |
| (C) Gonads | (D) Brain |

114. A core of nucleic acid surrounded by a protein shell occurs in

- | | |
|---------------|--------------|
| (A) Nucleolus | (B) Bacteria |
| (C) Nucleus | (D) Virus |

115. Sex-linked inheritance was first suggested by

- | | |
|------------|-------------|
| (A) Morgan | (B) Mendal |
| (C) Darwin | (D) Wallace |

116. XO- type of eggs develop into

- | | |
|--------------------|-------------------|
| (A) Sterile female | (B) Normal female |
| (C) Sterile Male | (D) Normal male |

117. In human eye, the rods and cones are found in the

- | | |
|---------------|-----------------|
| (A) Cornea | (B) Retina |
| (C) Eye lense | (D) Optic nerve |

118. Thyroxine consists of

- | | |
|------------|---------------|
| (A) Thymus | (B) Magnesium |
| (C) Iron | (D) Iodine |

119. Respiratory pigment containing copper is known as

- | | |
|------------------|---------------------|
| (A) Haemoglobin | (B) Haemocyanin |
| (C) Copper oxide | (D) Copper sulphate |

120. "Origin of species" was written by

- | | |
|-------------|------------|
| (A) Wallace | (B) Darwin |
| (C) Collins | (D) Bates |

121. Parthenogenic progeny is always

- | | |
|-------------------|-------------|
| (A) Male | (B) Female |
| (C) Hermaphrodite | (D) Sterile |

122. Embryonic origin of entire nervous system is

- | | |
|----------------|----------------|
| (A) Endodermal | (B) Mesodermal |
| (C) Mesentries | (D) Ectodermal |

123. Androgen is secreted by

- | | |
|------------|-------------|
| (A) Testes | (B) Ovaries |
| (C) Liver | (D) Kidney |

124. Hormone Insulin is secreted by

- | | |
|--------------------------|---------------------------|
| (A) Gastric glands | (B) Pancreatic glands |
| (C) Islets of Langerhans | (D) Cystic lobes of liver |

125. Theory of "Ontogeny recapitulates phylogeny" was proposed by

- | | |
|----------------|----------------|
| (A) T.H.Huxley | (B) H. Spencer |
| (C) E. Haeckel | (D) F. Galton |

126. The part of the sperm that pierces the covering of the ovum is

- | | |
|----------|------------------|
| (A) Tail | (B) Middle piece |
| (C) Head | (D) Acrosome |

127. The cavity of blastula is known as

- | | |
|-----------------|----------------|
| (A) Pseudocoel | (B) Haemocoel |
| (C) Archenteron | (D) Blastocoel |

128. The study of fossils is called

- | | |
|------------------|-----------------------|
| (A) Paleobotany | (B) Paleozoology |
| (C) Paleontology | (D) None of the above |

129. Rearing of silkworms is called

- | | |
|-----------------|-----------------|
| (A) Apiculture | (B) Sericulture |
| (C) Articulture | (D) Pomiculture |

130. Distribution of animals to various geographical regions of the world is called

- | | |
|----------------|-----------------------|
| (A) Zoogeology | (B) Zoogeography |
| (C) Zoology | (D) None of the above |

131. Man belongs to the taxonomic order

- | | |
|--------------|----------------|
| (A) Cetacea | (B) Sirenia |
| (C) Primates | (D) Logomorpha |

132. In marine protozoans there is no

- | | |
|-------------------------|-----------------------|
| (A) Contractile vacuole | (B) Food vacuole |
| (C) Both (A) and (B) | (D) None of the above |

133. Function of Gemmules in sponges is

- | | |
|-------------------------|--------------------------|
| (A) Sexual reproduction | (B) Asexual reproduction |
| (C) Digestion | (D) Excretion |

134. "Trilobite larva" belongs to

- | | |
|-----------------|--------------------|
| (A) Spider | (B) Crab |
| (C) Scolopendra | (D) <i>Limulus</i> |

135. *Pila globosa* undergoes

- | | |
|-----------------|-----------------------|
| (A) Aestivation | (B) Hibernation |
| (C) Torsion | (D) None of the above |

136. Byssus, the attachment organ, is present in

- | | |
|--------------------|--------------------|
| (A) <i>Sepia</i> | (B) <i>Octopus</i> |
| (C) <i>Aplysia</i> | (D) <i>Mytilus</i> |

137. Mitochondria are concerned with

- | | |
|------------------------|-----------------------|
| (A) Release of energy | (B) Synthesis of fat |
| (C) Secretion of shell | (D) Oxygen absorption |

138. Self-fertilization is prevented in annelids by

- | | |
|---------------------------|----------------------------|
| (A) protandry | (B) protogyny |
| (C) the atrophy of testes | (D) the atrophy of ovaries |

139. Prokaryotic cell does not have

- (A) Cell wall
- (B) Cell membrane
- (C) Nuclear membrane and nucleolus
- (D) Nucleoid

140. Chiasmata formation takes place in

- | | |
|----------------|-----------------------|
| (A) Mitosis | (B) Meiosis |
| (C) Interphase | (D) None of the above |

141. Zygogene is characterized by

- (A) Chiasmata formation
- (B) Crossing over
- (C) Pairing of homologous chromosomes
- (D) Tetrad formation

142. Lock and key model was proposed by

- | | |
|--------------|------------------|
| (A) Koshland | (B) Emil Fischer |
| (C) Parlor | (D) Arora |

143. Mitotic cell division occurred in

- | | |
|----------------------|-----------------------|
| (A) Somatic cell | (B) Germ cell |
| (C) Both (A) and (B) | (D) None of the above |

144. Albinism is an extreme degree of generalized

- | | |
|-----------------------------|---------------------------|
| (A) hyperpigmentation | (B) hypopigmentation |
| (C) failure of pigmentation | (D) perioral pigmentation |

145. During glomerular filtration the malpighian body acts like a

- | | |
|-----------------------|------------------------|
| (A) structural unit | (B) biological filter |
| (C) biological buffer | (D) acid-base balancer |

146. Night blindness is caused by

- | | |
|--------------------------|----------------------------------|
| (A) Genetic disturbance | (B) Excessive drinking |
| (C) Vitamin A deficiency | (D) Excess secretion of adrenals |

147. Digestive process in humans is

- | | |
|-------------------|----------------------|
| (A) Extracellular | (B) Intercellular |
| (C) Intracellular | (D) Both (B) and (C) |

148. Number of cervical vertebrae in humans is

- | | |
|-------|--------|
| (A) 7 | (B) 12 |
| (C) 5 | (D) 10 |

149. Animal which can tolerate narrow range of salt concentration is called

- | | |
|-----------------|------------------|
| (A) Eurythermal | (B) Stenothermal |
| (C) Euryhaline | (D) Stenohaline |

150. Heart in Anura (Amphibia) is

- | | |
|--------------------|----------------------|
| (A) Mono-chambered | (B) Di-chambered |
| (C) Tri-chambered | (D) Tetra -chambered |
