

# Sample Paper

8

Time : 90 Minutes

Max. Marks : 50


## General Instructions

1. The Question Paper contains three sections.
2. **Section A** has 24 questions. Attempt any 20 questions.
3. **Section B** has 24 questions. Attempt any 20 questions.
4. **Section C** has 12 questions. Attempt any 10 questions.
5. All questions carry equal marks.
6. There is no negative marking

## SECTION-A


**DIRECTION:** This section consists of 24 questions. Attempt any 20 questions from this section. The first attempted 20 questions would be evaluated.

1. Secondary nucleus in the middle of an embryo sac of angiosperms is  
(a) diploid                      (b) triploid                      (c) tetraploid                      (d) haploid
2. In the given figure of pollen grain tetrad, identify the parts marked as A, B, C, D and E.



- (a) A - Germ pore, B - Generative cell, C - Intine, D - Exine, E - Vegetative cell
  - (b) A - Germ pore, B - Generative cell, C - Exine, D - Intine, E - Vegetative cell
  - (c) A - Intine, B - Exine, C - Germ pore, D - Generative cell, E - Vegetative cell
  - (d) A - Exine, B - intine, C - Vegetative cell, D - Germ pore, E - Generative cell
3. For artificial hybridization experiment in bisexual flower, which of the following sequences is correct?  
(a) Bagging → Emasculation → Cross-pollination → Rebagging  
(b) Emasculation → Bagging → Cross-pollination → Rebagging  
(c) Cross-pollination → Bagging → Emasculation → Rebagging  
(d) Self-pollination → Bagging → Emasculation → Rebagging
  4. The portion of embryonal axis between plumule & cotyledons is called  
(a) epicotyl                      (b) hypocotyl                      (c) coleoptile                      (d) coleorhize
  5. Nucellar embryo is  
(a) amphimictic haploid                      (d) amphimictic diploid  
(c) apomictic haploid                      (d) apomictic diploid
  6. In human female, menopause is a stage in which  
(a) oogenesis starts at puberty.  
(b) menstruation starts at puberty.  
(c) corpus luteum starts secreting progesterone for maintaining pregnancy.  
(d) menstruation stops at the age of 50 years and reproductive capacity is arrested.


7. Presence of XX or XY chromosomes in zygote depends on  
 (a) the sperm carrying X chromosome fertilized the ovum.  
 (b) the sperm carrying Y chromosome fertilized the ovum.  
 (c) the sperm without any chromosome fertilized the ovum.  
 (d) the sperm carrying X or Y chromosomes fertilized the ovum.
8. Identify the figure (A) whose sectional view is given below and match with its characteristics (B) and its location (C).



	A	B	C
(a)	Graafian follicle	Involved in the formation of ovum	Ovary
(b)	Seminiferous tubule	Involved in the formation of sperm	Testis
(c)	Ovum surrounded by sperm	Process of fertilization	Graafian follicle
(d)	Mammary gland	Involved in milk secretion	Female reproductive system

9. If one ovary of 30 year old lady is removed surgically then what happens in affected lady?  
 (a) Menstrual cycle is stopped  
 (b) Menstrual cycle is normal but ovulation does not occur  
 (c) Duration of menstrual cycle is prolonged  
 (d) No effect on menstrual cycle
10. In which type of flowers, stigma is rough and sticky?  
 (a) Insect pollinated      (b) Wind pollinated      (c) Water pollinated      (d) All of above
11. Choose the correct statement from the following.  
 (a) Cleistogamous flowers always exhibit autogamy.  
 (b) Chasmogamous flowers always exhibit geitonogamy.  
 (c) Cleistogamous flowers exhibit both autogamy and geitonogamy.  
 (d) Chasmogamous flowers never exhibit autogamy.
12. Crossing over in diploid organisms is responsible for  
 (a) dominance of genes      (b) linkage between genes  
 (c) recombination of linked genes      (d) segregation of alleles
13. Refer the given statements and select the correct option.  
 (i) Percentage of homozygous dominant individuals obtained by selfing Aa individuals is 25%.  
 (ii) Types of genetically different gametes produced by genotype AABbcc are 2.  
 (iii) Phenotypic ratio of monohybrid F<sub>2</sub> progeny in case *Mirabilis jalapa* is 3 : 1.  
 (a) All the statements are true.  
 (b) Statements (i) and (ii) are true, but statement (iii) is false.  
 (c) Statements (i) and (iii) are true, but statement (ii) is false.  
 (d) Statements (ii) and (iii) are true, but statement (i) is false.
14. It is well known that Queen Victoria of England was a carrier for haemophilia. Since this is an X-linked disease, it can be predicted that  
 (a) all of her sons would have had disease.  
 (b) all her daughters would have been carriers.  
 (c) her father must definitely have had haemophilia.  
 (d) haemophilia would have occurred in more of her male than her female descendents.

15. Why is the allele for wrinkled seed shape in garden peas considered recessive ?  
 (a) It "recedes" in the  $F_2$  generation when homozygous parents are crossed.  
 (b) The trait associated with the allele is not expressed in heterozygotes.  
 (c) Individuals with the allele have lower fitness than that of individuals with the dominant allele.  
 (d) The allele is less common than the dominant allele. (The wrinkled allele is a rare mutant).
16. Conditions of a karyotype  $2n \pm 1$  and  $2n \pm 2$  are called  
 (a) aneuploidy (b) polyploidy (c) Allopolyploidy (d) monosomy
17. A dwarf pea plant was treated with GA. The plant became tall. The treated plant was then crossed with a homozygous tall pea. The results in  $F_2$  are expected to be  
 (a) all tall (b) tall and dwarf in 3 : 1 ratio (c) 50% tall (d) all dwarf
18. Read the following statements and choose the **incorrect** statements.  
 (i) Nitrogenous base is linked to the pentose sugar through a N-glycosidic linkage.  
 (ii) Phosphate group is linked to 5'-OH of a nucleoside through phosphoester linkage.  
 (iii) Two nucleosides are linked through 3'-5'N-glycosidic linkage.  
 (iv) Negatively charged DNA is wrapped around positively charged histone octamer to form nucleosome.  
 (v) The chromatin that is more densely packed and stains dark is called euchromatin.  
 (a) (i) only (b) (iv) only (c) (iii) and (v) (d) (i), (ii) and (iii)
19. What role does messenger RNA play in the synthesis of proteins ?  
 (a) It catalysis the process.  
 (b) It translates the genetic code to a specific amino acid.  
 (c) It provides the genetic blue print for the protein.  
 (d) It modifies messenger RNA molecules prior to protein synthesis.
20. Human Genome Project (HGP) is closely associated with the rapid development of a new area in biology called as  
 (a) biotechnology (b) bioinformatics (c) biogeography (d) bioscience
21. SNP which is pronounced as "snips" stands for  
 (a) Small Nuclear Protein  
 (b) Single Nucleotide Particle  
 (c) Single Nucleotide Polymorphism  
 (d) Small Nicking Points
22. With regard to mature mRNA in eukaryotes  
 (a) exons and introns do not appear in the mature RNA  
 (b) exons appear but introns do not appear in the mature RNA  
 (c) introns appear but exons do not appear in the mature RNA  
 (d) Both exons and introns appear in the mature RNA
23. Given diagram represents the schematic structure of a transcription unit with some parts labelled as A, B, C and D. Select the option which shows its correct labelling.




- |     | A          | B          | C               | D               |
|-----|------------|------------|-----------------|-----------------|
| (a) | Terminator | Promoter   | Template strand | Coding strand   |
| (b) | Promoter   | Terminator | Coding strand   | Template strand |
| (c) | Promoter   | Terminator | Template strand | Coding strand   |
| (d) | Terminator | Promoter   | Coding strand   | Template strand |
24. The first genetic material could be  
 (a) Protein (b) Carbohydrates (c) DNA (d) RNA

## SECTION-B

**DIRECTION:** This section consists of 24 questions (Sl. No.25 to 48). Attempt any 20 questions from this section. The first attempted 20 questions would be evaluated.


**Question No. 25 to 28:** Consist of two statements Assertion (A) and Reason (R). Answer these questions selecting the appropriate option given below:

- (a) If both Assertion and Reason are True and the Reason is a correct explanation of the Assertion.  
 (b) If both Assertion and Reason are True but Reason is not a correct explanation of the Assertion.  
 (c) If the Assertion is True but Reason is False.  
 (d) If both Assertion and Reason are False.
25. **Assertion:** Transfer of an ovum collected from a donor into the fallopian tube of another female who cannot produce an ovum is called GIFT.  
**Reason:** Transfer of early embryo with up to 8 blastomeres into the fallopian tube of the female, is called ZIFT.
26. **Assertion:** Amniocentesis is a foetal sex determination test based on the chromosomal pattern in the amniotic fluid surrounding the developing embryo.  
**Reason:** Amniocentesis is presently completely banned in India.
27. **Assertion:** The oogonia are continuously formed and added after birth.  
**Reason:** These cells start division and enter into prophase of the mitotic division and get temporarily arrested at that stage called primary oocyte.
28. **Assertion:** The affected infant with cry-du-chat syndrome has a round, moon-like face, and utter feeble, plaintive cries similar to the mewing of cat.  
**Reason:** Deletion of a part of 21 chromosome produces leukemia, a cancerous malignancy arising in farming tissue.
29. The given figure shows one of the elements releasing intrauterine device. Select the option which shows the correct identification of the device and its feature.






- (a) CuT; suppress sperm motility and its fertilizing capacity.  
 (b) Cu7; make uterus unsuitable for the attachment of blastocysts.  
 (c) Lippes loop; protect the users from contracting AIDS and STDs.  
 (d) LNG - 20; acts as spermicidal means and decrease the contraceptive efficiency.
30. Milk secreted from the cells of the alveoli of mammary lobes reach nipple through lactiferous duct (L), mammary duct (M), mammary tubule (T) and mammary ampulla (A) in the following order:  
 (a) TMAL                      (b) MTLA                      (c) MTAL                      (d) ATML
31. In cereals, one or few outermost layers of the endosperm become highly specialised morphologically and physiologically and constitute the aleurone tissue. Which of the following statements regarding aleurone tissue (or aleurone cells) is incorrect?  
 (a) Aleurone cells are characterised by the presence of thin walls and vacuolated cytoplasm with single small nucleus.  
 (b) Aleurone grains, rich in proteins are present in these cells.  
 (c) Aleurone grains present in aleurone cells are closely associated with sphaerosomes  
 (d) During seed germination, the reserve food of endosperm is digested by the activity of certain hydrolytic enzymes secreted by aleurone cells.
32. Identify the wrong statement from the following.  
 (a) High levels of estrogen triggers the ovulatory surge.  
 (b) Oogonial cells start to proliferate and give rise to functional ova in regular cycle from puberty onwards.  
 (c) Sperms released from seminiferous tubules are poorly motile/non-motile.  
 (d) Progesterone level is high during the post ovulatory phase of menstrual cycle.

33. Which of the following can be used as emergency contraceptive within 72 hours of coitus to avoid possible pregnancy due to rape or casual unprotected intercourse?
- Progestogens
  - Progestogens-estrogen combinations
  - Condoms
  - both (a) and (b)
34. Condoms are one of the most popular contraceptives because of the following reasons
- these are effective barriers for insemination
  - they do not interfere with coital act
  - these help in reducing the risk of STDs
  - All of the above
35. The portion of embryonal axis between plumule & cotyledons is called
- epicotyl
  - hypocotyl
  - coleoptile
  - coleorhize
36. Harmful mutations does not get eliminated from gene pool because
- they are recessive and carried by homozygous individuals.
  - they are recessive and carried by heterozygous individuals.
  - they are formed repeatedly.
  - they show genetic drift.
37. Extra chromosome 'X' is present in which one of the following cases?
- Down syndrome
  - Klinefelter syndrome
  - Turner syndrome
  - Bleeder's disease
38. In the following human pedigree, the filled symbols represent the affected individuals. Identify the type of given pedigree.



- X-linked recessive
  - Autosomal recessive
  - X-linked dominant
  - Autosomal dominant
39. A man whose father was colour blind marries a woman who had a colour blind mother and normal father. What percentage of male children of this couple will be colour blind?
- 25%
  - 0%
  - 50%
  - 75%
40. Occasionally, a single gene may express more than one effect. The phenomenon is called
- multiple allelism
  - mosaicism
  - pleiotropy
  - polygeny
41. A tall true breeding garden pea plant is crossed with a dwarf true breeding garden pea plant. When the  $F_1$  plants were selfed, the resulting genotypes were in the ratio of
- 1 : 2 : 1 :: Tall homozygous : Tall heterozygous : Dwarf
  - 1 : 2 : 1 :: Tall heterozygous : Tall homozygous : Dwarf
  - 3 : 1 :: Tall : Dwarf
  - 3 : 1 :: Dwarf : Tall
42. An abnormal human baby with 'XXX' sex chromosomes was born due to
- formation of abnormal ova in the mother
  - fusion of two ova and one sperm
  - fusion of two sperms and one ovum
  - formation of abnormal sperms in the father
43. In a testcross involving  $F_1$  dihybrid flies, more parental-type offspring were produced than the recombinant-type offspring. This indicates
- the two genes are located on two different chromosomes.
  - chromosomes failed to separate during meiosis.
  - the two genes are linked and present on the same chromosome.
  - both of the characters are controlled by more than one gene.

44. Which of the following would you expect to find in an inducible system ?
- A repressor protein, which is bound to DNA in absence of any other factor.
  - A repressor protein, which is bound to DNA in the presence of a co-repressor.
  - An activator protein, which is bound to DNA in the absence of any other factor.
  - An activator protein, which is bound to DNA only in the absence of air inhibitor.
45. The fact that a purine always paired base through hydrogen bonds with a pyrimidine base leads to, in the DNA double helix.
- the antiparallel nature
  - the semiconservative nature
  - uniform width throughout DNA
  - uniform length in all DNA
46. Discontinuous synthesis of DNA occurs in one strand, because
- DNA molecule being synthesised is very long
  - DNA dependent DNA polymerase catalyses polymerisation only in one direction (5'→3')
  - It is a more efficient process
  - DNA ligase has to have a role
47. Who amongst the following scientists had no contribution in the development of the double helix model for the structure of DNA ?
- Rosalind franklin
  - Maurice Wilkins
  - Erwin Chargaff
  - Meselson and Stahl

48. (i) 
- (ii) 
- (iii) 

Identify (i), (ii) and (iii).

- (i) Elongation, (ii) Termination, (iii) Initiation
- (i) Initiation, (ii) Termination, (iii) Elongation
- (i) Initiation, (ii) Elongation, (iii) Termination
- (i) Termination, (ii) Elongation, (iii) Initiation


### SECTION-C

**DIRECTION:** This section consists of one case followed by 6 questions linked to this case (Q.No.49 to 54). Besides this, 6 more questions are given. Attempt any 10 questions in this section. The first attempted 10 questions would be evaluated.

A newly married couple was afraid of using contraceptive and IUDs. So they opted for natural method of contraception. During a random counselling session, the couple found that natural contraception is not reliable, instead they can use barrier contraceptive.


49. Natural method of birth control include
- Abstinence
  - Lactational amenorrhoea
  - Coitus interrupts
  - All of these
50. Which one of the following is the most widely accepted method of contraception in India, as at present?
- IUD
  - Cervical cap
  - Tubectomy
  - Diaphragms
51. The action of contraceptive is
- prevention of ovulation and fertilisation
  - prevent ovulation only
  - prevent rapid passing of eggs in the oviduct
  - prevention of ovulation, implantation and fertilization only.

52. Which is the hormonal method of birth control?  
 (a) Pill (b) Vasectomy (c) Copper IUD (d) Femidom
53. What is the function of copper T?  
 (a) stop obliteration of the blastocoel (b) checks mutation  
 (c) stops fertilisation (d) stop zygote formation
54. Find out correct choice for IUD.  
 i. Induces phagocytosis of sperms.  
 ii. Sperm motility and fertilising capacity of sperms is suppressed by the release  $Cu^{2+}$  ions.  
 iii. Make the uterus unsuitable for implantation.  
 (a) i, ii and iii (b) i and ii (c) Only i (d) None of the above
55. The given figure shows *lac* operon model and its functioning. Select the option which correctly labels A, B, X, Y and Z marked in the figure and also identify the label which is primarily responsible for the hydrolysis of the disaccharide, lactose, into galactose & glucose.




	A	B	X	Y	Z	L
(a)	Repressor	Inducer	$\beta$ -Galactosidase	Permease	Transacetylase	X
(b)	Repressor	Inducer	Permease	$\beta$ -Galactosidase	Transacetylase	Y
(c)	Inducer	Repressor	$\beta$ -Galactosidase	Permease	Transacetylase	Z
(d)	Inducer	Repressor	$\beta$ -Galactosidase	Transacetylase	Permease	B

56. Which of the following option is correct regarding the diagram given below?




- (a) It is a device made of rubber and inserted into the female reproductive tract to cover the cervix during coitus.  
 (b) It is a device made of thin rubber/ latex sheath and are used to cover penis in the male.  
 (c) This device is inserted by doctors in the uterus through vagina and increases phagocytosis of sperms within the uterus.  
 (d) It is a set of 6-small plastic capsules (called implant) which are placed under the skin of a women's upper arm and it prevent pregnancy.
57. The given figure shows a diagrammatic view of a typical anatropous ovule, in which some parts are marked as A, B, C & D. Identify the correct labelling of A, B, C & D from the options given below.




- (a) A – Chalazal pole; B – Micropyle; C – Embryo sac; D – Nucellus
- (b) A – Micropyle; B – Chalazal pole; C – Embryo sac; D – Nucellus
- (c) A – Micropyle; B – Chalazal pole; C – Nucellus; D – Embryo sac
- (d) A – Micropyle; B – Nucellus; C – Embryo sac; D – Chalazal pole

58. Given below is a diagrammatic sketch of a portion of human male reproductive system. Select the correct set of the names of the parts marked as A, B, C, and D.




- | A                | B               | C                   | D                   |
|------------------|-----------------|---------------------|---------------------|
| (a) Ureter       | Seminal vesicle | Prostate            | Bulbourethral gland |
| (b) Ureter       | Prostate        | Seminal vesicle     | Bulbourethral gland |
| (c) Vas deferens | Seminal vesicle | Prostate            | Bulbourethral gland |
| (d) Vas deferens | Seminal vesicle | Bulbourethral gland | Prostate            |

59. Which of the following human developmental stage becomes embedded in the uterine endometrium by a process called implantation and leads to pregnancy?



60. Study the pedigree chart given below and choose its correct representation.



- (a) Inheritance of a condition like phenylketonuria as an autosomal recessive trait.
- (b) The pedigree chart is wrong as this is not possible.
- (c) Inheritance of a recessive sex-linked disease like haemophilia.
- (d) Inheritance of a sex-linked inborn error of metabolism like phenylketonuria.



# OMR ANSWER SHEET

## Sample Paper No – 8

- ★ Use Blue / Black Ball pen only.
- ★ Please do not make any stray marks on the answer sheet.
- ★ Rough work must not be done on the answer sheet.
- ★ Darken one circle deeply for each question in the OMR Answer sheet, as faintly darkened / half darkened circle might be rejected.

Start time : \_\_\_\_\_ End time \_\_\_\_\_ Time taken \_\_\_\_\_

1. Name (in Block Letters)

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

2. Date of Exam

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

3. Candidate's Signature

### SECTION-A

1.	(a)	(b)	(c)	(d)	9.	(a)	(b)	(c)	(d)	17.	(a)	(b)	(c)	(d)
2.	(a)	(b)	(c)	(d)	10.	(a)	(b)	(c)	(d)	18.	(a)	(b)	(c)	(d)
3.	(a)	(b)	(c)	(d)	11.	(a)	(b)	(c)	(d)	19.	(a)	(b)	(c)	(d)
4.	(a)	(b)	(c)	(d)	12.	(a)	(b)	(c)	(d)	20.	(a)	(b)	(c)	(d)
5.	(a)	(b)	(c)	(d)	13.	(a)	(b)	(c)	(d)	21.	(a)	(b)	(c)	(d)
6.	(a)	(b)	(c)	(d)	14.	(a)	(b)	(c)	(d)	22.	(a)	(b)	(c)	(d)
7.	(a)	(b)	(c)	(d)	15.	(a)	(b)	(c)	(d)	23.	(a)	(b)	(c)	(d)
8.	(a)	(b)	(c)	(d)	16.	(a)	(b)	(c)	(d)	24.	(a)	(b)	(c)	(d)

### SECTION-B

25.	(a)	(b)	(c)	(d)	33.	(a)	(b)	(c)	(d)	41.	(a)	(b)	(c)	(d)
26.	(a)	(b)	(c)	(d)	34.	(a)	(b)	(c)	(d)	42.	(a)	(b)	(c)	(d)
27.	(a)	(b)	(c)	(d)	35.	(a)	(b)	(c)	(d)	43.	(a)	(b)	(c)	(d)
28.	(a)	(b)	(c)	(d)	36.	(a)	(b)	(c)	(d)	44.	(a)	(b)	(c)	(d)
29.	(a)	(b)	(c)	(d)	37.	(a)	(b)	(c)	(d)	45.	(a)	(b)	(c)	(d)
30.	(a)	(b)	(c)	(d)	38.	(a)	(b)	(c)	(d)	46.	(a)	(b)	(c)	(d)
31.	(a)	(b)	(c)	(d)	39.	(a)	(b)	(c)	(d)	47.	(a)	(b)	(c)	(d)
32.	(a)	(b)	(c)	(d)	40.	(a)	(b)	(c)	(d)	48.	(a)	(b)	(c)	(d)

### SECTION-C

49.	(a)	(b)	(c)	(d)	53.	(a)	(b)	(c)	(d)	57.	(a)	(b)	(c)	(d)
50.	(a)	(b)	(c)	(d)	54.	(a)	(b)	(c)	(d)	58.	(a)	(b)	(c)	(d)
51.	(a)	(b)	(c)	(d)	55.	(a)	(b)	(c)	(d)	59.	(a)	(b)	(c)	(d)
52.	(a)	(b)	(c)	(d)	56.	(a)	(b)	(c)	(d)	60.	(a)	(b)	(c)	(d)

No. of Qns. Attempted		Correct		Incorrect		Marks	
-----------------------	--	---------	--	-----------	--	-------	--