Mrs (17) Soil & mater Commer Vation 15P/289/2 Enge (355)

			Quest	tion Booklet No
	(To be filled up by the candidate by blue/black ball-point pen)			
toll No.				
toll No. Write the d	igits in words)			
ierial No. o	OMR Answer Shee	t	· ·····	***
)ay and Date (Signature of Invigilator			(Signature of Invigilator)	

INSTRUCTIONS TO CANDIDATES

(Use only blue/black balf-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 10 minutes of the issue of the Question Booklet, check the Question Booklet to ensure that it contains all the pages in correct sequence and that no page/question is missing. In case of faulty Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and also Roll No. and OMR sheet No. on the Question Booklet.
- Any changes in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as unfairmeans.
- 8. Each question in this Booklet is followed by four alternative arswers. For each question, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by ball-point pen as mentioned in the guidelines given on the first page of the Answer Sheet.
- For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit only the OMR Answer Sheet at the end of the Test.
- 13. You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

[उपर्युक्त निर्देश हिन्दी में अन्तिम आवरण-पृष्ठ पर दिये गये हैं।]

Total No. of Printed Pages: 14





[Full Marks : 360

No. of Questions: 120

Note: (i) Attempt as many questions as you can. Each question carries 3 (three) marks.

One mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question.

- (ii) If more than one alternative answers seem to be approximate to the correct answer, choose the closed one.
- 1. Darcy's law is valid under the condition of :
 - (1) Laminar flow with Reynold No. > 10
 - (2) Reynold No. < 1.0

Time : 2 Hours]

- (3) Reynold No. > 1000
- (4) Study uniform flow
- 2. Ratio of volume of water added or removed directly from the saturated aquifer to the resulting change in volume of aquifer below the water table is called:
 - (1) apparent specific yield
 - (2) specific yield
 - (3) storage coefficient
 - (4) specific storage
- 3. A saturated soil sample has 42.2 per cent water content and unit weight 2.69.
 The void ratio of the soil sample will be:
 - (1) 0.784

(2) 0.478

(3) 0.874

(4) 0.087

- Soil texture refers to :
 - (1) arrangement of soil particles
 - (2) size of soil particles
 - (3) colour of soil particles
 - (4) none of the above

P.T.O.



- 5. Cohesion is:
 - (1) attraction of similar molecules
 - (2) attraction between two different molecules

 - (3) both (1) & (2) (4) none of the above
- 6. Permeability of Clay soil as compared to sandy soil is:
 - (1) equal
- (2) more
- (3) lesser
- (4) difficult to say
- 7. If T is the return period, then the term (T-1)/T give the probability of:
 - (1) occurrence of event
 - (2) non-occurrence of event
 - (3) both (1) and (2)



15.	Adhesion is: (1) attraction of similar molecules (2) attraction between two different molecules (3) both (1) & (2) (4) none of the above				•
16.	A centrifugal pump running 1450 RPM. The specific speed of the pump will be: (1) 12 (2) 16	[dis (3)		at 30 m total h	iead.
17.	Matric potential in soil profile can be me (1) Hygrograph (3) Potentiometer	(2) (4)	Tensiometer Luxmeter		
18.	Wheat supplied with similar quantity of (1) saline soils (2) alkali soil	(3)	sodic soils	(4) normal so	DIIS
19.	An instrument used for measurement soils is: (1) Permeameter (2) hydrometer		conductivity m		
20.	Rate of water loss from a short green known as: (1) Consumptive use (3) Potential evapotranspiration	(2)	s which is nev Evapotranspira Transpiration		ter is
21.		(2)	ter of about : 120 cm 175 cm		
22.	The ratio of volume of voids to the total (1) Void ratio (3) Dry bulk density	(2) (4)	Porosity Wet bulk dens	ity	
23.	Keeping other factors constant, doublin discharge by: (1) 11% (3) 50%	(2) (4)	20% 100%		se the
24.	The well in which the water level remains (1) Non-artesian wells (3) Non-flowing artesian well	(2)	t the water table Flowing artesi Confined well	an well	
25.	The relation between duty and delta is: (1) $\Delta = 864 \text{ B/D}$ (3) $\Delta = 864 \text{ D/B}$	(2)	$\Delta = 860 \text{ B/D}$ none of the ab	ove	
	(3)				P.T.O:



- 26. If the Impellor speed of centrifugal pump is doubled, the power consumption will be:
 - (1) the same
- (2) 4 times
- (3) 8 times
- (4) 16 times
- 27. Modified Penman method for computing Potential Evapotranspiration includes:
 - (1) energy terms

- (2) aerodynamic terms
- (3) both (1) & (2) above
- (4) none of the above
- 28. Water flow through a 1.2 m long cylindrical soil column having 650 cm² cross sectional area, is 800 litres per minute. If the hydraulic head is 1.5 m, the hydraulic conductivity of the soil will be:



		· ·
37.	Infiltration is measured by:	(2) USWB class A pan
	(1) cylindrical metal rings	(4) rain gauge
10121	(3) lysimeter	process by which liquid on free surface is
38.	transformed into:	
		(2) clouds
	(1) a solid state	(4) rainfall
	(3) a gaseous state	
39.	Evaporation from a free water surface i	(2) in filtrameter
	(1) lysimeter	(2) infiltrometer
	(3) USWB class A Pan	(4) anemometer
40.	Overall project irrigation efficiency in	Govt. owned irrigation projects in India
	is about :	
	(1) 5% (2) 30%	(3) 70% (4) 80%
41.	In normal condition water loss from su	rface irrigation varies from:
	(1) 30 to 45% (2) 25 to 30%	(3) 10 to 15% (4) 15 to 20 %
42.	Canal lining is essential to check the:	
	(1) seepage losses	(2) evaporation losses
12	(3) growth of weeds	(4) flow rate of canal
43.	(1) programme of integrated manage	ment
	(2) participatory irrigation management	ent
	(3) pressure irrigation management	
	(4) private irrigation management	
44.	Water meter is used for measuring the	(3) runoff (4) channel flow
	(1) stream current (2) pipe flow	
45.	Which of the following is not related (1) Check gate	(2) Water course
	(3) Turnout	(4) Coshocton wheel
46.	renewal and the same is not related to dr	ainage?
40.	(1) venturi meter (2) mole	(3) 20-40 rule (4) water logging
47	. Drainable water is the :	(2) capillary water
	(1) hygroscopic water	(4) perched water
	(3) gravitational water	PTO.
	(5	5)





58.	The formation w	which contains sufficie	ent water but has v	very small quantity to
	ransfer the water			(4) Blind aquifer
	(1) Aquifuse	(2) Acquiclude	(3) Aquitard	(4) pilitu aquirer

(2) Acquiclude (1) Aquifuse

59. Porosity of soil formation is the ratio of:

(1) Volume of formation to the volume of voids

(2) Volume of voids to the volume of formation

(3) Water volume to the soil volume

(4) Percent micro pores in the formation

Piezometer are installed for measuring pressure head in :

(1) perched aquifer

(2) confined aquifer





79.	The limit of slope length at which soil er (1) optimum slope length (3) allowable slope length	(4) none of the above	
80.	Transportation of soil particles under sp (1) level land surface (3) irregular surface	(4) level land without cover	
81.	Soil detachment by raindrop is indepen (1) land slope (2) soil colour	dent of: (3) soil depth (4) soil texture	
82.	Rill erosion is also known as: (1) gully erosion (3) micro erosion	(2) micro channel erosion (4) path erosion	4
83 .	Sheet flow is generated, when: (1) land slope is steep (2) land surface is rough (3) land surface is smooth with uniform (4) both (1) & (2)	n slope	A.
84.	Rill erosion usually begins in the: (1) lower part of land slope (3) middle of land slope	(2) upper part of land slope(4) entire length of land slope	9
85.	Sediment yield will be higher from the (1) splash or raindrop erosion (3) rill erosion	(4) both (1) & (2)	
86.	Soil detachment in raindrop erosion ta (1) K.E. of raindrop (3) P.E. of raindrop	(4) land slope	
87.	Detachment of soil particle by flowing (1) square of its velocity (3) power three of its velocity	(4) power 1.5 of its velocity	
88	 Transportation ability of flowing water (1) fifth power of its velocity (3) square root of its velocity 	(4) fourth power of its velocity	*
89	Organic erosion occurs in the form of (1) phytogenic erosion (2)	(4) both (1) & (2)	nes
90	(1) anthropogenic erosion	deforestation cultivation on steep slop ated to: (2) phytogenic erosion (4) extraction	e .
	(3) zoogenic erosion (9	P.	T.O



101.	Bed width of medium gully is: (1) more than 50 m (3) 20 m The flow velocity of run-off at which	(2) not less than 18 m (4) 4 to 8 m h washing of soil particle takes place is
	called as: (1) maximum velocity (3) critical velocity	(2) permissible velocity(4) design velocity
103.	Design of diversion ditches is based of (1) 5 to 10 years (2) 50 years	(3) 25 years (2) 200 years
104	Location of permanent gully control s	tructure is decided on the basis of:







