Sample Paper

Time: 90 Minutes Max Marks: 40

General Instructions

1.	The question	paper	contains	three	parts A	, <i>B</i>	and	C.
----	--------------	-------	----------	-------	---------	------------	-----	----

- Section A consists of 20 quesions of 1 mark each. Any 16 quesitons are to be attempted. 2.
- Section B consists of 20 quersions of 1 mark each. Any 16 quesions are to be attempted. 3.

Given $\triangle ABC \sim \triangle DEF$. If AB = 2DE and area of $\triangle ABC$ is 56 cm² find the area of $\triangle DEF$.

(b) 5 sq.cm

- Section C consists of 10 quesions based two Case Studies. Attempt any 8 questions. 4.
- There is no negative marking.

(a) 14 sq.cm

SECTION-A

Sec	tion A consists of 20 ques	stions of	1 mark each. Any 10	6 quesion	s are to be attempted	d.		
1.	Find a quadratic polynomial whose zeroes are 8 and 10.							
	(a) $k(x^2 + 10x + 80)$	(b)	$k(x^2 - 2x + 1)$	(c)	$k(x^2 - 18x + 80)$	(d) $k(x^2 + 6x + 9)$		
2.	What type of a triangle is formed with points $(3, -3)$, $(-3, 3)$ and $\left(-3\sqrt{3}, -3\sqrt{3}\right)$ as vertices?							
	(a) A scalene triangle				An equilateral trian			
	(c) An isosceles triang	gle		(d)	A right triangle			
3.	The difference between	The difference between two numbers is 26 and one number is three times the other. Find them.						
	(a) 39, 13	(b)	41, 67	(c)	96, 70	(d) 52, 26		
4.	A copper wire when bent in the form of an equilateral triangle has area $121\sqrt{3}$ cm ² . If the same wire is bent into the form of a circle, find the area enclosed by the wire.							
	(a) 345.5 cm^2	(b)	346.5 cm^2	(c)	342.5 cm^2	(d) 340.25 cm^2		
5.	Three wheels can complete respectively 60, 36, 24 revolutions per minute. There is a red spot on each wheel that touches the ground at time zero. After how much time, all these spots will simultaneously touch the ground again?							
	(a) 3 second	(b)	4 second	(c)	5 second	(d) 7 second		
6.	If, $\sin \theta = \frac{a^2 - b^2}{a^2 + b^2}$ then find $\csc \theta + \cot \theta$.							
	(a) $\frac{a}{a+b}$	(b)	$\frac{b+a}{b-a}$	(c)	$\frac{a^2}{a+b}$	(d) $\frac{a+b}{a-b}$		
7.	The point which divides the line segment joining the points (7, -6) and (3, 4) in ratio 1:2 internally lies in the							
	(a) I quadrant	(b)	II quadrant	(c)	III quadrant	(d) IV quadrant		
8.	An unbiased die is rolle	ed twice.	Find the probabilit	y of getti	ng the sum of two m	umbers as a prime		


(c) 18 sq.cm

(d) 56 sq.cm

number of discs that can be prepared.

	(a) 114	(b)	113	(c)	110	(d)	112
11.	If two positive integers a a	and b	are written as $a = x^3y^2$ a	nd b	$= xy^3$; x , y are prime number	rs, th	en HCF (a, b) is
	(a) <i>xy</i>	(b)	xy^2	(c)	x^3y^3	(d)	x^2y^2
12.	If $\frac{\tan \theta}{1 - \cot \theta} + \frac{\cot \theta}{1 - \tan \theta} = \frac{-\lambda}{2}$	<u>k</u> −+ se	c θ cosec θ				
	Find the value of k.						
	(a) 1	(b)	0	(c)	3	(d)	2
13.	Five years ago Nuri was t Sonu?	hrice	as old as Sonu. Ten year	ars la	ter, Nuri will be twice as o	ld as	Sonu. How old are Nuri and
	(a) 50 yrs, 20 yrs	(b)	40 yrs, 30 yrs	(c)	60 yrs, 40 yrs	(d)	45 yrs, 15 yrs
14.	ABC is an isosceles triang Given $PQ = SR = y$ cm. an	_			BC = 12 cm. PQRS is a recta	angle	e inside the isosceles triangle.
	(a) $6 - \frac{3y}{4}$	(b)	6 + 6y	(c)	$6 + \frac{4y}{3}$	(d)	$\frac{7x + 8y}{4}$
15.	If $f(x) = x^2 + 5x + p$ and g	(x) =	$x^2 + 3x + q$ have a com	non :	factor, then $(p-q)^2 = \underline{\hspace{1cm}}$		_
	(a) $2(5p - 3q)$	(b)	2(3p - 5q)	(c)	3p-5q	(d)	5p-3q
16.	A month is randomly selected outcomes of event X.	ected	from a year. An event	X is	defined as 'the month with	30 0	days'. Identify the number of
	(a) 1	(b)	6	(c)	3	(d)	4
17.	If $x^2 = \frac{5}{9}$, then find when	ther tl	ne variable x is rational	or irr	ational		
	(a) Rational	(b)	Irrational	(c)	Composite	(d)	Integer
18.	If $P = (2, 5)$, $Q = (x, -7)$ as	nd PÇ	Q = 13, what is the value	of 'x	κ'?		
	(a) 5	(b		(c)		(d)	
19.	In the figure, two chords A which of the following is			t eac	h other at the point P (when	prod	luced) outside the circle. Then
	(a) $PA.PB = PC^2$	(b)	PA.PB = PC.PD	(c)	$(PA)^2 = \frac{PB.PB}{2}$	(d)	$PC \times PC = PD$
20.	If $\tan \theta = \frac{a \sin \phi}{1 - a \cos \phi}$ and	tan ¢	$a = \frac{b\sin\theta}{1 - b\cos\theta}$, then $\frac{a}{b} = \frac{a}{b}$	=			
	(a) $\frac{\sin \theta}{1-\cos \phi}$	(l ₂)	$\sin \theta$	(a)	$\sin \phi$	(4)	$\frac{\sin \theta}{\sin \phi}$
	(a) $1-\cos\phi$	(0)	$1-\cos\phi$	(6)	$\overline{\sin \theta}$	(u)	$\sin \phi$
			SEC	CTIO	N-B		
Sect	ion B consists of 20 questio	ns of	1 mark each. Any 16 qu	esion	s are to be attempted.		
21.	$x^n + y^n$ is divisible by $(x +$	y) w	hen 'n' is				_
	(a) an even number		an odd number	(c)	a prime number	(d)	a natural number
22.	ΔABC is an isosceles trian between the areas of ΔAB			triar	ngles ACD and aBE are cons	struc	ted on sides AC and AB. ratio
	(a) 1:4	` ′	2:1	()	1:2	\ /	4:3
23.	in the given figure, a circle	e with	n centre B overlaps anot	her c	ircle with centre A and a squ	uare.	The ratio of areas of P and Q
	is 5 : 4 and the area of Q i	$s = \frac{1}{c}t$	he area of circle B. The	radii	of circle A and circle B are	10 cı	m and 8 cm respectively.

10. A sheet is 11 cm long and 2 cm wide. Circular pieces of diameter 0.5 cm are cut from it to prepare discs. Calculate the



Find the area of the unshaded part of the figure. (Take $\pi = 3.14$)

- (a) 449.75 cm^2
- (b) 520.60 cm^2
- (c) 563.72 cm^2
- (d) 507.44 cm^2

- 24. The set of real numbers does not satisfy the property of
 - (a) multiplicative inverse

(b) additive inverse

(c) multiplicative identity

- (d) none of these
- 25. The perimeter of a triangle with vertices (0, 4), (0, 0) and (3, 0) is

- (b) 12

- (d) $7 + \sqrt{5}$
- Divide 62 into two parts such that fourth part of the first and two-fifth part of the second are in the ratio 2:3. **26.**
- (b) 32, 30
- (c) 16, 46

- 27. For the equations $(p+2)\left(q-\frac{1}{2}\right)=pq-5$ and $(p-2)\left(q-\frac{1}{2}\right)=pq-5$, find the solution set (p,q).
 - (a) $\left(-10, -\frac{1}{2}\right)$ (b) $\left(-10, \frac{1}{2}\right)$ (c) $\left(10, -\frac{1}{2}\right)$

- (d) $\left(10, \frac{1}{2}\right)$

28. If $\cos \theta + \sqrt{3} \sin \theta = 2 \sin \theta$

Then $\sin \theta - \sqrt{3} \cos \theta$

- (a) $\cos \theta$
- (b) $\sin \theta$
- (c) $2\cos\theta$
- (d) $2 \sin \theta$
- 29. Which of the following is the quadratic polynomial whose zeros are $\frac{1}{3}$ and $\frac{-2}{5}$?
 - (a) $15x^2 + x 2$
- (b) $15x^2 + 5x 6$
- (c) $15x^2 5x + 6$
- (d) $15x^2 x + 2$
- **30.** Two fair dice are thrown. Find the probability that both dice show different numbers.

(b) $\frac{5}{6}$

- 31. The coordinates of the mid points of the line segment joining the points (3p, 4) and (-2, 2q) are (5, p). Then
 - (a) p = 4, q = 2
- (b) q = 6, p = 2
- (c) p + q = 8
- (d) p q = -2

- **32.** The sum of a rational and an irrational number is
 - (a) an irrational number (b) a rational number
- (c) an integer
- (d) a whole number

- 33. Solve for $\theta \frac{\cos^2 \theta}{\cot^2 \theta \cos^2 \theta} = 3$; $(\theta < 90^\circ)$:

(c) 0°

- (d) 60°
- Two poles of heights 6 metres and 11 metres stand vertically on a plane ground. If the distance between their feet is 12 34. metres, what will be the distance between their tops?
- (b) 12 m
- (c) 13 m


- (d) 15 m
- **35.** In the given figure, O is the centre of the circle whose diameter is 14 cm.

Find the perimeter of the figure. (Use $\pi = \frac{22}{7}$)

- (a) 134 cm
- (b) 124 cm
- (c) 112 cm
- (d) 160 cm
- **36.** Twice the product of the zeroes of the polynomial $23x^2 26x + 161$ is 14p. Then p is
 - (a) 3

(b) 1

(d) (-1)



	.74			———— Mathemati
	(a) 2:3	(b) 1:6	ine-segment joining the points (-3, 5 (c) 6:1 0. One of them exceeds the other by	(d) 2:1
	(a) 73	(b) 91	(c) 67 EF = 2.8 cm. If the area of triangle Γ	(d) 57
	ABC (in sq. cm) is (a) 9	(b) 12	(c) 8	(d) 13
40.	The value of k for whic (a) not equal to one	th the system of equation (b) equal to three	on $kx - y = 2$, $6x - 2y = 3$ has unique (c) not equal to zero	solution is (d) not equal to three
			SECTION-C	
		Cas	se Study Based Questions:	
Sect	tion C consists of 10 ques	ions of 1 mark each. Ar	ny 8 quesions are to be attempted.	
$\overline{\mathbf{Q}}$ 41	1 Q 45 are based on ca	ase study-I		
			Case Study-I	
Situ	ation-1			
	$F. \times L.C.M. = Product of$	f two integers.		
	The H.C.F. of two num	bers is 16 and their prod	duct is 3072. Find their L.C.M.	
42	(a) 182	(b) 121	(c) 192	(d) 3647
42.	The sum of two number (a) 108, 27	rs is 135 and their H.C.I (b) 72, 54	F. is 27. If their L.C.M. is 162, the nu (c) 81, 54	(d) 99, 36
Situ	ation-2			
natu 43.	Iral number which is mult If p and q are two co-pr (a) p	tiple of all the numbers. ime natural numbers, the (b) q	nen their HCF is equal to (c) 1	(d) pq
44.	The LCM and HCF of t (a) prime	(b) co-prime	re equal, then the numbers must be (c) composite	(d) equal
45.			in the form $a = pq^2$ and $b = p^3q$; p, q	
	(a) pq	(b) p^3q^3	(c) p^3q^2	(d) p^2q^2
		1 / 1 1	() I I	() 1 1
Q 40	6 - Q 50 are based on ca	se study-11		
Q 40	6 - Q 50 are based on ca	ise study-11	Case Study-II	
			Case Study-II es each with number '2' and one face	e with number '3'. Die is rolled on
		n number '1', three face	Case Study-II es each with number '2' and one face	e with number '3'. Die is rolled one
A di	te has two faces each with	n number '1', three face	es each with number '2' and one face	
A di	e has two faces each with	n number '1', three face	-	e with number '3'. Die is rolled one (d) None of these
A di	te has two faces each with	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$	es each with number '2' and one face (c) $\frac{1}{3}$	
A di 46.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting the pr	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ In the number 1 or 3 is	es each with number '2' and one face (c) $\frac{1}{3}$	(d) None of these
A di 46.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$	es each with number '2' and one face (c) $\frac{1}{3}$	
A di 46.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting the pr	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ ng the number 1 or 3 is (b) $\frac{1}{6}$	es each with number '2' and one face (c) $\frac{1}{3}$	(d) None of these
A di 46. 47.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting (a) $\frac{1}{3}$ The probability of not getting the probability of not getting the probability of the probabil	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ In the number 1 or 3 is (b) $\frac{1}{6}$ The setting the number 3 is	es each with number '2' and one face (c) $\frac{1}{3}$ (c) $\frac{1}{2}$	(d) None of these
A di 46. 47.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting (a) $\frac{1}{3}$ The probability of not getting (a) $\frac{1}{6}$	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ In the number 1 or 3 is (b) $\frac{1}{6}$ Setting the number 3 is (b) $\frac{5}{6}$	es each with number '2' and one face (c) $\frac{1}{3}$	(d) None of these(d) None of these
A di 46. 47.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting (a) $\frac{1}{3}$ The probability of not getting the probability of not getting the probability of the probabil	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ In the number 1 or 3 is (b) $\frac{1}{6}$ Setting the number 3 is (b) $\frac{5}{6}$	es each with number '2' and one face (c) $\frac{1}{3}$ (c) $\frac{1}{2}$	(d) None of these(d) None of these
A di 46. 47.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting (a) $\frac{1}{3}$ The probability of not getting (a) $\frac{1}{6}$	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ In the number 1 or 3 is (b) $\frac{1}{6}$ Setting the number 3 is (b) $\frac{5}{6}$	es each with number '2' and one face (c) $\frac{1}{3}$ (c) $\frac{1}{2}$	(d) None of these(d) None of these
A di 46. 47.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$ The probability of getting (a) $\frac{1}{3}$ The probability of not given (a) $\frac{1}{6}$ Probability of getting probability probability probability probability pr	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ Ing the number 1 or 3 is (b) $\frac{1}{6}$ Setting the number 3 is (b) $\frac{5}{6}$ Frime number (b) $\frac{1}{2}$	es each with number '2' and one face $(c) \frac{1}{3}$ $(c) \frac{1}{2}$ $(c) \frac{1}{2}$	(d) None of these(d) None of these(d) None of these
A di 46. 47. 48.	the has two faces each with The probability of obtain (a) $\frac{1}{2}$. The probability of getting (a) $\frac{1}{3}$. The probability of not given (a) $\frac{1}{6}$. Probability of getting prob	n number '1', three face ining the number 2 is (b) $\frac{1}{6}$ Ing the number 1 or 3 is (b) $\frac{1}{6}$ Setting the number 3 is (b) $\frac{5}{6}$ Frime number (b) $\frac{1}{2}$	es each with number '2' and one face $(c) \frac{1}{3}$ $(c) \frac{1}{2}$ $(c) \frac{1}{2}$	(d) None of these(d) None of these(d) None of these

OMR ANSWER SHEET Sample Paper No –

Use Blue / Black Ball pen only.

 Please do not make any atray ma Rough work must not be done or Darken one circle deeply for each or 	the answer sheet.	sheet, as faintly dark	end / half da	rkened circle mig	ght by rejected.
Start time : E	nd time	Time taken _			
1. Name (in Block Letters) 2. Date of Exam 3. Candidate's Signature					
	SECTIO				
1. a b c d 2. a b c d 3. a b c d 4. a b c d 5. a b c d 6. a b c d 7. a b c d 8. a b c d	9. a b 10. a b 11. a b 12. a b 13. a b 14. a b 15. a b 16. a b		17. (a) 18. (a) 19. (a) 20. (a)	(b) (c) (b) (c) (b) (c) (d)	
	SECTIO	N-B	'		
21. a b c d 22. a b c d 23. a b c d 24. a b c d 25. a b c d 26. a b c d 27. a b c d 28. a b c d	34. (a) (b) 35. (a) (b) 36. (a) (b)		37. (a) 38. (a) 39. (a) 40. (a)	(a) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d) d) d
	SECTIO				
41. (a) (b) (c) (d) 42. (a) (b) (c) (d) 43. (a) (b) (c) (d) 44. (a) (b) (c) (d)	45. a b 46. a b 47. a b 48. a b		49. a 50. a	(b) (c)	
No. of Qns. Attempted	Correct	Incorrect		Marks	

Page for Rough Work