Question Paper Name: Civil Engineering 30th April 2019 Shift 1

Yes

Subject Name: Civil Engineering

Share Answer Key With Delivery

Engine:

Actual Answer Key: Yes

Mathematics

Number of Questions:50Display Number Panel:YesGroup All Questions:No

Question Number: 1 Question Id: 67809438257 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The adjoint of
$$A = \begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$
 is

Options:

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$

I.

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$

 $\begin{pmatrix} 3 & 0 & 6 \\ 6 & 3 & 0 \\ 9 & 6 & 3 \end{pmatrix}$

$$\begin{pmatrix} 3 & 2 & 1 \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$$

Question Number: 2 Question Id: 67809438258 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If A is a square matrix of order 3 then (adj A).A=



1. ... (.....) ...

 $_{2.}$ A× (adj A)

3 A- (adj A)

A+ (adj A)

Question Number : 3 Question Id : 67809438259 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The inverse of $A = \begin{pmatrix} 2 & 3 \\ 2 & 5 \end{pmatrix}$ is

Options:

$$\begin{pmatrix} 5/_{4} & -3/_{4} \\ 1/_{2} & 1/_{2} \end{pmatrix}$$

$$\begin{pmatrix} 5/_{4} & 3/_{4} \\ -1/_{2} & 1/_{2} \end{pmatrix}$$

$$\begin{pmatrix} 5/_{4} & -5/_{4} \\ -1/_{2} & 1/_{2} \end{pmatrix}$$

 $\begin{pmatrix} 5/_{4} & -3/_{4} \\ -1/_{2} & 1/_{2} \end{pmatrix}$

Question Number: 4 Question Id: 67809438260 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $A = \begin{pmatrix} 3 & 2 & x \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$ is a singular matrix then the value of x is

$$-\frac{11}{12}$$

J.

$$\frac{5}{4}$$

Question Number: 5 Question Id: 67809438261 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical

If
$$A = \begin{pmatrix} 3 & 1 \\ -1 & 2 \end{pmatrix}$$
 then $A^2 - 5A + 7I$ is

Options:

$$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 0 & 3 \\ 2 & 0 \end{pmatrix}$$

$$\begin{pmatrix} 2 & 3 \\ 2 & 5 \end{pmatrix}$$

Question Number: 6 Question Id: 67809438262 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical

Resolve
$$\frac{3x+7}{(x-1)(x-2)}$$
 into partial fractions

$$\frac{12}{(x-2)} - \frac{10}{(x-1)}$$

$$2. \frac{13}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{3} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-2)} - \frac{10}{(x-7)}$$

Resolve $\frac{5x^4+1}{x^3-1}$ into partial fractions

Options:

$$\frac{12}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-5)} - \frac{10}{(x-1)}$$

$$\frac{2}{(x-1)} + \frac{3x+1}{x^2+x+1}$$

Question Number: 8 Question Id: 67809438264 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $tan^2\theta + sec\theta = 5$ then the value of $cos\theta$ is

Options:

$$\frac{-1}{3}$$
 or $\frac{1}{2}$

$$_{2}$$
 $-\frac{11}{12}$ or $\frac{1}{2}$

$$^{13}/_{12}$$
 or $^{-1}/_{3}$

3.

$$_{4.}$$
 $^{5}/_{4}$ or $^{1}/_{2}$

Question Number: 9 Question Id: 67809438265 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $16sin^3\theta + 8cos^3\theta$ is

Options:

1.

There is no correct option. All students will be given marks.

2. 1



4. 0

Question Number: 10 Question Id: 67809438266 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $sin\alpha = {}^{15}/_{17}$, $cos\beta = {}^{12}/_{13}$ then the value of $sin(\alpha + \beta)$ is

Options:

$$\frac{-121}{152}$$

Question Number: 11 Question Id: 67809438267 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of cos20°cos40°cos60°cos80° is

Options:

$$\frac{13}{3}/_{12}$$

$$\frac{5}{4}$$

4.

Question Number: 12 Question Id: 67809438268 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of
$$\frac{\cos 17^{\circ} + \sin 17^{\circ}}{\cos 17^{\circ} - \sin 17^{\circ}}$$
 is



- $_{2.}$ tan 65^{0}
- 3. tan60°
- 4. tan62°

Question Number: 13 Question Id: 67809438269 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\sin \frac{\pi}{5} \sin \frac{2\pi}{5} \sin \frac{3\pi}{5} \sin \frac{4\pi}{5} =$

Options :

- 1. 15
- $\frac{5}{16}$
- $\frac{-5}{3}$
- $\frac{7}{4}$ 15

Question Number: 14 Question Id: 67809438270 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $tan^{-1}x + tan^{-1}y + tan^{-1}z = \frac{\pi}{2}$ then the value of xy + yz + zx is

Options:

- 1. -1
- 2. 3
- 3. ⁵
- 4 1

Question Number: 15 Question Id: 67809438271 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The general solution of $4\cos^2 x - 3 = 0$ is

$$2n\pi \pm \frac{7\pi}{6}$$

$$3n\pi \pm \frac{5\pi}{6}$$

$$2n\pi \pm \frac{11\pi}{6}$$

Question Number: 16 Question Id: 67809438272 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The modulus of a complex number $\sqrt{3} + i$ is

Options:

- , 3
- 3. 2
- иē

Question Number: 17 Question Id: 67809438273 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $(a-b)^2 cos^2 \left(\frac{c}{2}\right) + (a+b)^2 sin^2 \left(\frac{c}{2}\right)$ is

Options:

- C 3
- 2. C
- 3 C
- 4. C²

Question Number: 18 Question Id: 67809438274 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$x + \frac{1}{x} = 2\cos\theta$$
 then the value of $x^n + \frac{1}{x^n}$ is

- $_2$ -2 cos $n\theta$
- $_{3.}$ 3 cos θ
- $_{4.}$ 2 sin $n\theta$

Question Number : 19 Question Id : 67809438275 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $2tan^{-1}\left(\frac{1}{3}\right) + tan^{-1}\left(\frac{1}{7}\right)$ is

Options:

- $\frac{\pi}{4}$
- $-\frac{\pi}{4}$
- $\frac{\pi}{6}$
- $\frac{\pi}{3}$

Question Number : 20 Question Id : 67809438276 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The length of the major axis of the ellipse: $4x^2 + 3y^2 = 48$ is

Options:

- 1. 10
- There is no correct option. All students will be given marks.
- _{3.} 12
- 4. 13

Question Number : 21 Question Id : 67809438277 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The Centre of the ellipse: $9x^2 + 25y^2 - 18x + 100y - 116 = 0$ is



$$(-1,-2)$$

Question Number: 22 Question Id: 67809438278 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of the parabola with vertex (2,-1) and focus (2,-3) is

Options:

$$\int_{1}^{2} x^2 - 4x + 8y + 12 = 0$$

$$x^2 - 4x - 8y - 12 = 0$$

$$x^2 + 4x - 8y - 12 = 0$$

$$x^2 + 5x - 8y - 11 = 0$$

Question Number : 23 Question Id : 67809438279 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The length of the latus rectum of the hyperbola: $\frac{x^2}{9} - \frac{y^2}{16} = 1$ is

Options:

1. 9 units

There is no correct option. All students will be given marks.

- 5 units
- , 6 units
- 4. 13 units

Question Number : 24 Question Id : 67809438280 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If the length of latus rectum is $\frac{9}{2}$ and the distance between its foci is 10 then the equation of hyperbola is **Options**:



$$\int_{9}^{x^2} \frac{x^2}{18} - \frac{y^2}{9} = 1$$

$$\frac{x^2}{16} - \frac{y^2}{6} = 1$$

$$\int_{4.}^{\frac{x^2}{16} - \frac{y^2}{9}} = 1$$

Question Number: 25 Question Id: 67809438281 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of the parabola with focus at (-3.2) and vertex (-2.2) is

Options:

$$x^2 - 4x + 8y + 12 = 0$$

$$x^2 + 5x - 8y - 11 = 0$$

$$y^2 + 4x - 4y + 12 = 0$$

$$_{4.} x^2 - 4x - 8y - 12 = 0$$

Question Number: 26 Question Id: 67809438282 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $y = \frac{a+bx}{b-ax}$ then the derivative of y with respect to x is

$$1. \frac{a^2+b^2}{(b-ax)^2}$$

$$\frac{a^2+b^2}{(b+ax)^2}$$

$$\frac{a^2-b^2}{(b-ax)^2}$$

$$4. \frac{a+b}{(b-ax)^2}$$



If $y = \frac{2+3\sinh x}{3+2\sinh x}$ then the derivative of y with respect to x is

Options:

$$\frac{5\cosh x}{(3+2\sinh x)^2}$$

$$\int_{2}^{5 \sinh x} \frac{5 \sinh x}{(3+2 \sinh x)^2}$$

$$\frac{5\sin x}{(3-2\cosh x)^2}$$

$$4 \frac{\sinh^2 x}{(2-3\sinh x)^2}$$

Question Number: 28 Question Id: 67809438284 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The range of x for which the function $x^3 - 3x^2 - 45x + 2$ is increasing with x is

Options:

$$(-3, -5)$$

There is no correct option. All students will be given marks.

Question Number : 29 Question Id : 67809438285 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If *u* is a homogeneous function of *x* and *y* with degree *n* then $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$

$$_{1.}$$
 - nu

$$2. n^2 u$$



Question Number: 30 Question Id: 67809438286 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The angle between the curves $y = x^2 + 3x - 7$ and $y^2 = 2x + 5$ at (2.3) is

Options:

- $\tan \theta = 2$
- $\sec \theta = 2$
- $3. \cos \theta = 1$
- $4. \sin \theta = 3$

Question Number: 31 Question Id: 67809438287 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum value of the function $2x^3 - 12x^2 + 18x + 5$ is

Options:

- 1. 13
- 2 12
- 3. 10
- 4. 15

Question Number : 32 Question Id : 67809438288 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The three sides of a trapezium are equal each being 6" long then the area of the trapezium when it is maximum is

- 27 square units
- 33 square units
- 3. $27\sqrt{3}$ square units
- $_{4.}$ $29\sqrt{3}$ square units



Orientation: Vertical

The interval in which the function $f(x) = x^2 \log x$ is an increasing function is

Options:

- $(1 , e^{-1/2})$
- $(2, e^{-1/2})$
- $(0, e^{1/2})$
- $(0, e^{-1/2})$

Question Number : 34 Question Id : 67809438290 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The stationary points and the corresponding values of the function $f(x) = x^3 - 9x^2 + 15x - 1$ is

Options:

- 1. 6.-26
- 3,-26
- 3. 6.26
- 4. -6.-26

Question Number: 35 Question Id: 67809438291 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$u = \log\left(\frac{x^2 + y^2}{x + y}\right)$$
 then $x\frac{\partial u}{\partial x} + y\frac{\partial u}{\partial y} =$

- 1. 2
- 2. 4
- 3. E
- 4.

Orientation: Vertical

The value of $\int \log x \, dx$ is

Options:

$$\int_{1}^{\infty} x \log x + x + c$$

$$\int_{2}^{2} x^2 \log x - x + c$$

$$\int_{3}^{3} x \log x - x + c$$

$$x \log x - \frac{x^2}{2} + c$$

4.

Question Number: 37 Question Id: 67809438293 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of
$$\lim_{n\to\infty} \left[\frac{1}{n+1} + \frac{1}{n+2} + \cdots + \frac{1}{n+n} \right]$$
 is

Options:

- log 2
- log 3
- 3. -log 2
- logn

Question Number: 38 Question Id: 67809438294 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of
$$\int \frac{\cos \sqrt{x}}{\sqrt{x}} dx$$
 is

Options:
$$2 \sin \sqrt{x} + c$$

$$\int_{2\pi} 3\sin\sqrt{x} + c$$

$$\int_{3.} 2\sin x + c$$



Question Number : 39 Question Id : 67809438295 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The area enclosed between the curve $y^2 = 4ax$ and the line x = 2y is

Options:

- $\frac{64}{5}$ sq. units
- $\frac{64}{3}$ sq. units
- $\frac{65}{4}$ sq. units
 - $\frac{63}{4}$ sq. units

Question Number: 40 Question Id: 67809438296 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\int_{1}^{\frac{\pi}{2}} \sin^{2}x \, dx$ is

Options:

- $\frac{\pi}{2}$
- $-\frac{\pi}{4}$
- 3 6
- $\frac{\pi}{4}$

Question Number : 41 Question Id : 67809438297 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\int_{1}^{4} \left(\sqrt{\chi} + \frac{1}{\sqrt{\chi}} \right) d\chi$ is

Options:

1. 20

٠.

- 3 3
- $\frac{15}{4}$

Question Number : 42 Question Id : 67809438298 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of $\int_0^{\pi/4} \sqrt{1 + \sin 2x} \ dx =$

Options:

- 1. -1
- , -3
- 3 5
- 4.

Question Number: 43 Question Id: 67809438299 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\int_0^{\pi/2} \frac{\sin x}{1+\cos^2 x} dx =$

Options:

- $\frac{\pi}{4}$
- $_{2}^{-\pi}/_{4}$
- $_{3}^{\pi/_{3}}$
- $\pi/2$

Question Number: 44 Question Id: 67809438300 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The particular integral of $(D^2 + 5D + 6)y = e^x$ is



$$rac{e^{2X}}{12}$$

$$\frac{e^{\lambda}}{12}$$

$$\frac{e^{x}}{6}$$

Question Number: 45 Question Id: 67809438301 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Form the differential equation by eliminating the arbitrary constant a from $ay^2 = x^3$

Options:

$$\frac{dy}{dx} = \frac{3y}{2x}$$

$$\frac{dy}{dx} = \frac{2x}{3y}$$

$$\frac{dy}{dx} = \frac{x}{y}$$

$$\frac{dy}{dx} = \frac{2y}{x}$$

Question Number : 46 Question Id : 67809438302 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The solution of
$$\frac{dy}{dx} + y = e^{-x}$$
 is

$$\int_{1}^{\infty} (x+c)e^{-x}$$

$$(x-c)e^x$$

$$_{3.}(x+c)e^{x}$$

$$_{4.}(x+c)e^{-2x}$$

Orientation: Vertical

The complementary function of $(D^2 + 3D + 2)y = 8sin5x$ is

Options:

1.
$$c_1 e^{-x} + c_2 e^{-2x}$$

$$c_1 e^x + c_2 e^{2x}$$

$$c_1 e^{-x} + c_2 e^{2x}$$

$$_{4.} c_1 e^{2x} + c_2 e^{3x}$$

Question Number: 48 Question Id: 67809438304 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical

The solution of exact differential equation $2xy dx + x^2 dy = 0$ is

Options:

$$x^2y^2 = c$$

$$\int_{2\pi} x^2 y = c$$

$$x^3y = c$$

$$x^2y^3 = c$$

Question Number: 49 Question Id: 67809438305 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical

Form the differential equation representing the family of curves $x^2 = 4ay$, where a is any arbitrary constant

Options:
$$x \frac{dy}{dx} - 2y = 0$$

$$x\frac{dy}{dx} + 2y = 0$$

$$x\frac{dy}{dx} - 6y = 0$$

$$\int_{4.} x \frac{dy}{dx} - y = 0$$



Orientation: Vertical

The solution of
$$\frac{dy}{dx} + y \cot x = \cos x$$
 is

Options:

$$\int_{1} y \sin x = \frac{-\cos 2x}{4} + c$$

$$y\sin x = \frac{\cos 2x}{4} + c$$

$$y\sin x = \frac{-\cos 5x}{4} + c$$

$$y\cos x = \frac{-\cos 2x}{4} + c$$

Physics

Number of Questions:25Display Number Panel:YesGroup All Questions:No

Question Number: 51 Question Id: 67809438307 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In the equation $\frac{\alpha}{t^2} = Fv + \frac{\beta}{x^2}$ the dimensional formula for $[\alpha]$, $[\beta]$ is (here t = time,

F= force, v = velocity, x = distance)

Options:

$$_{1.}$$
 MLT^{-1} , MLT^{-3}

$$_{2}$$
 $ML^{2}T$, $ML^{4}T^{2}$

3.
$$ML^2T^{-1}$$
, ML^4T^{-3}

4.
$$ML^3T^{-1}$$
, MLT^{-3}

Question Number : 52 Question Id : 67809438308 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Which of the following quantities has not been expressed in proper units?



Surface tension=N/m

Pressure = N/m²

Energy=kg m/s

Question Number: 53 Question Id: 67809438309 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Three vectors A, B and C satisfy the relation A.B=0 and A.C=0. The vector A is parallel to

Options:

B

Question Number: 54 Question Id: 67809438310 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If three vectors A, B and C are 12, 5 and 13 in magnitude such that C=A+B, then the angle between A and B is

Options:

3. C

B.C

4. BxC

- 1.60^{0}
- , 90º
- ₃ 120⁰
- ₄ 30⁰

Question Number: 55 Question Id: 67809438311 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



arter o secondo or ito ran and then anowed to ran again. The time taken by the stone to reach the ground for the remaining distance is Options: 2 s _{2.} 6 s 4 s 4. 1 s Question Number: 56 Question Id: 67809438312 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical The range of projectile fired at an angle of 150 is 50m. If it is fired with the same speed at an angle of 450, its range will be Options: 25 m _{2.} 37 m 50 m 4. 100 m Question Number: 57 Question Id: 67809438313 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical A freely falling body acquires a velocity 'v' m/s in falling through a distance of 80m. How much further distance should it fall, so as to acquire a velocity of '2v' m/s?(Take g=10 m/s^2) Options: 240 m _{2.} 200 m _{3.} 400 m

_{4.} 280 m



A block is projected along a rough horizontal road with a speed of 10 m/s. If the coefficient of kinetic friction is 0.10, how far will it travel before coming to rest?

Options:

- 1. 50 m
- _{2.} 60 m
- _{3.} 40 m
- _{4.} 10 m

Question Number : 59 Question Id : 67809438315 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

What force is required to push a 200 N body up a 300 smooth incline with an acceleration of 2 m/s²? The force is to be applied along the plane is (Take g=10 m/s²)

Options:

- 40 N
- _{2.} 60 N
- _{3.} 80 N
- 4. 140 N

Question Number : 60 Question Id : 67809438316 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

A block of mass 2 kg rests on a rough inclined plane making an angle of 30° with the horizontal. The coefficient of static friction between the block and the plane is 0.7. The frictional force on the block is

- 9.8N
- _{2.} 0.78 x 9.8 N
- _{3.} 9.8 x √3 N
- ₄ 0.7 x 9.8√3 N



Orientation: Vertical

A man moves on a straight horizontal road with a block of mass 2 kg in his hand. If he covers a distance of 40 m with an acceleration of 0.5 m/s 2 , the work done by the man on the block during the motion is (Take g=10 m/s 2)

Options:

- , 40 J
- , 1 J
- 3. 80 J
- 4 20 J

Question Number: 62 Question Id: 67809438318 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a factory it is desired to lift 2000 kg of metal through a distance of 12 m in 1 minute. The minimum horse power of the engine to be used is

Options:

- 1. 3.5
- 2. 5.3
- 3. 4.3
- 4. 5.8

Question Number: 63 Question Id: 67809438319 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Energy harnessed from flowing water is called ----- energy

- Hydel
- 2. Solar
- _{3.} Tidal
- 4. Geothermal



When a particle executing simple harmonic motion passes through the mean position, it has

Options:

- 1 minimum K.E and maximum P.E.
- maximum K.E and maximum P.E.
- maximum K.E and minimum P.E.
- 4. mimimum K.E. and mimimum P.E.

Question Number: 65 Question Id: 67809438321 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A particle of mass 200 g executes a simple harmonic motion. The restoring force is provided by a spring of spring constant 80 N/m. The time period is

Options:

- 0.2 s
- , 0.41 s
- _{3.} 0.31 s
- $_{4.}$ 0.5 s

Question Number : 66 Question Id : 67809438322 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The temperature at which the speed of sound will be double of its value at 0°C is

Options:

- 1. 819⁰ C
- 、850ºC
- 3 919°C
- 4. 900°C

Question Number: 67 Question Id: 67809438323 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Options:

- The frequency of the source is increased
- The velocity of sound in the medium is increased
- The wavelength of sound in the medium towards the observer is decreased
- The amplitude of vibration of the particles is increased.

Question Number: 68 Question Id: 67809438324 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A cinema hall has a volume of 7500 m³. The total absorption in the hall if the reverberation time of 1.5 s is to be maintained is

Options:

- 1 800 OWU
- , 925 OWU
- 3 950 OWU
- 825 OWU

Question Number : 69 Question Id : 67809438325 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

One mole of oxygen is heated at constant pressure starting at 0°C. The heat energy that must be supplied to the gas to double its volume is

Options:

- 1. 2.5 x 273 x R
- 3.5 x 273 x R
- 3 2.5 x 546 x R
- _{4.} 3.5 x 546 x R

Question Number: 70 Question Id: 67809438326 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



new pressure will be

Options:

- 1 12.24 atm
- 2. 11.67 atm
- 3. 13.79 atm
- 4. 11 atm

Question Number: 71 Question Id: 67809438327 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The temperature of 5 gm of air is raised from 0° C to 1° C. The increase in the internal energy of air is (C_V = 0.172 cal/gm/ $^{\circ}$ C and J = 4.18 x 10^{7} erg/cal)

Options:

- 3.595 x 10⁷ erg
- $_{2}$ 3 x 10 7 erg
- $_{3.}$ 4.5 x 10⁷ erg
- 2.595 x 10⁷ erg

Question Number: 72 Question Id: 67809438328 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In all reversible processes entropy of the system

Options:

- decreases
- 2 increases
- remains constant
- $_{
 m 4.}$ remains zero

Question Number: 73 Question Id: 67809438329 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

collegedunia

(Y -7/5), the value of Y for the mixture is

Options:

- 1 1.40
- 2 1.50
- , 1.53
- 4. 3.07

Question Number : 74 Question Id : 67809438330 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Electrons are emitted with zero velocity from a certain metal surface when it is exposed to radiations of wavelength 7000 A⁰. The work function of the metal is

Options:

- 1 1 eV
- _{2.} 1.52 eV
- 2.52 eV
- 1.77 eV

Question Number: 75 Question Id: 67809438331 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A superconducting material exhibits

- 1 zero conductivity and complete diamagnetism
- zero resistivity and complete paramagnetism
- infinite conductivity and complete paramagnetism
- zero resistivity and complete diamagnetism

Question Number: 76 Question Id: 67809438332 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical The splitting of spectral lines in a strong magnetic field is called Options: 1. Stark effect , Pauli Exclusion Principle Zeeman effect 4. Aufbau Principle Question Number: 77 Question Id: 67809438333 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Bohr's model can explain Options: The spectrum of hydrogen atom only The spectrum of hydrogen molecule The solar spectrum Spectrum of an atom or ion containing one electron only Question Number: 78 Question Id: 67809438334 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

The maximum number of electrons that a d-orbital can accommodate is

- 1. 2
- n 6
- 3 10
- 4. 14



Orientation: Vertical

Magnesium Atomic number is 12, which of the following is the electronic configuration

Options:

- 1. 1S² 2S¹ 2P⁶ 3S²
- 2 1S² 2S² 2P⁵ 3S²
- 3. 1S² 2S² 2P⁶ 3S²
- 4. 1S² 2S² 2P⁶ 3S¹3d¹

Question Number: 80 Question Id: 67809438336 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

N₂ molecule contains

Options:

- Covalent bond
- , lonic bond
- 3. Hydrogen bond
- , Metalic bond

Question Number: 81 Question Id: 67809438337 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

One mole of any of the particles contains

Options:

- 1. 6.023X 10⁻²³
- _{2.} 6.022X 10²³
- _{3.} 60.23X 10²³
- 4. 6.023X 10²⁵

Question Number: 82 Question Id: 67809438338 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The normality of the solution obtained by dissolving 4 gm of NaOH in 1Litre is



2 0.1N
3. 0.5N
4. 0.02N
Question Number: 83 Question Id: 67809438339 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Molecular weight of H_2SO_4 is
Options : 92
2. 96
3. 98
4. 99
Question Number: 84 Question Id: 67809438340 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A Lewis acid is a substance which
Options: 1. Accept protons
2. Accept a lone pair of electrons
Donate protons
4. Donate a lone pair of electrons
Question Number: 85 Question Id: 67809438341 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical PH of a solution is 9.5, the solution is Options: 1. Basic
, Acidic



4. Amphoteric

Question Number: 86 Question Id: 67809438342 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Laws of electrolysis were given by

Options:

- 1. Ostwald
- , Faraday
- 3. Arrhenius
- _{4.} Volta

Question Number: 87 Question Id: 67809438343 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Common electrolyte used in the salt bridge is

Options:

- 1 NaOH
- 2 NaCO3
- 3. KCI
- _{4.} KOH

Question Number: 88 Question Id: 67809438344 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Standard Reduction Potential of an element is equal to

- 1 X Its reduction potential
- 2. -1 X Its standard oxidation potential
- 3. -1 X Its reduction potential
- _{4.} 1 X Its standard oxidation potential



The standard emf for the cell reaction, $Zn+Cu^{+2} \rightarrow Cu + Zn^{2+}$ is 1.10 \lor at 25°C. The emf of the cell reaction when 0.1 M $\rm Cu^{+2}$ and 0.1 M $\rm Zn^{+2}$ solutions are used at 25°C is Options:

- 1.10V
- _{2.} 0.11V
- -1.10V
- **-**0.11V

Question Number: 90 Question Id: 67809438346 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which chemical is responsible for permanent hardness of water?

Options:

- 1. KCI
- MgCl₂
- 3. NaCl
- 4. AgCl

Question Number: 91 Question Id: 67809438347 Display Question Number: Yes Single Line Question Option: No Option **Orientation:** Vertical

Permutit is chemically

- Sodium Silicate
- 2. Aluminium Silicate
- Hydrated Sodium alumino silicate
- Calicium silicate



Orientation : Vertical The cation exchange resin possesses
Options: Acidic group
Basic group
Amphoteric group
4. Benzo group
Question Number: 93 Question Id: 67809438349 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Chemically the rust is
Options: 1. Fe ₂ O ₃
Fe ₂ O ₃ . FeO
3. Fe ₂ O ₃ .XH ₂ O
4. Fe ₂ O ₃ . NH ₃
Question Number: 94 Question Id: 67809438350 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Galvanizing is the process of coating iron with
Options: Mg 1.
2. Cu
3. Au
Zn 4.

Question Number : 95 Question Id : 67809438351 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical



Bakelite Polystyrene 3. Polythene Nylon Question Number: 96 Question Id: 67809438352 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Isoprene is a monomer of Options: Starch 2. Cellulose Natural rubber Lignin Question Number: 97 Question Id: 67809438353 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical Buna-S is a copolymer of Options: Butadiene and Styrene Butadiene and Acrylonitrile 3. Butadiene and Isoprene Formaldehyde and Styrene Question Number: 98 Question Id: 67809438354 Display Question Number: Yes Single Line Question Option: No Option

Options:

Orientation: Vertical

Main constituent of natural gas is

collegedunia

2. Methane	
3. Butane	
Carbon Monoxide	
Question Number : 99 Question Id : 67809438355 Display Q Orientation : Vertical	uestion Number: Yes Single Line Question Option: No Option
Ozone layer is present at	
Options:	
1. Staratosphere	
2. Inosphere	
Thermosphere 3.	
4. Atmosphere	
Orientation : Vertical	Question Number: Yes Single Line Question Option: No Option se biodegradable organic matter of a given volume of water is
Options: Biochemical Oxygen Demand	
1.	
2 Biological Oxygen Demand	
Chemical Oxygen demand	
4. Biomagnification	
	Civil Engineering
Number of Questions:	100
	Yes

No

Group All Questions:



A material having the same properties throughout the volume is called

Options:

Isotropic

Homogeneous

- Orthotropic
- 4 Elastic

Question Number: 102 Question Id: 67809438358 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If A_0 is the cross sectional area of the steel specimen undergoing tension test, then the gauge—length is equal to

Options:

$$4.65\sqrt{A_0}$$

$$4.65A_0$$

$$\frac{1}{4}$$
 5.65 $\sqrt{A_0}$

Question Number: 103 Question Id: 67809438359 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For the material having Poisson's ratio (μ) equal to zero, the relationship between modulus of Elasticity (E) and bulk modulus (K) is

$$E = 2K$$

$$K = 3E$$

$$K = \frac{E}{3}$$



Question Number: 104 Question Id: 67809438360 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A square bar having cross section 10 mm \times 10 mm and length 200 mm is subjected to a longitudinal tensile stress of 200 N/mm² due to applied load. If the modulus of elasticity and Poison's ratio of the material are 100 GPa and 0.25 respectively, then the volumetric strain is

Options:

- , 0.001
- 。 0.01
- 3 0.015
- 0.0015

Question Number: 105 Question Id: 67809438361 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A circular tapering bar of length 400 mm having end diameters 20 mm and 40 mm is subjected to a tensile force of 100π kN. If the modulus of elasticity of the material is 2×10^5 N/mm², then the elongation of bar is

Options:

- 1 0.01 mm
- ₂ 0.1 mm
- 3. 1 mm
- ₄ 10 mm

Question Number: 106 Question Id: 67809438362 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The elongation of bar of length 800 mm and cross section 20 mm \times 20 mm is subjected to an axial tensile force is 0.8 mm. If the modulus of elasticity is 1×10^5 N/mm², then the stress induced in the bar is

Options:

100 N/mm²



800 N/mm²

4. 1000 N/mm²

Question Number: 107 Question Id: 67809438363 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

A bar of cross sectional area A and length L is subjected to axial pull of Pinduced the tensile stress of σ . If the modulus of elasticity is E, then the strain energy stored in the bar is

Options:

$$U = \frac{\sigma^2}{4E} . A.L$$

$$U = \frac{\sigma^2}{2E}.A.L$$

$$U = \frac{\sigma^2}{E}.A.L$$

$$U = \frac{\sigma^2}{E}.A.L$$

$$U = \frac{\sigma^2}{2AE} L$$

Question Number: 108 Question Id: 67809438364 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

An overhang beam ABC of length 8 m is provided with a hinge support at left end A and roller support at B which is 6 m from the support A. It is subjected to a uniformly distributed load of 8 kN/m between the supports A and B and a concentrated load of 72 kN at the free end. The reaction of support A is

Options:

1. 0

36 kN (upward)

36 kN (downward)

_{4.} 72 kN (upward)



Orientation: Vertical

A cantilever of length 4 m is fixed at A and free at B is subjected to a uniformly distributed load of 24 kN/m over the entire span and a concentrated load of 36 kN at the free end. The maximum bending moment induced in the beam is

Options:

- 1 144 kNm
- 236 kNm
- 240 kNm
- 336 kNm

Question Number: 110 Question Id: 67809438366 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A simply supported beam of span L is subjected to two concentrated loads of W each acting at a distance of $\frac{L}{3}$ from either supports. The maximum bending induced in the beam is

Options:

- WZ
- $\frac{WI}{2}$
- $\frac{W1}{3}$
- $\frac{W_1}{4}$

Question Number: 111 Question Id: 67809438367 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The section modulus of a beam for a square cross section of side a is



- 1. 1.2
- $\frac{a^3}{6}$
 - $\frac{a^4}{12}$
- 3.
- $\frac{a^4}{6}$

Question Number: 112 Question Id: 67809438368 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A beam of span L, cross sectional area A, moment of Inertia I is subjected to a bending moment M induced the bending stress σ . If the modulus of elasticity of the material of the beam is E, then the curvature of the beam is

Options:

- $\frac{ME}{I}$
- $\frac{E_{i}}{C_{i}}$
- $\frac{EI}{M}$
- $\frac{M}{EI}$

Question Number: 113 Question Id: 67809438369 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

At a section of a rectangular beam of depth 600 mm is subjected to a compressive stress of 80 N/mm² at both top and bottom. The position of neutral axis from the bottom is

- , 240 mm
- , 360 mm



400 mm

Question Number: 114 Question Id: 67809438370 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For a beam of circular cross section, the ratio of average shear stress to maximum shear stress is

Options:

- <u>.</u>
- , ,
 - $\frac{4}{3}$
- 3.

.

Question Number: 115 Question Id: 67809438371 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

When a shaft is subjected to a torque, the maximum shear stress induced across the cross section at

Options:

- the centre
- the extreme fiber
- , middle third
- one fourth of diameter from the centre

Question Number: 116 Question Id: 67809438372 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



 (θ) of shaft is

Options:

$$\theta = \frac{GL}{TJ}$$

1.

$$\theta = \frac{TG}{JL}$$

$$\theta = \frac{TL}{GJ}$$

$$\theta = \frac{TD}{GJ}$$

Question Number: 117 Question Id: 67809438373 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

The torque induced in a shaft to transmit 50 kW power at an angular speed of 150 rpm is

Options:

10 kNm

1.

2. 10π kNm

$$\frac{10}{\pi}$$
 kNm

$$\frac{10.000}{\pi}$$
 kNm

Question Number: 118 Question Id: 67809438374 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

A rectangular beam of width 100 mm and depth 200 mm is subjected to a shear force of 100 kN. The maximum shear stress induced in the beam is

Options:

_{1.} 5 N/mm²



Question Number: 119 Question Id: 67809438375 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The moment of resistance of a rectangular beam of width 100 mm and depth 200 mm subjected to the maximum bending stress of 120 N/mm² is

Options:

- 40 kNm
- _{2.} 60 kNm
- 80 kNm
- 4. 100 kNm

Question Number: 120 Question Id: 67809438376 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The polar modulus of a solid circular shaft of diameter D is

$$rac{\pi D^2}{16}$$

$$\int \frac{\pi D^2}{32}$$

$$\frac{\pi D^3}{16}$$

$$\frac{\pi D^3}{32}$$

KIN/III OVEL THE ENTITE SPAIL II THE HEXULAL HIGHLITY IS Z4000 KINHT, THE DEHECTION AT the free end is

Options:

- 3.2 mm
- 8 mm
- _{3.} 16 mm
- 32 mm

Question Number: 122 Question Id: 67809438378 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

A beam of length L having flexural rigidity EI is subjected to a pure bending moment M bent into a circular arc of radius R. The maximum deflection is given by

Options:

$$ML^2$$

$$ML^{2}$$
2. $3EI$

$$\frac{L^2}{8R}$$

$$\frac{L^2}{16R}$$

Question Number: 123 Question Id: 67809438379 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

A simply supported beam AB of span 6 m is subjected to a concentrated load of 48 kN at a distance of 2 m from the left end A. The maximum slope occurs

Options:

at left support



- at mid span
- under the concentrated load

Question Number: 124 Question Id: 67809438380 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If the depth of a simply supported rectangular beam subjected to concentrated load at mid span is doubled, the maximum deflection at the mid span will be

Options:

- increased by 12.5%
- decreased by 12.5%
- decreased by 87.5%
- 4 decreased by 50%

Question Number: 125 Question Id: 67809438381 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For a simply supported beam subjected to transverse loading, the maximum deflection occurs at

Options:

- the point where slope is equal to zero
- the point of maximum bending moment
- , the point of contraflexure
- the point where slope is maximum

Question Number: 126 Question Id: 67809438382 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A fixed beam of span L is subjected to a uniformly distributed load of w per m length throughout the span. The bending moment at mid span of the beam is



$$\frac{wL^2}{16}$$

$$\frac{wL^2}{12}$$

$$\frac{wL^2}{2}$$

Question Number: 127 Question Id: 67809438383 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

A propped cantilever AB of span 6 m is fixed at A and supported by a prop at B is subjected to a uniformly distributed load of 24 kN/m over the entire span. The reaction of the prop is

Options:

- 48 kN
- 54 kN
- _{3.} 72 kN
- _{4.} 90 kN

Question Number: 128 Question Id: 67809438384 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A two span continuous beam supported at A, B and C each of length L is subjected to a uniformly distributed load of upper in through the length. The reaction of the middle support B is

- $\frac{2}{3}wL$
 - $\frac{4}{5}wL$

$$\int_{4}^{5} wI$$

Question Number: 129 Question Id: 67809438385 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A propped cantilever beam AB of span L is fixed at A and supported by a prop at B is subjected to a concentrated load of W at mid span C. The point of contraflexure occurs

Options:

- under the concentrated load
- _{2.} between A and C
- _{3.} between B and C
- 4. at the fixed end A

Question Number: 130 Question Id: 67809438386 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The Euler's buckling load for a long column of length $\it L$ and flexural rigidity $\it EI$ fixed at the base and hinged at the top, is

Options:

$$\frac{\pi^2 EI}{4L^2}$$

$$\frac{\pi^2 EI}{L^2}$$

$$\int_{3}^{2\pi^2 EI} \frac{2\pi^2 EI}{L^2}$$

$$\frac{4\pi^2 EI}{L^2}$$

Question Number: 131 Question Id: 67809438387 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Options:

- $\frac{D}{6}$
- $\int \frac{D}{4}$
- $\frac{D}{3}$
- $\frac{D}{4}$

Question Number: 132 Question Id: 67809438388 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If the diameter of the long circular column is increased by 10%, the percentage increase in Euler's buckling load for the same condition is

Options:

- 10
- , 20

1.

- 46.41
- 53.59

Question Number: 133 Question Id: 67809438389 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A steel column of length L fixed at both the ends has a buckling load of 400 kN. If the same column is fixed at bottom and free at top, the buckling load carrying capacity is

Options:

400 kN

There is no correct option. All students will be given marks.

- 282.8 kN
- _{3.} 200 kN



Question Number: 134 Question Id: 67809438390 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The ratio of effective length of a column to its least radius of gyration is known as

Options:

buckling factor

3. slenderness ratio

crippling factor

4. column factor

Question Number: 135 Question Id: 67809438391 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For a pin jointed plane truss having 3 reaction components at supports and 8 joints, the minimum number of members to be arranged systematically for the stable condition is

Options:

1. 13

12

3. 11

4 8

Question Number: 136 Question Id: 67809438392 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The forces induced in the members of a pin jointed truss subjected to loading at

the joints are

Options:

Axial forces only

Bending moment only

Axial force and bending moment



Question Number: 137 Question Id: 67809438393 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If ϕ : Angle of repose of soil, the coefficient of active earth pressure is

Options:

$$\left(\frac{1-\sin\phi}{1+\sin\phi}\right)^2$$

$$\left(\frac{1+\sin\phi}{1-\sin\phi}\right)^2$$

$$\frac{1-\sin\phi}{1+\sin\phi}$$

$$\frac{1+\sin\phi}{1-\sin\phi}$$

Question Number: 138 Question Id: 67809438394 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A dam of height h and base width b having a self weight of W per unit length of dam is used for storing water. If the resultant of all forces acting on the dam strikes the base at an eccentricity of $\frac{b}{6}$, the maximum compressive stress induced at the toe is

$$\frac{W}{h}$$

$$\frac{2W}{h}$$

$$\frac{W}{b}$$

$$\frac{2W}{b}$$



A retaining wall of height 4 m retains the soil horizontal to the top. Angle of repose of soil is 30° and unit weight of soil is 18 kN/m³. The intensity of active earth pressure at the base is

Options:

- 24 kN/m²
- _{2.} 36 kN/m²
- 3. 48 kN/m²
- 72 kN/m²

Question Number: 140 Question Id: 67809438396 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For the same span and cross section, the ratio of mid span deflection of a simply supported beam to that of a fixed beam subjected to a uniformly distributed load of wper m run throughout, is

Options:

- 1. 4
- 2.
- 1
- $\frac{1}{4}$

Question Number: 141 Question Id: 67809438397 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Characteristic strength of concrete is defined as that compressive strength

- below which not less than 5% of the test results expected to fall
- below which not more than 5% of the test results expected to fall
 - above which not more than 5% of the test results expected fall



Question Number: 142 Question Id: 67809438398 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

As per IS: 456-2000, the modulus of elasticity for M 25 grade of concrete in N/mm² is

Options:

- 36,000
- 28,500
- 25,000
- 3,000

Question Number: 143 Question Id: 67809438399 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

As per IS:456-2000, for the limit state design of a flexural member, the strain in reinforcing bars under tension at ultimate state should not be less than

Options:

$$\frac{f_{s}}{1.15 E_{s}} + 0.0035$$

1.

$$\frac{f_y}{1.15 E_z} + 0.002$$

$$\frac{f_y}{E_z} + 0.0035$$

$$\frac{f_y}{E_z} + 0.002$$

4

Question Number: 144 Question Id: 67809438400 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If f_{ck} is the characteristic compressive strength of concrete, the stress in concrete at collapse in flexure as per IS: 456-2000 is



$$0.446 f_{ck}$$

$$0.576 f_{ck}$$

$$0.67 f_{ck}$$

Question Number: 145 Question Id: 67809438401 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For M 25 grade of concrete, the ratio of flexural strength to the characteristic compressive strength of concrete is

Options:

- 1. 0.36
- 0.17
- 3. 0.14
- , 0.11

Question Number: 146 Question Id: 67809438402 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Grade of steel is designated as Fe 500, if the

Options:

- lower yield stress of steel is 500 N/mm²
- upper yield stress of steel is 500 N/mm²
- ultimate stress of steel is 500 N/mm²
- the characteristic tensile strength is 500 N/mm²

Question Number: 147 Question Id: 67809438403 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

collegedunia

In a reinforced concrete beam design, the distance of the centroid of the area of tension reinforcement from the extreme compression fiber is known as

- 1 apper or riourial axio
- , lever arm
- effective depth
- 4. overall depth

Question Number: 148 Question Id: 67809438404 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The minimum percentage area of tension reinforcement in a beam shall be greater than

Options:

$$\overline{f}_{i}$$

$$\int_{\gamma} \frac{0.85}{f_{3}}$$

$$\frac{0.4}{f_y}$$

$$\frac{40}{f_x}$$

Question Number: 149 Question Id: 67809438405 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The main reinforcement to be provided for a cantilever beam carrying gravity load is

- at the neutral axis
- above the neutral axis
- below the neutral axis
- 4. in the form of vertical stirrups



As per IS	456:2000,in	a reinforced	concrete	beam,	the	permissible	shear	stress
depends of	on							

	1000	\$15,500°	
1)	pt	in	36
v	Mr.	W	4.7

- shear reinforcement in the beam
- 1.
- , compression reinforcement in the beam
- tension reinforcement in the beam
- , the reinforcement at neutral axis

Question Number: 151 Question Id: 67809438407 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The computation of limiting deflection of the two way slab as per IS 456:2000 is dependent on

Options:

- Both short and long spans
- , long span
- 3. short span
- Not dependent on both short and long spans

Question Number: 152 Question Id: 67809438408 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

As per IS:456:2000, the clear cover to the main steel bar in column is

- 40 mm
- 25 mm
- 20 mm
- 4. 15 mm



The minimum eccentricity for a column of size 300 mm \times 300 mm and unsupported length of 3.0 m as per IS:456 is

Options:

- _{1.} 6 mm
- 2. 10 mm
- 16 mm
- 20 mm

Question Number: 154 Question Id: 67809438410 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum size of reinforcement that can be used for a reinforced concrete slab of 75 mm thick is

Options:

- , 6 mm
- 8 mm
- _{3.} 10 mm
- 4. 12 mm

Question Number: 155 Question Id: 67809438411 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For the design of footing, the critical section for two way shear is at

- the face of the column
- a distance of $\frac{d}{2}$ from the face of the column
- a distance of d from the face of the column
- a distance of 2d from the face of the column



Orientation: Vertical

The live load to be considered in the design of staircase for public building liable for overcrowding is

Options:

- 2 kN/m²
- 2.5 kN/m²
- $\sqrt{4 \text{ kN/m}^2}$
- 4. 5 kN/m²

Question Number: 157 Question Id: 67809438413 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In working stress method of design, the moment carrying capacity of an under reinforced rectangular RCC beam is

Options:

- Rbd^2
- $\int_{2}^{\infty} \sigma_{St} A_{st} \left(d \frac{x}{3} \right)$
- $\frac{1}{2}.\sigma_{cbc}.b.x\left(d-\frac{x}{3}\right)$
- σ_{St} . A_{st} . jd

Question Number: 158 Question Id: 67809438414 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For a given RC beam, the critical depth for neutral axis depends on

- the permissible tensile stress in steel reinforcement ($\sigma_{_{\mathcal{I}}}$)
- the permissible stress in concrete in bending compression ($\sigma_{\rm cbc}$)
- the modular ratio (m)



Question Number: 159 Question Id: 67809438415 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For a given size of RC beam, as the percentage of steel reinforcement increases, the depth of neutral axis

Options:

- remains unchanged
- increases
- decreases
- first decreases and then increases

Question Number: 160 Question Id: 67809438416 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In working stress method of design, the depth of neutral axis for a singly reinforced beam of width 230 mm and effective depth 400 mm is 180 mm. The lever arm for the section is

Options:

- , 200 mm
- , 310 mm
- 340 mm
- ₄ 360 mm

Question Number: 161 Question Id: 67809438417 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A 30 m chain is found to be 0.1 m too short throughout the measurement of a line AB and recorded as 300 m. The actual length of the line AB is

- 299.0 m
 - 300.1 m
- 2.



₄ 310.0 m

Question Number: 162 Question Id: 67809438418 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The side of a square land was measured as 300 m and is in error by 0.05 m. The error in computing the area of land is

Options:

- 40 m²
- _{2.} 30 m²
- _{3.} 20 m²
- 10 m²

Question Number: 163 Question Id: 67809438419 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a closed traverse, the sum of north latitudes exceeds the sum of south latitudes and the sum of the west departures exceeds the sum of east departures. The closing line will be in the

Options:

- North-East quadrant
- 2 North-West quadrant
- South-East quadrant
- ₄ South-West quadrant

Question Number: 164 Question Id: 67809438420 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A line AB in an old map has magnetic bearing of $45^{\circ}30'$ when local magnetic declination was $2^{\circ}30'$ east. If the magnetic declination is now is $2^{\circ}00'$ west, then the magnetic bearing of the line AB now is

Options:

1 50⁰00'



Question Number: 165 Question Id: 67809438421 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The following bearings were observed while traversing with a compass

Line	FB	BB
AB	225°30′	45°15′
ВС	315°45′	135°45′
CD	45°45′	225 ⁰ 45′
DA	135°0′	45°0′

The station affected by local attraction is

Options:



Question Number: 166 Question Id: 67809438422 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The sensitivity of a bubble tube can be increased by

- using a liquid of greater surface tension
- decreasing the diameter of the tube
- $_{\rm 3.}$ decreasing the length of the tube



Question Number: 167 Question Id: 67809438423 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a leveling survey, the summation of all back sights and the summation of all fore sights are 8.675 m and 8.595 m respectively. The reduced level of the initial bench make is 100.000 m. The reduced level of the last point where the staff is held will be

Options:

- 108.675 m
- 108.595 m
- 100.080 m
- 99.920 m

Question Number: 168 Question Id: 67809438424 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is correct about the characteristics of contours?

Options:

- closed contour lines with higher values inside indicate pond
- 、closely spaced contours indicate plain area
- contour lines intersect each other at right angles
- contour lines always form closed circuit within or outside the limits of the map

Question Number: 169 Question Id: 67809438425 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Remote sensing technique makes use of the properties of

- , Electric waves
- Sound waves
- , Wind waves



Question Number: 170 Question Id: 67809438426 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The most widely used antenna in Global Positioning System (GPS) is

Options:

- Microstrip antenna
- Parabolic antenna
- Horn antenna
- Slotted antenna

Question Number: 171 Question Id: 67809438427 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The data associated with Geographical Information System (GIS) is

Options:

- 1. Binary data
- Spatial data
- 3. Numeric data
- 4. Complex data

Question Number: 172 Question Id: 67809438428 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

An imaginary line joining the point of intersection of the cross hairs of the diaphragm and an optical centre of object glass and its continuation is called as

- Line of collimation
- Axis of the telescope
- Horizontal axis



Question Number: 173 Question Id: 67809438429 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Turning of the theodolite telescope in vertical plane by 180° about the horizontal axis is known as

Options:

- swinging
- 2 transiting
- centering 3.
- setting

Question Number: 174 Question Id: 67809438430 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The length and fore bearing of a line AB are 100 m and 30° respectively. The latitude and departure of line AB respectively are

Options:

- 1 86.6 m and 86.6 m
- $,\,$ 50 m and 50 m
- _{3.} 50 m and 86.6 m
- 4. 86.6 m and 50 m

Question Number: 175 Question Id: 67809438431 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In stadia Tachometer, the ratio of focal length of objective to the stadia intercept is known as

- Multiplicative constant
- 2. Additive constant
- 3. Stadia constant



Question Number: 176 Question Id: 67809438432 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The dimension of surface tension is
Options: J/m 1.
$_{2.}$ J/m 2
3. W/m
$_{4.}$ N/m 2
Question Number: 177 Question Id: 67809438433 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The pressure at a point in water column is 4 N/cm 2 . If the unit weight of water is 10 kN/m 3 the corresponding height of water is
Options: 2 m 1.
2 4 m
_{3.} 6 m
8 m 4.
Question Number: 178 Question Id: 67809438434 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A streamline is a line
Options: Which is along path of the particle
which is always parallel to the main direction of flow
along which there is no flow



Question Number: 179 Question Id: 67809438435 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The stream function is given by $\psi = 2xy$, then the velocity at the point (4.3) is

Options:

- 6 1.
- 2, 8
- 9
- 3.
- 4 10

Question Number: 180 Question Id: 67809438436 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The piezometric head is the summation of

Options:

- velocity head and pressure head
- pressure head and elevation head
- elevation head and velocity head 3.
- 4. velocity head, pressure head and elevation head

Question Number: 181 Question Id: 67809438437 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Bernoulli's equation is applicable between any two points located in

- Rotational flow of an incompressible fluid
- 2. Irrotational flow of a compressible or incompressible fluid
- Steady, rotational flow of an incompressible fluid



Question Number: 182 Question Id: 67809438438 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A rectangular plate of width b and height h is immersed vertically in water such that the top edge is at the surface of the liquid. The centre of pressure is at a depth of

Options:

- $\frac{h}{4}$
- $\frac{h}{3}$
- $\frac{h}{2}$
- $\left(\frac{2}{3}\right)^{3}$

 $Question\ Number: 183\ Question\ Id: 67809438439\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

The relation between the coefficient of discharge C_d , coefficient of velocity C_v and coefficient of contraction C_c for an orifice is given by

Options:

- $C_{v} = C_{c}C_{d}$
- $C_c = C_y C_c$
- $C_d = C_c C_c$
- ${}_{4}C_{c}C_{v}C_{d}=1$

Question Number: 184 Question Id: 67809438440 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For laminar flow through a circular pipe, the shear stress

Options:

, Remains constant over the cross-section



- Must be zero at all the points
- 4. Varies parabolically with the radial distance

Question Number: 185 Question Id: 67809438441 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The friction factor for laminar flow through pipe in terms of Reynolds number (R_s) is

Options:

$$\frac{64}{R_e}$$

$$\frac{R_{\epsilon}}{6.1}$$

$$0.316$$

$$R_{\epsilon}^{1.4}$$

Question Number: 186 Question Id: 67809438442 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The best hydraulic channel cross-section is defined as the section

Options:

- 1. with minimum roughness coefficient
- 2. that has a maximum area of a given flow
- that has a minimum wetted perimeter
- that has maximum wetted area

Question Number: 187 Question Id: 67809438443 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For an open channel with cross sectional area $\it A$ and wetted perimeter $\it P$, the hydraulic mean depth $\it R$ is given by



- $_{1}$ A
- $\frac{A}{2}$ $\frac{P}{P}$
- $\sqrt{\frac{A}{P}}$
- 3
 - $\sqrt{\frac{P}{A}}$
- 4

Question Number: 188 Question Id: 67809438444 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If the error in measurement of height of water surface above the crest of a rectangular notch is 2%, then the percentage error in computing the discharge is

Options:

- 2%
- 3%
- 3 4%
- 4 6%

Question Number: 189 Question Id: 67809438445 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The specific speed of a pump is defined as the unit of such a size that it

- Delivers unit discharge at unit head
- Requires unit power to develop unit head
- Delivers unit discharge at unit power
- 4. Produces unit power with unit head available



Orientation: Vertical

The specific speed of a hydraulic turbine depends on

Options:

- speed and power developed only
- speed and water head only
- discharge and power developed only
- speed, head and power developed

Question Number: 191 Question Id: 67809438447 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

According to Dicken's formula, the peak flood discharge for the catchment area A (in sq.m) is proportional to

Options:

- 1. A
- $\frac{1}{2}A^{1/2}$
- A^{2+3} 3.
- A^{3}

Question Number: 192 Question Id: 67809438448 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The Duty of irrigation water is large

- at the head of main canal
- at the head of branch canal
- at the head of water course
- $_4$ on the field



Options: 1. Runoff and time
2. Base flow and Time
3. Ground water and time
A. Rainfall and time
Question Number: 194 Question Id: 67809438450 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The water stored in the reservoir below the minimum pool level is
Options: , Useful storage
1. Oserar storage
Valley storage
3. Dead storage
Surcharge storage
4.
Question Number: 195 Question Id: 67809438451 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A solid construction put across the river to raise its water level and divert the
water into canal is
Options:
Marginal bund
2. Barrage
3. Weir
3
Dam
4.

Question Number : 196 Question Id : 67809438452 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Hydrograph is the graph drawn between



Options:

Tipping bucket type rain gauge

2.

Simon's rain gauge

Weighing type rain gauge

Ĵ.

Floating type rain gauge

Question Number: 197 Question Id: 67809438453 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If m is the mean particle diameter of silt in mm, the Lacey's silt factor (f) is given by

Options:

$$f = 1.76 \ m^{1/2}$$

$$f = 1.76 m^2$$

$$f = 1.76 \ m^{3/2}$$

$$f = 1.76 \ m^{5/2}$$

Question Number: 198 Question Id: 67809438454 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For the upstream face of an earthen dam, the most adverse condition for stability of slope is

Options:

sloughing of slope

during construction

steady seepage

sudden drawdown



If the R.L's of canal bed level and high flood level of drainage are 212.0 m and 210.0 m respectively, then the suitable cross drainage work will be

Options:

- , super passage
- 2. Aqueduct
- Level crossing
- Canal siphon

Question Number : 200 Question Id : 67809438456 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The method of irrigation used for Orchard's is

- , Border flooding
- 3. Free flood
- 3 Basin flooding
- 4. Check flooding

