Asst. Su	be int	AMSQ
Booklet Series	Register Number	

2007 MEDICAL SCIENCE

Time Allowed: 3 Hours] [Maximum Marks: 300

Read the following instructions carefully before you begin to answer the questions.

IMPORTANT INSTRUCTIONS

- This Booklet has a cover (this page) which should not be opened till the invigilator gives signal
 to open it at the commencement of the examination. As soon as the signal is received you should
 tear the right side of the booklet cover carefully to open the booklet. Then proceed to answer the
 questions.
- 2. This Question Booklet contains 200 questions.
- 3. Answer all questions. All questions carry equal marks.
- 4. The Test Booklet is printed in four series e.g. A B C or D (See Top left side of this page). The candidate has to indicate in the space provided in the Answer Sheet the series of the booklet. For example, if the candidate gets A series booklet, he/she has to indicate in the side 2 of the Answer Sheet with Blue or Black Ink Ball point pen as follows:

A [B][C][D]

- You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- 6. An Answer Sheet will be supplied to you separately by the Invigilator to mark the answers. You must write your Name. Register No. and other particulars on side 1 of the Answer Sheet provided, failing which your Answer Sheet will not be evaluated.
- 7. You will also encode your Register Number, Subject Code etc., with Blue or Black ink Ball point pen in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to encode the above information, your Answer Sheet will not be evaluated.
- 8. Each question comprises four responses (A), (B), (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 9. In the Answer Sheet there are four brackets [A][B][C] and [D] against each question. To answer the questions you are to mark with Ball point pen ONLY ONE bracket of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong. e.g. If for any item, (B) is the correct answer, you have to mark as follows:

[A] [C] [D]

- 10. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the examination. After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 11. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.
- 12. Do not tick-mark or mark the answers in the Question Booklet.

Turn over

x 301



Consider the following statements: 1. Umbilical cord contains I. Left Umbilical vein Left Umbilical artery П. Right Umbilical artery III. IV. Right Umbilical vein Of the statements given (I) alone is correct A) (I) & (II) are correct B) (I), (II) & (III) are correct C) D) All are correct. Unlocking of knee joint is done by 2. **Piriformis Popliteus** A) B) Soleus D) Gastrocnemius. 3. The round ligament of the liver represents the obliterated left Umbilical artery B) obliterated left Umbilical vein obliterated right Umbilical artery. obliterated right Umbilical vein. D) The structure affected in carpal tunnel syndrome is 4. Ulnar nerve Median nerve B) Musculocutaneous nerve. Radial nerve D) Portal vein is formed by the union of 5. Inferior mesenteric vein and splenic vein Superior mesenteric vein and right gastric vein B) C) Splenic vein of superior mesenteric vein Superior mesenteric vein and inferior mesenteric vein. D) High concentration of alpha fetoprotein in amniotic'fluid is found in 6. besophageal atresta renal agenesis B)

[Turn over

C)

D)

congenital cardiac defects

neural tube defects:

- 7. Meckel's diverticulum represents
 - A) persisting proximal part of vitello-intestinal duct
 - B) persisting part of urachus
 - C) persisting part of umbilical artery
 - D) persisting part of mesonephric duct. -
- 8. Consider the following statements:

The deep nuclei of cerebellum are

- I. Dentate nucleus
- II. Emboliform nucleus
- III. Globose nucleus
- IV. Lentiform nucleus.

Of the statements given

- A) (I) alone is correct
- B) (I) & (II) are correct
- C) (I), (II) & (III) are correct
- D) All are correct.
- 9. Substantia Nigra is present in
 - A) Pons
 - B) Mid-brain
 - C) Medulla oblongata
 - D) cerebellum.
- 10. Cerebrospinal fluid is secreted by
 - A) Cervical plexus
 - B) Choroid plexus
 - C) Coeliac plexus
 - D) Cardiac plexus.

x 301



11. Consider the following statements:

The essential constituents of the extra-pyramidal system are

- I. Corpus Striatum
- II. Claustrum
- III. Amygdaloid body
- IV. Corpus callosum.

Of the statements given

- A) (I) alone is correct
- B) (I) & (II) are correct
- C) (I), (II) & (III) are correct
- D) All are correct.
- 12. Corpus callosum contains
 - A) Climbing fibres
 - B) Association fibres
 - C) Projection fibres
 - D) Commissural fibres.
- 13. Most common tumour of the heart is
 - A) Fibromas

B) Sarcomas

C) Atrial Myxomas

- D) Carcinomas.
- 14. Red hepatisation is a stage in
 - A) Lobar Pneumonia

- B) Broncho Pneumonia
- C) Interstitial Pneumonia
- D) Restrictive Lung Diseases.
- 15. The virus closely associated with Burkitt's Lymphoma is
 - A) Epstein-Barr Virus
 - B) Cytomegalo Virus
 - C) Herpes Virus
 - D) Hepatitis Virus.

x 301

3001



16.	. Dorothy Reed-Sternberg cells are diagnostic of							
ŵ.	A)	Non-Hodgkin's Lymphoma		727				
	B)	B) Chronic Lymphocytic Leukemia						
	C)	Acute Lymphoblastic Leukemia						
	D)	Hodgkin's Lymphoma.		8 36 0				
17.	Bile	pigments are absent in the urine in	i.					
	A)	hemolytic jaundice	B)	hepatocellular jaundice				
	C)	obstructive jaundice	D)	familial cholestatic jaundice.				
18.	Uri	ne for Bence Jones Protein Test is po	sitive	in				
	A)	Nephrotic Syndrome	B)	Chronic Glomerulonephritis				
	C)	Multiple Myeloma	D)	Malignant Hypertension.				
19.	Amyloid is characteristically stained with							
53	A)	Congo-red underpolarized microsc	ope	200				
	B)	H & E						
in	C)	Silver stains	Siz.					
	D)	Collagen stains.		*				
20.	Ion	ising Radiation can act as		€				
	A)	Physical Carcinogen	B)	Tumour Markers				
	C)	Chemical Mediators	D)	Chemotactic factor.				
21.	Dys	strophic calcification is seen in						
	A)	Hypercalcemia	B)	Hypocalcemia				
	C)	Hypernatremia	D)	Dead and necrotic tissue.				
22.	Gia	nt cell tumour of bone is a/an						
	A)	Metaphyseal lesion .	B)	Epiphyseal lesion				
	C)	Diaphyseal lesion	D)	seen in joint cavities.				

collegedunia

AMSQ

- 23. Paraneoplastic Syndromes are seen with
 - A) Renal cell carcinoma and small cell carcinoma of lung
 - B) Granulosa cell tumour of ovary
 - C) Brenner Tumour
 - D) Transitional cell carcinoma of bladder.
- 24. Astrocytoma is a
 - A) Glial tumour
 - B) Carcinoma
 - C) Sarcoma
 - D) Primitive Neuroectodermal tumour.
- 25. The following statements about obstructive liver disease are true except
 - A) History of passing dark urine & clay coloured stools
 - B) Elevated serum bilirubin,
 - C) Elevated alkaline phosphatase
 - D) Presence of urobilinogen in urine.
- 26. Hypercalcemia is seen in all of the following conditions except
 - A) Primary Hyperparathyroidism
 - B) Tertiary Hyperparathyroidism
 - C) Ectopic production of parathyroid hormone
 - D) Renal disease.
- 27. The following facts about Metabolic acidosis are true except
 - A) decreased bicarbonate consentration
 - B) decreased pH
 - C) increased pCO₂
 - D) decreased anion gap.
- 28. The predominant cation in the intracellular fluid is
 - A) Sodium
 - B) Potassium
 - C) Calcium
 - D) Magnesium.

x 301

3001



All a	are true for LDL except		5
A)	delivers cholesterol to cell		
B)	contains apo B48	7	
C)	it is a marker for cardiovascular ri	sk	
D)	contains only one apoprotein.		
The	amino acid necessary for the synth	esis of	heme is
A)	Glycine	B)	Tyrosine
C)	Glutamate .	D)	Arginine.
All a	are hepatic porphyrias except		*
A)	Porphyria variegata	•	
B)	Porphyria cutanea tarda		
C)	Hereditary coproporphyria		•
D)	Protoporphyria.		2
The	product of heme-oxygenase reaction	n is	
A)	Bilirubin	· B)	Biliverdin
C)	Urobilin	D)	Stercobilin.
The	enzyme. ferrochelatase is deficient	in	27
. A)	Hereditary coproporphyria	B)	Porphyria variegata
C)	Protoporphyria	D)	Porphyria cutanea tarda.
The	Biosynthesis of heme requires all o	f the f	ollowing except
A)	Propionic acid	B)	Succinyl-CoA
C)	Glycine	D)	Ferrous ion.
The	normal serum ionized calcium is		
A)	5 mg/dl		
B)	10 mg/ dl		197 1986
C)	15 mg/ dl	<u> </u>	
D)	20 mg/dl.		₹8 €8
	A) B) C) The A) C)	B) contains apo B48 C) it is a marker for cardiovascular ri D) contains only one apoprotein. The amino acid necessary for the synth A) Glycine C) Glutamate All are hepatic porphyrias except A) Porphyria variegata B) Porphyria cutanea tarda C) Hereditary coproporphyria D) Protoporphyria. The product of heme-oxygenase reaction A) Bilirubin C) Urobilin The enzyme, ferrochelatase is deficient A) Hereditary coproporphyria C) Protoporphyria C) Protoporphyria The Biosynthesis of heme requires all of A) Propionic acid C) Glycine The normal serum ionized calcium is A) 5 mg/dl B) 10 mg/dl C) 15 mg/dl	A) delivers cholesterol to cell B) contains apo B48 C) it is a marker for cardiovascular risk D) contains only one apoprotein. The amino acid necessary for the synthesis of A) Glycine B) C) Glutamate D) All are hepatic porphyrias except A) Porphyria variegata B) Porphyria cutanea tarda C) Hereditary coproporphyria D) Protoporphyria. The product of heme-oxygenase reaction is A) Bilirubin B) C) Urobilin D) The enzyme, ferrochelatase is deficient in A) Hereditary coproporphyria B) C) Protoporphyria D) The Biosynthesis of heme requires all of the fellow B, Propionic acid B) C) Glycine D) The normal serum ionized calcium is A) 5 mg/dl B) 10 mg/ dl C) 15 mg/ dl



					€
36.	Lun	g surfactant is		40	
	A)	Dipalmitoyl lecithin		B)	Dipalmitoyl cephalin
	C)	Sphingomyelin	*	D)	Cerebroside.
37.	The	lacteals present in the intesting	al vill	i help	in the absorption of
	A)	Glucose	,	B)	Amino acids
	C)	Fatty acid and glycerol		D)	Proteins.
38.	Tun	nuors of the somatotropes of the	e ante	erior p	oituitary in children lead to
	A)	gigantism			
15	B)	acromegaly			
	C)	dwarfism			
	D)	cretinism.			•
39.	In g	irls the event of thelarche refers	s to	×	er er
	A)	the development of pubic hairs	s		58
	B)	the first menstrual period			
	C)	the development of breast	7		×
	D)	all of these.			
40.	The	action of secretin on pancreation	c duc	t cells	is mediated via
**	A)	cyclic GMP			
LAX	B)	cyclic AMP		*	
	C)	trophic action			
	D)	none of these.	·		
41.	The	juxtraglomerular cells of the ki	idney	secre	te .
5	A)	Angiotensin I		B)	Renin
	C)	Erythropoietin	,	D)	Angiotensin II.
42.	Sali	vary secretions contain		\$0	
	A)	lingual lipase	100	B)	salivary & amylase
	C)	mucin	53	D)	all of these.
x 30	01		3001] .	[Turn over



•	43.	Cop	per-T is an		
		A)	temporary female contraceptive des	vice	Si co
		B)	temporary male contraceptive device	ce	•
		C)	permanent female contraceptive de	vice	
		D)	oral contraceptive device.		a a a
0	44.	The	normal tidal volume at rest is	5.5	
		A)	100 ml / min		
		B)-	500 ml / min		
		C)	1000 ml / min	14	la (#1)
		D)	1500 ml / min.		· ·
	45.	Vec	tor for Epidemic Typhus is		
		A)	Rat flea	B)	Tick
	15.4	C)	Mite	D)	Louse.
	46.		key protein produced by macropha er stimuli is	iges o	on exposure to micro-organisms and
		A)	Integrin	B)	Interleukin - 1
		C)	Interleukin - 2	D)	Complement.
	47.	Cla	ss I MHC molecules are found in		
		A)	Erythrocytes and macrophages	0	w."*
		B)	Erythrocytes, β cells and T cells	51	
		C)	T cells only		*
	52	D)	all nucleated cells.		
	48.	Rhe	eumatoid factor is an		
		A)	antinuclear antibody	B)	antibody to synovial membranes
		C)	antibody to immunoglobulin	D)	antibody to complement.
	49.	A h	ybridoma is a cell formed by fusion o	of	
	w.	A)	T cell with a myeloma cell.		94
		B)	macrophage with a myeloma cell		
		C)	plasma cell with a plasma cell of a	nothe	er species
		D)	plasma cell with a myeloma cell.		R 2 KI
	х 3	01	300	1	•



50.	Asep	eptic meningitis is caused by				
	A)	Pneumococci				
	B)	Meningococci				
	C)	Coxsackievirus				
	D)	Human Immunodeficiency Virus.				
51.	Whi	ch one of the following is responsible	for d	lental caries ?		
	A)	Streptococcus agalactiae	94 20			
	B)	Streptococcus pyogenes				
	C)	Streptococcus mutans				
	D)	Streptococcus MG.	68			
52 .		ch one of the following statements in the character of the following statements in the character of the char	ls not	correct regarding antigenic drift in		
	A)	Abrupt drastic discontinuous varia	tion i	n antigenic structure		
	B)	Gradual sequential change in antig	genic s	structure		
	C)	It is due to mutation and selection		ix		
	D)	Accounts for periodical epidemics	of Infl	uenza.		
53.	Ster	rilisation by non-ionising radiation is	done	using		
	A)	X-rays	B)	Gamma rays		
	C)	Cosmic rays	D)	UV rays.		
54.	Colo	d agglutinins are seen in the followin	g exce	ept		
æ	A)	Primary atypical pneumonia	B)	Myasthenia gravis		
	C)	Trypanosomiasis	D)	Black water fever.		
55.	Isog	raft refers to graft from		ϵ		
	A)	member of same inbred strain		22		
	B)	genetically unrelated member of sa	me sp	pecies		
100	C)	self		er e		
	D)	different species.				
x 3	01	3001		(Turn over		



56.	Which of the following statements about IgE is not correct?				
	A) It cannot be demonstrated by precipitation				
	B)	It is homocytotropic			
	C)	It is heat stable		828 8	
	D)	It does not cross placenta.		€8	
57.	Cho	ose the potassium sparing diureti	c from t	he following :	
	A)	Firusemide	B)	Hydrochlor thiazide	
X S	C)	Spirinolactone	D)	Bumetanide.	
58.	Cho	ose the psychotogenic drug from i	the follow	wing:	
	A)	Chlorpromazine	B)	Caffeine	
	C)	Lithium	D)	Lysergic acid diethylamide.	
59.	Lith	ium carbonate is used as a/an	*		
٠	A)	Anti-depressant Drug	B)	Anti-psychotic Drug	
2	C)	Psychotogenic Drug	D)	Anti-anxiety Drug.	
60.	Cho	ose the tricyclic anti-depressant fi	rom the	following	
	A)	Fluvoxamine	B)	Fluoxetine	
	C)	Imipramine	D)	Trazodone.	
61. '	Whi	ch of the following has antiplatele	t action	?	
	A)	Aspirin	B)	Diflunisal	
40	C)	Paracetamol	D)	Ketorolac.	
62.	Cho	ose the drug with long half-life fro	m the fo	ollowing:	
	A)	Ethosuximide	B)	Phenobarbitone	
	C)	Carbamazepine	D)	Primidone.	
63.	Whi	ich of the following is non-volatile	general	anaesthetic?	
	A)	Thiopental Sodium	B)	Nitrous oxide	
	C)	Chloroform	D)	Halothane.	
x 30	1	[30	001		



64.	Choose the long acting sulphonamide from the following:			
	A)	Sulphadiazine	B)	Sulphisoxazole
	C)	Sulphaphenozole	D)	Sulphamethoxypyridazine.
65.	Cho	ose the ulcer protective from the fo	llowing	g :
	A)	Sucralfate	B)	Metallopramide
	C)	Cimetidine	D)	Omeprazole.
66.	Cho	ose the systemic antacid from the	followi	ng:
	A)	Omeprazole	B)	Sodium bicarbonate
	C)	Magnesium hydroxide	D)	Magnesium carbonate.
67.	Cho	oose the Emetic from the following :	2	1 April 2
	· A)	Apomorphine	B)	Hyoscine
	C)	Metoclopramide	D)	Cisapride.
68.	Wh	ich of the following is antimotility d	rug?	
	A)	Kaolin	B)	Pectin
	C)	Psyllium	D)	Codeine.
69.	In a	a case of hanging, when the knot of	the lig	ature is present at the nape of neck.
	it is	s known as		
	A)	Atypical hanging	B)	Typical hanging
	C)	Paradoxical hanging	D)	None of these.
70.		X-ray of a dead child, the mal-al	ignmer	nt of bones of skull & overriding of
	A)	Chadwik sign	B)	Braxton-Hicks sign
	C)	Spalding's sign	D)	None of these.
71.		husband has forcible sexual intercrape according to	ourse	with his own wife, will be considered
*	A)	Sec. 354 I.P.C.		€
	B)	Sec. 374 I.P.C.		
	C)	Sec. 376-A I.P.C.		5
	D)	None of these.		
x 3	01	. (\$0	01	[Turn over



	8	(***		
72.	Caff	ey's syndrome is otherwise known a	s	
	A)	Battered baby syndrome	B)	Sudden infant death syndrome
	C)	Neglect baby syndrome	D)	None of these.
73.	Diat	om test is a test used to find out wh	ether	the person was alive or dead in the
	case	s of	£8	No.
	A)	Hanging		**************************************
	B)	Drowning		gr ^{ee}
**	C)	Suffocation		
	D)	None of these.		
74.	The	gravid uterus remains within the pe	lvic ca	avity upto
	A)	16 weeks	B)	14 weeks
	C)	12 weeks	D)	None of these.
75 .	The	following tests are biological tests to	find	out pregnancy except
	A)	Aschheim-Zondek test		
	B)	Friedmann modification test	F)	
	C)	Xenopus test		
	D)	Phenolphthalein test.	6.0	(A) X
76.	The	form of sexual perversion in wh	hich t	the infliction of pain, torture and
	hun	illiation to the partner act as sexual	stimu	lant, is known as
	A)	Masochism	B)	Fetishism
	C)	Sadism	D)	None of these.
77.	An i	ncised wound could be caused by w	hich o	of the following weapons?
	A)	Cycle chain	B)	Hammer
	C)	Knife	D)	None of these.
78.	The	weapon Aruval or Sickle will cause	which	of the following injuries?
	A)	Blast injury	B)	Cut injury
	C)	Abrasion	D)	None of these.
79 .	Befo	re postmortem examination, X-ray	s shou	ald be taken in a case of death due
	to			79 ¹¹⁷
¥	A) ,	Hammer injuries	B)	Firearm injuries
	C)	Aruval injuries	D)	None of these.
x 30	1	3001		•



			50	
80.	Mix	ed dentition will be seen upto	050	
	A)	12 years	B)	16 years
	C)	18 years	D)	20 years.
81.	Gre	at sanitary awakening took place in		27
	A)	Singapore	B)	Russia
	C)	France	D)	England.
82 .	The	first distinguished Epidemiologist v	vas	
	A)	Thomas Sydenham		
	B)	John Hunter		
	C)	John Snow		3
	D)	William Bud.		81
83.	Pres	sence of bacteria in the air was demo	onstra	ted by
	A)	Robert Koch	B)	Louis Pasteur
	C)	Edward Jenner	·· D)	James Lind.
84.	The	concept of Health Centre was first r	nooted	l by
	, A)	Sir Joseph Bhore	B)	World Health Organisation
	C)	Lord Dawson	D)	C.E.A. Winslow.
85.	'Me	dicine is a social science and politics	on a	large scale' written by
	A)	Virchow	B)	John Bryant
	C)	Dr. Francis Peabody	D)	McKeown .
86.	Phy	sical Quality of Life Index is a compo	sition	of
	A)	Infant mortality, Life expectancy, F	emale	literacy
	B)	Infant mortality, Maternal mortality	y, Lite	racy
	C)	Infant mortality, Standard of living	, Liter	acy
	D)	Infant mortality, Life expectancy at	age o	ne, Literacy.
87.	Hur	nan Development Index ranges from	-	
	A)	0-1	B)	1-10
	C)	1-100	D)	1-1000.
88.	The	term social medicine was first intro	duced	by
	A)	Jules Guerin	B)	Alfred Crotjahn
	C)	Prof. Crew	D)	John Ryle.
			00 - 1000	a grant contraction and a secondary

3001



89.	Community Medicine as a department was first recommended by			
	A)	WHO Expert Committee		(19)
• .	B)	Euro Symposium		Q
	C)	Todd Commission		
	D)	WHO/UNICEF/ Joint Committee r	eport	•
90.	Ten	th revision of International classifica	ation (of diseases came into effect on
	A)	1st January, 1993	B)	1° January, 1991
, and	(C)	1° April, 1993	D)	1 st April, 1991.
91.	Ven	tral Hernia is		
	A)	Femoral Hernia	B)	Inguinal Hernia
·	C)	Obturator Hernia	D)	Incisional Hernia.
92.	Frac	cture pelvis is associated with		
	A)	rupture of urethra	B)	rupture of ureter
	C)	rupture of urachus	D)	rupture of umbilicus
93.	Whi	ch is of the following is correct regar	rding	boundary of Inguinal canal?
	A)	Anteriorly by Transversals fascia		* .
	B)	Posteriorly by Psoas		46
84	C)	Inferiorly by Inguinal ligament		.
	D)	Superiorly by Rectus abdominis.		•
94.	Selo	linger's needle is meant for		al .
	A)	Liver Biopsy	B)	Suture skin
	C)	Arteriography	D)	Breast Biopsy.
95.	Jab	oulay's Procedure is surgical proced	lure fo	or .
	A)	Hernia	B)	Hydrocele
	C)	Haemonoids	D)	Hamartoma.
96.	'Clir	nical assessment of varicose veins in	clude	s the use of
	A)	Hess Test	B)	Tourniquet Test
	C)	Coombs' Test	D)	Muscle stretch.
				200



97.		50 A 2013	staging of Carcinoma B ing is correct?	reast TNM	classification of T ₂ , N ₂ M ₁ which of
	A) -	Tum	our size within 5 cm	B)	Nodes are palpable and motile
	C) ,	No m	etastasis	D)	Supraclavicular lymph node.
98.	Out	come (of liver Trauma is		KC 872
		I)	Rapid parenchymal rege	eneartion	* 2
		II)	Associated with Biliary	Strictures	
		III)	Liver atrophy		. 20
		IV)	Develop Hepatocelluler	Carcinoma	
	Of the	hese			
N.	A)	I & II	are correct	B)	II & III are correct
53	C)	III &	IV are correct	D)	I, II & III are correct .
99.	·	ear ol stigate		ular bleedi	ng for the past 6 months, the best
83	A)	D&(B)	Laparoscopy
•	C)	Fract	ional curettage	D)	Hysterogram.
100.	Lap	arosco	opy is done for		
	A)	Infert	ility	B)	Endometrial cancer
20	C)	CaCx		D)	Bartholin's cyst.
101.	Fibr	oid U	terine is diagnosed by		
	A)	D & 0		B)	Colposcopy
	C)	Pap s	smear '	D)	Ultrasound.
102.	Sub	mucou	ıs fibroid in Nullipara is r	removed by	***
1	A)	Hyste	erography removal	B)	Abdominal myomectomy
0	C)	Hysto	erectomy	D)	Radiation.
103.	The	comm	onest site for Fibroid is		
	A)	Subs	erous	B)	Intramural
	C)	Cervi	cal	D)	Submucous.
x 30	1			3001	[Turn over



104.	. The commonest degeneration in fibroid in pregnancy is			gnancy is		
	A)	Red degeneration	B)	Hyaline degeneration		
	C)	Calcareous degeneration	D)	Fatty degeneration.		
105.	Hyst	teroscopy is indicated in				
	A)	Endometriosis	B)	Ovarian cancer		
	C)	DUB	Ď)	CaCx.		
106.	Rad	ical hysterectomy is done for Ca	Cx in	<i>6</i>		
**	A)	Stage IA ₂	B)	Stage I B		
	C)	Stage II A	D)	All of these.		
107.	Con	nmonest site for endometritis is				
	A)	vagina	B)	ovary		
	C)	back of uterus	D)	peritoneal cavity.		
108.	Рге-	malignant lesion of carcinoma	f endomet	rium is		
	A)	Cystic glandular hyperplasia				
	B)	Atypical hyperplasia		e		
	C)	Atrophic endometrium				
er er	D)	Irregular shedding of endometr	rium.	*		
109.	The	commonest mode of spread of CaCx is				
	A)	laterally to the parametrium	B)	upward to the Cx canal		
	C)	Downward to the vagina	D)	to the endometrium.		
110.	The	Histological appearance of carc	noma of E	ndometrium is		
95	A)	Clean cell carcinoma		No.		
	B)	Squamous cell carcinoma				
	C)	Adenocarcinoma	124	9		
	D)	Adenoacanthoma.	©.	#) *)		
111.	In b	ilateral abductor paralysis the v	ocal cords	assume		
	A)	Median or paramedian position	B)	Intermediate position		
	C)	Full abduction position	D)	None of these.		
x 30	1	[3001	28		



112.		dical neck dissection, the following except	struc	tures is removed along with lymph
	A)	Sternomastoid	B)	Internal jugular vein
	C)	Acessory nerve	D)	Trapezium.
113.	Sistr	unk operation is for		
	A)	Branchial cyst	B)	Thyroglossal cyst
	C)	Pharyngeal peritone	D)·	Dermoid cysta
114.	Mik	ulicz's cells are found in		
	A)	Tuberculosis	B)	Rhenoscleroma
	C)	Hansen's disease	D)	Sarcoidosis.
115.	Rhe	nosperidium is treated by		
	A)	Medical management alone		
	B)	Surgical excision		er
	C)	Surgical excision & cauterization of	f base	
	D)	Wait & Notch.		
116.	Rad	iography findings in aclasia cardia i	nclude	e all except
	A)	Oesophageal dealbation		
	B)	Rat tail appearance		II)
	C)	Failure of lower oesophageal sphin	cter to	relax
	D)	Diffuse oesophageal spasm.		
117.	In Ir	ivasive fungal sinuses, the treatmen	t of cl	noice is
•	À)	Antihistamine	B)	Nasal steroid inhalator
	C)	Amphotericin -B	D)	Local nasal decongenstant.
118.	Tern	ninal branches of external & intern	al car	otid arteries supply the mucosa of
		es, with frequent anastomosis between part except	een th	nese systems. The following vessels
19	(A)	anterior ethmoid artery	B)	sphenopalatine artery
	C)	septal branch of facial artery	D)	posterior ethmoid artery.
x 30	1	3001	П	[Turn over



119.	The	first line of treatment for chronic sin	usitis	, the antibiotic of choice is
	A)	Amoxicillin	B)	Erythromycin
	C)	Amoxicillin clarulanate	D)	None of these .
120.	Whi	ch of the following drugs is having m	asț ce	ell stabilization effect?
	A)	Topical nasal solution of cromolyn	3	350.
	B)	Nasal steroids		
	C)	Xylometazoline nasal drops		
	D)	None of these.		
121.	Rega	arding Beau's line all are correct exce	ept wh	ich one of the following?
	A)	Transverse depression on the nail		
	B) ·	Temporary interference with nail for	matic	on.
	C)	First seen at the distal edge of the r	ail	•
	D)	Commonly follows systemic illness.		*
122.	In h	umans the most darkly pigmented h	airs a	re which one of the following?
134	A)	Eye lashes.	B)	Body hair
	C)	Scalp hair	D)	Pubic hair.
123.	Trea	tment of acne vulguris includes all	except	•
	A)	Tetracycline	B)	Retinoids
	C)	Azathioprine	D)	Topical antibacterials.
124.	Feat	ures of arterial ulcers are all except		
	A)	Frequently pretibial	i.	₩ ₩
	B)	Painful at night		製
¥	C)	Pigmentation of the surrounding ar	ea	
	D)	Sharp, packed out ulcer.		** _
125.	Whi	ch one of the following is the classic		
	A)	Vesicles on the face	B)	Oral ulcer
- 100	C)	Koebner's phenomenon	D)	Target lesions.



126.	Regr	Regrding benign mucosal pemphigoid all the following are true except			
	A)	Onset-Late middle age		6	
	B)	Common in women	Ş	i.	10
	C)	Autoimmune disease		€5 ±0.	
	D)	Heals without scarring.		•	•
127.	Whi	ch one of the following is characteris	tic of	steroid induced acne?	1 55
	A)	Comedones	B)	Seborrhoea	
	C)	Cysts	D)	Monomorphic lesions.	
128.	Whi	ch one of the following is a psychoan	alytic	based therapeutic model	?
	A)	Relaxation therapy	B)	Token economy	
\$33	C)	Hypnosis	D)	Social skills training.	e _s
129.	Parie	etal dysfunction includes the following	ng exc	ept .	* .
	A)	Confusional state			
	B) .	Apraxia			
	C)	Anosognosia	•	19	
	D)	Cortical blindness.	17		•
130.	Occi	petal lobe dysfunction is characteris	ed by	all the following except	
	A)	Personality change	B)	Visual halucination	
	C)	Cortical blindness	D)	Anton's syndrome.	6 2
131.	Cho	ose the wrong statement regarding S	omati	zation Disorders :	:* :2
	A)	Life time prevalence is 0.5%	,		įš.
	B)	Usually affects women more freque	ntly th	nan men	
	C)	Reportedly more common in low so	cio-ec	onomic classes	
	D)	Respond well to treatment,		* , , , , ,	
132.	The	following Medical co-morbidity are p	ossib	le in schizophrenia except	
	A)	Obesity	B)	Hyperlipidemia	ø.
	C)	Malignant neoplasm	D)	Broncial Asthma.	X.
x 30	ī	13001	7	ſ	Turn over

		t t		
AMS	8	22	1.5	
133.	Cho	ose the wrong statement in dement	ia:	* * *
,	A)	Consciousness is clear		
	B)	Symptoms are stable		¥
	C)	Severe cognitive impairments		
X S	D)	Predominant feature is mood distr	urbanc	е.
134.	The	synthetic components of Opioids a	re all ti	he following except
*	A)	Heroin	B)	Charas
7:0 * 0	C)	Pentazocine	D)	Meperidine.
135.	Into	xication of cannabies includes all e	xcept	
	A)	Confusion	B)	Fearfulness of suspiciousnes
	C)	intense anxiety & panic attacks	D)	Pupillary constriction.
136.	The	following are the features of ADHD	except	
	A)	Impulsivity	B)	Excitability
*	C)	Hyperactivity	D)	Elation.
137.	Sild	enafil is indicated in		
	A)	Premature ejaculation	B)	Erectile dysfunction
8	C)	Voyeurism	D)	Homosexuality.
138.	The	following are common in post-part	um per	riod in women except
	A)	Post-partum blues		
	B)	Post-natal depression		
26	C)	Post-partum psychosis		
	D)	Hyperemesis Gravidarum.		
139.	Desc	criptive population genetics includ	es all t	he following except
* .	A)	Twin studies		
	B)	Adoption studies		(*)
		* *	¥	
	C)	Family risk studies		

Association studies.

D)

x 301

140.	Chal	azion is due to				
	A)	inflammation of the meiobian gl	and			3
	B)	inflammation of the Zeis gland			e e	
	C)	inflammation of Krause's gland			u u	¥(
	D)	inflammation of Moll's gland.			200	
141.	Cata	racta Nigra means				
	A)	Black cataract	. E	3)	Red cataract	21
()	C)	Blue cataract	I	D)	White cataract.	
142.	Pter	ygium of the conjunctiva means			v e	
	A)	Wing shaped structure			•	(\$4)
	B)	Butterfly shaped structure			02	
	C)	D-shaped structure			w .	e) 15
	D)	Circular structure.			40.	
143.	Aqu	eous humor is produced by the	ciliary	bod	y by	49 24
	A)	Ultrafiltration	I	B)	Secretion	*
	C)	Pump mechanism	Ī	D)	All of these.	4
144.	Leu	coma means		•	4.	58
	A)	full thickness diffuse dense corn	neal s	car	(A	
ij.	B)	insignificant scars in the Bowm	an's	mem	brane	
9	C)	small epithelial scars			,	
,	D)	moderate stromal scars.				*
145.	Iritis	s consists of which of the following	ng fea	ture	s ?	
	A)	Miotic pupil			8 0	
861	B)	Flare		39		ā
	C)	Keratic precipitates				
	D)	All of these.				
146.	Нур	haema means				(A)
	A)	blood in the vitreous	I	B)	blood in the anterior of	hamber
	C)	blood in the layers of cornea	I	D)	blood in the retina.	
x [30	1	· · · · · · · · · · · · · · · · · · ·	3001			[Turn ove



5 Down 5				
147.	In ex	tracapsular cataract extraction		
ia.	A)	Nucleus is removed		100 E
	•B)	Cortex is removed		
	C)	Part of the anterior capsule is ren	noved	*
	D)	All of these.		#II #II
148.	HLA	-B ₂₇ is strongly associated with		•
	A)	Ankylosing spondylitis	B)	Fibromyalgia
	C)	Rheumatoid arthritis	D)	Osteoarthritis .
149.		ch activity will be difficult to perfo cient knee joint ?	rm for	a patient with an anterior associate.
	A)	Walk uphili	B)	Walk downhill
	C)	Sit cross-legged	D)	Getting up from sitting.
150.	Pain	ful arc syndrome is seen in all exc	ept	1.60 25
	A)	Complete tear of Supra spinatus	B)	Fracture greater tuberosity
	C)	Subacromial Tarsitis	D)	Supra spinatus tendinitis.
151.	Cho	ndro calnocinosis is seen in	*0	e e
	A)	Ochronosis	B)	Rickets
	C)	Hypoparathyroidism	D)	Hypervitaminesis D .
152.	Thre	e point relationship is reversed in	all exce	ept .
٠	A)	Fracture medial epicondyle		
	B)	Supra condylar fracture	V V	*
	C) .	Fracture lateral epicondyle	**	
	D)	Posterior dislocation of elbow.		
153.	Non	-specific Osteomyelitis is caused b	у	25
	A)	Salmonella	B)	Fungus
*	C)	Yaws	D)	Staphylococcus Aureus.
x 30)1	[30	01) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d



154.	The	principle of limb salvage is			
	A)	retain the integrity of the skeletal s	ystem	L	
26	B)	to save life			
	C)	not to use endoprosthesis	•		
	D)	all of these.		*	
155.	Test	for sacroiliac joint involvement is	•	•	
	A)	Dugas' test	B)	Pump handle tes	31
*	C)	Drawer test	D)	Bryant's test .	
156.	de Ç	uervain's disease is stenosing tenos	ynovį	tis of	
	A)	flexor of fingers			
	B)	extensor and abductor of thumb			
٠	C)	extensor of finger			
	D)	lumbricoid.			
157.	The	attitude of the lower limb in posterio	or disl	ocation of hip is	
17	A)	flexion, abduction, internal rotation	1		
	B)	flexion, abduction, external rotation	n	22	
	C)	flexion, adduction, external rotation	n.	*	
	D)	flexion, adduction, internal rotation	n.		
158.	The	commonest drug used in total intra	venou	s Anaesthesia is	
	A)	Dipentone sodium	B)	Diazepam	8
	C)	Fentanyl	D)	Propofol.	
159.	Safe	inhalational agent with high range	of saf	ety is	
	A)	halothane		*	
	B)	ether			*
*	C)	nitrous oxide			
	D)	cyclopropane.		*	



[Turn over

160.	Keta	mine causes all of the following exce	pt	
	A)	increases the heart rate		M _{ES}
	B)	increased myocardial contractility	¥ s	
	C)	decreases the myocardial oxygen co	nsum	ption
	D)	hypertension.		42
161.	Suxa	amethionium causes	12	
	A)	depolarising blockade		87 87
٠	B)	non-depolarising blockade.		
	C)	causes reduction in sodium-potass	ium le	evels
	D)	metabolised in kidneys.	9	
162.	The	commonest complication of sub-clav	vian v	ein cannulation is
	A)	Arterial puncture	B)	Thoracic duct puncture
	C)	Pneumothorax	D)	Catheter knotting.
163.	The	spinal cord ends at the		*
	A)	lower border of L ₁	B)	lower border of L2
	(C)	S_1	D)	T ₁₂ .
164.	Auto	degradation occurs with which of t	he foll	owing muscle relaxants?
	A)	Pancuronium	B)	Vecuronium
52	C)	Atracurium	D)	Gallamine.
165.	BLS	is a / an	E#	
	A)	English course		The second secon
	B)	Book publisher		
		5-40-000 1000 000-000		THE ST
	C)	Resuscitative measure		*
	D)	Name of a machine.	100	a a



166.	Endotracheal	intubation	could	be d	one using
------	--------------	------------	-------	------	-----------

A) Bronchoscope

B) Auroscope

C) Laryngoscope

- D) Laryngeal spray.
- 167. The only dural venous sinus which joins with the internal jugular vein extracranially is
 - A) Superior petrosal sinus
 - B) Inferior petrosal sinus
 - C) Inferior sagittal sinus
 - D) Superior sagittal sinus.
- 168. The statement given below has five suggested answers. Select one that is correct.

Documentation of sepsis in the newborn is sometimes difficult. Which of the following sites has a low rate of positivity?

- A) Cerebrospinal fluid
- B) Endotracheal aspirate cultures
- C) Venous blood
- D) Urine culture.
- 169. The statement given below is followed by five suggested answers. Select the one that is correct.

If a person heterozygous for a recessive trait mates with person Heterozygous for the same trait,

- A) all of the children show the pathologic trait
- B) 75 % of the offsprings show the pathologic trait
- C) 50 % of the offsprings show the pathologic trait
- D) 25 % of the offsprings show the pathologic trait.

collegedunia

170.	Which of the following statements concerning Vitamin D metabolism is false?						
	A)	Bound to alpha-2 globulin in lymphatics					
	B)	Requires bile for absorption					
137	C)	Kidney is active in metabolism	e.				
20	D)	Stored in the liver but not metaboli	sed th	nere.			
171.	Radi	ographic examination to examine	e ske	letal maturity is best evaluated by			
	X-ra	ys of the	2	i.			
:	A)	Elbow joint	B)	Wrist			
	C)	Ankle	D)	Knee joint.			
172.	The	principal cause of Bronchiolitis is	333				
	A)	H. Influenza	B)	Pneumococcus			
	C)	Parainfluenza	D)	Respiratory syncytial virus.			
173.	Sign	s of severe dehydration includes eac	ch of t	he following except			
	A)	rapid feeble pulse	B)	very sunken Fontanelle			
	C)	about tears.	D)	5 % body weight loss.			
174.	The	most common type of congenital es	ophag	eal malformation is			
	A)	Esophageal atresta with Distal trac	heoes	ophageal fistula			
6	B)	Esophageal atresia without fistula					
÷	(C)	Tracheoesophageal fistula without	atresi	la .			
	D)	Esophageal atresia with proximal t	rache	oesophageal fistula.			
175.	All ç	of the following metabolic alterations	s can	occur in pyloric stenosis, except			
	A)	Hypokalemia	B)	Hypochloremia			
	C)	Decreased serum pH	. D)	Dehydration.			
176.	Mea	sles vaccine is given to a child at th	e age	of			
i ,	A)	6 months	B)	$4\frac{1}{2}$ years			
	C)	9 months	D)	at birth.			
	(10)			× ·			

3001

				**
177.	Pres	sbyopia can be corrected by using	·	
	A)	cylindrical lens	B) ,	concave lens
	C)	convex lens	D)	bifocal lens.
178.	The	enzyme involved in diffusion and ca	rriage	of carbon dioxide in the RBC is
	A)	Carbonic anhydrase	B)	2, 3 DPG
	C)	Cyclic AMP	D)	Cyclic GMP.
179.	The	spontaneous burning pain produced	i after	seemingly trival injury is called
	A)	causalgia	B)	neuralgia
	C)	allodynia	D)	angina.
180.	The	principal hormones secreted by thyr	oid ar	e `
	A)	monoiodotyrosine and di-iodotyrosi	ne	× ×
14	B)	monoiodotyrosine and tri-iodothyro	nine	
	C)	di-iodotyrosine and tri-iodothyronin	ie'	
	D)	tri-iodothyronine and tetra-iodothyr	onine	•
81.	The	muscle, which produces abduction o	of voca	l cord is
	A)	lateral cricoarytenoid	t	
	B)	posterior cricoarytenoid		
	C)	transverse arytenoid		
	D)	cricothyroid.	•	
82.	Pala	tine tonsils develop from	×	727 49
	A)	1st pharyngeal pouch.		
¥5	B)	2 nd pharyngeal pouch		
3,	C)	4th pharyngeal pouch		125 1
87	D)	3 rd pharyngeal pouch.		*

					Œ		11	₹
				3		e		
	AMS	9	952	30	ň		.	
	183.	Anti	depressant drugs include the f	ollowing exce	pt			
		A)	SSRI	820	•			
		B)	SNRI		ų.			
		C)	NaSSA					8
		D)	Haloperidol.				*	12.4 13.
	184.	Dru	gs that potentiate brain serotor	nin functions	include ti	ne followi	ng except	*
		A)	Imipramine	*1				· *
		В)	Citalopram	89		æ		
		C)	Venlafacine	51				(*C)
2			Alcohol.		20 30		(i.,	
	185.		ch of the following are the imp	oortant preca	utions on	e should	observe t	efore
	100.		ting the precaution as antipsy	t inervit i dende beredikting de		4 5		9 N
		A)	Complete haemogram					*
		B)	ECG		:: **	¥ri		
		C)	Lipid profile & Blood glucose	: : : : : : : : : : : : : : : : : : :				
		D)	All of these.				·	
	186.	The	following are the ego-defence r	nechanism e	except		94	
	N es	A)	Projection	er e	(i.e.)	•		
		B)	Denial	(* 1)	•	78		
		C)	Displacement					*
		D)	Intimacy .					
	187.		following are modes of behavior	our therapy e	xcept	翻		
		A)	Flooding				Tag.	
		B)	Aversion Therapy		×	×		100
		رو	Tretoton Incrapy			28		

Modelling

D) Hypnosis.



		1				
188.	The	following are psychotherap	y except	9	9	
	A)	Marital therapy		B)	Group Therap	y -
. ;:A Æ	C)	Supportive Therapy		D)	Disulphiram T	herapy.
189.	Lim	bic system includes the foll	owing exce	ept	*	14
	•					
	A)	Hypothalamus		B)	Amygdela	*
	C)	Hippocampus		D)	Cerebellum.	•
						#
190.	Whi	ch of the following is not a	feature of	Klöv	er-Bucy syndro	ne?
194	4 7	•	型 数			20
i .	A)	Visual Agnosia			*	
	OH.	7	79		7	
	B)	Contabulation				
						20
17	CI	Oral tendencies				*7
•	Ο,			*	*	
5	D)	Plandity				• *
<	D)	Plaudity .	27		3 ⁽⁸⁾	A 81 280
191.	An	of the following statements	about thro	mbo	ocytopenia are ti	ue except
9	•			10 CZ	•	*
	A) .	ITP in children usually fol	lows viral	infe	ction	8 8
	23		12			
•	B)	In adults, we have to rule	out HIV		•	s g
	٠.,					
	C)	TTP is due to circulating l	ow molecu	lar v	weight VWF	*)
	1	3			300 10000	
88	D)	Plasma exchange has to b	e done in	TTP.	3 D W	325
	(A)	1		÷		88
192	All	of the following are true ab	out cirrhos	sis o	f liver except	
		1			ÿ	
- 4	A)	there is peripheral vasodil	atation du	e to	nitric oxide	* **
	11,	mere is peripheral vasour			mare onde	B
	.					
	B)	may have breathless on st	anding			
			*: \$2. \$4. \$2. \$	4.0		
٠.	C)	hepatic encephalopathy is	precipitat	ed b	y GI haemorrha	ge
120	27 - 13 27 - 13					18-1
	D)	methotrexate induces cirr	hosis by cl	holes	stasis.	
		1 2	*			* '

- 193. Consider the following statements regarding liver enzymes:
 - I) AST is more specific for liver
 - II) Alkaline(PO₄)ase is increased in both intra and extrahepatic cholestasis
 - III) Elevation of γ-Glutamyl transferase does not necessarily indicates liver disease
 - IV) In primary biliary cirrhosis, the predominant Ig is IgM.

Of the statements

- A) All are correct
- B) (I) & (II) are correct
- C) (II), (III) & (IV) are correct
- D) (I), (III) & (IV) are correct
- 194. All of the following are true regarding gastroesophageal reflux disease except
 - A) Systemic sclerosis is a risk factor
 - B) Alginate containing antacids may worsen the symptoms .
 - C) Proton pump inhibitors are the drug of choice
 - D) It may predispose to malignancy.
- 195. Diagnostic criteria for Irritable Bowel Syndrome consist of all except

Abdominal discomfort con. pain

- A) relieved with defecation
- B) associated with change in frequency of stool
- C) change in consistency
- D) should be present for blots.

x 301



196. Match the following:

Ego defence

- a) Displacement
- b) Regression
- c) Repression
- d) Sublimation

Codes:

- a b c
- 1 2 3
- B) 1 3 2 4
- C) 1 3 4 5
- D) 1 2 4 3

197. All are dissociative symptoms except

- A) Fugue
- C) Amnesia
- 198. Match the following:
 - a) Secular trend
 - b) Cyclical trend
 - c) Seasonal trend
 - d) Short-term fluctuations

Meaning

- 1) Transferring the emotions
- 2) Diversion of unacceptable behaviour to acceptable one
- 3) Adoption of primitive patterns of behaviour
- 4) Exclusion from anxious emotions

- B) Pseudodementia
- D) Mutism.
- 1) URI
- 2) Bhopal Gas Tragedy
- 3) Diabetes
- 4) Measles

Codes:

- a b c
- A) 1 4 3 2
- B) 1 4 2 3
- C) 3 1 4 2
- D) 3 4 1 2

3001

[Turn over


x 301

199. If the cut-off point E moves towards A which of the following is correct?

- A) False positive increases
- B) False negative increases

C) Both increases

D) Both decreases.



200. Match the following:

- a) Intrinsic asthma
- 1) Mycoplasma
- b) Extrinsic asthma
- 2) Aspirin intolerance
- c) Atypical pneumonia
- 3) Atopic individuals
- d) Multiple abscesses
- 4) Staphylococcus aureus.

Codes:

- a b c d
- A) 3 1 2 4
- B) 2 3 1 4
- C) 2 1 3 4
- D) 3 2 4 1