X

Tear here

QUESTION BOOKLET UNTIL YOU ARE ASKED TO DO SO

Booklet Series

A	
A	
77	

Register				
Number		4		3350
(1)	CONTRACTOR AND COM-			

2010 BIO-CHEMISTRY


Time Allowed:	3 Hot	urs l
---------------	-------	-------

| Maximum Marks: 300

Read the following instructions carefully before you begin to answer the questions.

IMPORTANT INSTRUCTIONS

- 1. This Booklet has a cover (this page) which should not be opened till the invigilator gives signal to open it at the commencement of the examination. As soon as the signal is received you should tear the right side of the booklet cover carefully to open the booklet. Then proceed to answer the questions.
- 2. This Question Booklet contains 200 questions.
- 3. Answer all questions.
- 4. All questions carry equal marks.
- 5. The Test Booklet is printed in four series e.g. A B C or D (See Top left side of this page). The candidate has to indicate in the space provided in the Answer Sheet the series of the booklet. For example, if the candidate gets A series booklet, he/she has to indicate in the side 2 of the Answer Sheet with Blue or Black Ink Ball point pen as follows:



- 6. You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- 7. An Answer Sheet will be supplied to you separately by the Invigilator to mark the answers. You must write your Name, Register No. and other particulars on side 1 of the Answer Sheet provided, failing which your Answer Sheet will not be evaluated.
- 8. You will also encode your Register Number, Subject Code etc., with Blue or Black ink Ball point pen in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to encode the above information, your Answer Sheet will not be evaluated.
- 9. Each question comprises four responses (A), (B), (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 10. In the Answer Sheet there are four brackets [A][B][C] and [D] against each question. To answer the questions you are to mark with Ball point pen ONLY ONE bracket of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong. e.g. If for any item, (B) is the correct answer, you have to mark as follows:

[A] [C][D]

- 11. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the examination. After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 12. The sheet before the last page of the Question Booklet can be used for Rough Work.
- 13. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.
- 14. Do not tick, mark or mark the answers in the Question Booklet.

181 x 1406

14001

[Turn over



Tear here X

OT TEAR THIS COVER OF THE

NOO

1.	Tumeraciens induce which disease in plant?					
	A)	Crown gall	B)	Hairy root		
	C)	Necrosis	D)	Chlorosis.		
2	Whi	ch immunoglobulin is found in sec	retion	such as milk?		
	A)	IgG	B)	lgM		
0	C)	IgA .	D)	IgD.		
3.	PBA	D vector uses				
	A)	arabinose operon	B)	gal operon		
	C)	lactose operon	D)	Trp operon.		
4.		experiment began with 4 cells erations did the cells go through?	and e	nded with 128 cells. How many		
	A)	. 64	B)	6		
	C)	5	D)	4.		
5.	As 1	membrane fluidity increases, the fo	llowing	occurs except,		
	A)	permeability to water increases				
	B)	lateral mobility of integral protein	incre	ases		
	C)	the rate of transport by transport	proteir	ıs		
	D)	permeability of large hydrophilic	molecul	les increases.		
6.	The highest mass peak in the mass spectrum of PF_3 comes at $m/z = 88$ and is a single peak. Which statement is consistent with these data?					
()	A)	Fragmentation of PF3 occurs in the	he mass	s spectrometer		
	B) .	P - F bond cleavage is facile in th	e mass	spectrometer		
	C)	F and P are monotopic	a ^{ti}			
	D)	Either P or F, but not both, is mo	notopoi	ic.		
	F-182	x 1406	001	· [Turn over		



7.	A double-stranded RNA genome isolated from a virus in the stool of a child with				
,	gastı	roenteritis was found to cont	ain 15%	Uracil. What is the percentage of	
	Gua	nine in this genome?		\$5 0	
74	A)	15	B)	25	
	C)	35	D)	75.	
8.	Oxid	lation and phosphorylation in i	ntact mito	chondria is completely blocked by	
	A)	Piericidin A	В)	Antimycin A	
	C)	Oligomycin	D)	Amobarbital.	
9.	Wha	at is the role of zinc ion in liver	alcohol del	hydrogenase catalysis?	
	A) .	General acid catalysts	B) .	General base catalyst	
	C)	Nucleophilic catalyst	D)	Electrophilic catalyst.	
10.	Und	er normal conditions, which	of the foll	owing blood energy sources is the	
	pref	erred fuel of muscle?		eses W es	
	A)	Glucose	B)	Ketone bodies	
	C)	Amino acids	D)	Free fatty acids.	
11.	Baci	llus thuringiensis is a	€8	9	
	A)	Virus	B)	Algae	
	C)	Fungi	D)	Bacteria.	
12.	Imn	unoglobulin class is determine	d by	n	
	A) .	Heavy chain	В)	Light chain	
	C)	J chain	D)	Variable region.	
x 14	06	e	14001		



		5	BCSA2
١3.	Splicing involving ligation of the flank	ting protein fragment is called as	16
	A) Exons	B) Exteins	€,
	C) Inteins	D) Introns.	
4.	"Superbug" was a name coined for or	ganisms engineered for	
	A) Antibiotic production	B) Probiotic production	a
	C) Hydrocarbon degradation	D) Enzyme production.	
5.	Match List I correctly with List II an	nd select your answer using the co	odes given
	below the lists:	*	
	List I	List II	
	a) Plasma	1. ATP synthase	,
	b) Endoplasmic reticulum	2. 5'-nucleotidase	
	c) Golgi apparatus	3. Glucose 6-phosphatase	
	d) Inner mitochondrial	•	
	membrane .	4. Stalyl transferase.	20.80
	Codes:		
	a b c d	e ·	
	A) 3 1 4 2		
	B) 2 3 4 1		

14001



16.	Which of the following phenomena of absorption of light at one wavelength and						
	emission at a longer wavelength is used?						
	A)	Visible spectroscopy		3)	Fluorescence spectroscopy		
	C)	X-ray diffraction	. 1	D) .	None of these.		
17.	All o	of the following are features of glyc	osyl	ated	hemoglobin except.		
	A)	can be separated from normal Hb	oA b	y ion	exchange chromatography		
	B)	is formed by enzymatic glycosylat	tion	of ar	mino terminals of Hb by glucose		
	C)	fraction of glycosylated hemoglob	in is	nor	mally 5%		
	D)	reflects average blood glucose cor	ncen	trati	ion for past 6-8 weeks.		
18.	Which among the following carries electron from FADH 2 to Cytochrome reductase?						
	A)	Flavins	E	3)	Fe-S cluster		
	C)	Hemes	. [D)	Ubiquinone.		
19.	If a	nalysis of the early part of an enz	yme	e-cat	alyzed reaction shows it to be first		
	order, this means that the initial substrate concentration was						
F.	A)	approximately equal to the K_m v	alue				
	B)	much less than the K_m value					
	C)	much greater than the K_m value					
	D)	equal to or greater than k_{cat}/K_m					
20.	The	e major source of extracellular chol	leste	rol f	or human tissues is		
	A)	VLDL	. 1	B)	LDL		
	C)	HDL	1	D)	albumin.		
x 14	06]	14	1001]	S#		



21.	The	scientist who first cultured the	isolat	ated plant cells in vitro on artifici	ial
	med	ium is		•	
	A)	P.R. White	B)	S.C. Maheswari	
*	C)	W.J. Robbins	D)	G. Haberlandt.	
22.	Whic	ch of the following is not true?			*
*	A)	IgM and IgG can fix complement		T1:000	
Ser.	B)	IgA is a secretory immunoglobulin	1	1.05 	
	C)	IgE mediates hypersensitivity	N)	9 8	
,	D)	IgD provides most passively acqui	ired m	naterial immunity.	
23.	\mathbf{p}^{ET}	vectors use which of the following	promo	oters for expression?	
	A)	T4 promoter	B)	T7 promoter	
v B	C)	Ara promoter	D)	Trp promoter.	
24.	The	medium of Vitamin B_{12} produ	ction	should contain which one of th	ne .
	follo	wing mineral sources?	٠		
	A) .	Cobalt	B)	Fe	
	C)	Se	D)	Cu.	
25 .	Card	liolipin contains		1900	
*	A)	3 molecules of glycerol		•	
	В)	2 molecules of glycerol			
	C)	2 molecules of glycerol and one sp	hingo	osine	
	D)	None of these.			

14001

x 1406

collegedunias
India's largest Student Review Platform

26.	According to the Beer-Lambert Law, on which of the following does absorbance not depend?						
	A)	Solution concentration		¥8			
	B)	Colour of the solution		¥0			
	C)	Extinction coefficient of the sample					
a a	D)	Distance that the light has travelle	d thro	ugh the sample.			
27. The water soluble vitamin biotin, is not a coenzyme in							
	A)	Acetyl CoA carboxylase	B)	Propionyl CoA carboxylase			
	C)	Pyruvate carboxylase	D)	Pyruvate dehydrogenase.			
2 8.	Nun	nber of ATP produced for a pair of el	ectror	is via cytochrome c is			
	A)	1	B)	1.5			
	C)	2	D)	2.5.			
29 .	If a	plot of V vs $[S]$ is sigmoidal, it most	likely	means that			
	A)	the enzyme is allosteric		•			
ř	B)	there is a competitive inhibitor pre	sent	**************************************			
	C)	there is a non-competitive inhibitor	rpres	ent			
19825	D)	there is a mechanism-based inhibi	tor pr	esent.			
30 .	Les	ch-Nyhan syndrome is due to a defe	ct in				
67.0	A)	HGPRT	B)	Hypoxanthine oxidase			
8.	C)	Glucokinase	D) ·	Xanthine oxidase.			
31.	Von	Gierke's disease is due to the defici	ency (of ·			
	A)	Glucokinase		8			
	B)	Glucose-6-phosphatase		2 etc. 2			
•	C)	Glyceraldehyde-3-phosphate dehyd	droger	nase			
	D)	None of these.	e				



32.	The	transition	state	has	an	estimated	life.	-time	of	abou	t
-----	-----	------------	-------	-----	----	-----------	-------	-------	----	------	---

- A) microsecond (10^{-6} s)
- B) nanosecond (10⁻⁹ s)
- C) picosecond $(10^{-12} s)$
- D) 10-100 femtosecond (1 femtosecond = 10^{-15} s).

33. The tight coupling of electron transport and phosphorylation in mitochondria is disrupted by

- . A) CCCP
 - B) 2, 4 dinitrophenol
 - C) Dinitrocresol
- D) Pentachlorophenol.

34. Turanose is a

- A) deoxy sugar
- B) 7-membered sugar
- C) non-reducing disaccharide
- D) reducing dissacharide of glucose and fructose.

35. Which of the following statements regarding mass spectrometry is incorrect?

- A) Parent ions are not always observed in the mass spectra of compounds
- B) Provides direct structural data
- C) Isotopic distribution patterns are observed in mass spectra
- D) Gives information about fragmentation patterns.

x 1406

14001



		響		•		
BCSA2						
36.	Which region of Agrobacterium is transported to plant cell?					
	A)	T-DNA	B)	Vir		
	C)	ipt	D)	tmt.		
37.	T ce	lls that never encountered antigens	are c	alled as		
	A)	TH cells	B)	Naive T cells		
	C)	Memory T cells	D)	Effector T cells.		
38.	E-co	oli DNA ligase requires	. as co	ofactor for its action.		
	A)	NAD⁺,	B)	ATP		
	(C)	NADPH*	D)	GTP.		
39.	Hov	v many reduced pyrrole rings surro	unds t	the central atom of cobalt to cyanide		
	gro	up in the structural formula of Vita	min B	12 ?		
	A)	5	B)	6		
	C)	4	D)	7. .		
40.	Bac	cterial protoplast contains		¥.		
	A)	cholesterol and ergosterol	B)	no phospholipids		
	C)	more phospholipids	D)	more cholesterol.		

coloured compound in solution ?

A) Spectrofluorimeter B) pH meter

41. What is the name of an instrument used to measure the absorbance of a

C) Voltameter D) Colorumeter.

42. Which one of the following gives positive reaction for Molisch's test?

A) Flavoproteins

B) Lipoproteins

C) Mucoproteins

D) None of these.

x 1406



4 3.	Hyd	rogen peroxide is the substrat	te for	*
		I. Catalase		**
		II. Peroxidase		Till the state of
		III. Oxygenase		3. s
		IV. Hydroxylase.		
	Of t	hese		
	A)	I is correct	B)	I and II are correct
	C)	I, II and III correct	D)	I, II, III and IV are correct.
44.	Hyd	lroxyproline synthesis require	s	
	A)	Vitamin A	B)	Vitamin C
	C)	Vitamin D	D)	Retinol.
45.	Coc	aine		
	A)	decreases heart rate and low	ers body ter	mperature
	B)	causes pupil dilation in norr	nal people	STA .
	C)	causes pupil constriction in	Horner's syr	ndrome
	D)	does not affect accommodati	ion.	
46 .	Bt 1	oroduces a toxin called		
	A)	δ-endotoxin	B)	α-endotoxin
	C)	β-endotoxin	D)	y-endotoxin
47.	Wh	ich antibody type protects ag	gainst bacte	ria, virus and toxins in secondary
	imn	nune response?		
	A)	IgA	B)	IgD
	C)	IgE	D)	IgG.
x [14	06		14001	[Turn over



18 .	The	chromogenic substrate for enzyme	β-gala	ctosidase is
2.	A)	5-bromo-5-fluoroindoxyl		Sing A
*	B)	5-bromo-4-chloro-3 indolyl-β-D-ga	lactop	yranoside
	C)	Isopropyl-β-D-thiogalactoside		
	D)	5-dibromo-4, 4,-dichloroindigo.		
49.	Wha	at is the daily requirement of Vitami	in B ₁₂	for human being?
	A) .	0.001 mg/day	B)	0·1 mg/day
	C)	0·1 μg/day	D)	lg/day.
50.	Hig	h cholesterol and sialic acid are che	mical	markers for
	A)	Plasma membrane	B)	Lysosomes
28	C)	Golgi apparatus	D)	Endoplasmic reticulum.
51.	Wha	at is the optimum condition to steri	lize th	e medium ?
*2	A)	100° C for 10 minutes	B)	110° C for 15 minutes
	C)	120° C for 20 minutes	D)	115° C for 30 minutes.
52 .	B ce	ells secrete		K 41
	A)	Cytokines	B)	Antibodies
	. C)	Antigen	D)	Helper T-cells.
53.	Isop	propyl thiogalactoside is	of la	ac operon.
	A)	inducer	B)	repressor
	C)	inhibitor	D)	polymer.
× 114	ING 1	140	<u> </u>	



							2				
					13		#				BCSA2
54.	An	organism	is capa	able o	f oxidising	fatty	acids	to	obtain	energy.	hydrogen,
	elec	trons and	carbon.	Whic	h type of m	etabol	ism do	es (this orga	anism po	ssess ?
£	A)	Photo-lit	hotroph	ic auto	otroph			•		•	
	B)	Chemo-c	organotr	ophic	heterotroph	Ĺ				•	ě
6	C)	Photo-or	ganotroj	ohic h	eterotroph				*	*.	27
	D)	Not enou	igh infor	matio	n to dermin	e whic	ch type	·.			98.5
55.	Mat	ch List I	correctly	with	List II and	select	your	ans	wer usi	ng the c	odes given

List	I	List	II

- a) Lysosomes 1. Cardiolipid
- b) Endoplasmic reticulum 2. Acid phosphatase
- c) Nucleosomes 3. Cytochrome P 450
- d) Mitochondrial membranes 4. Histone.

Codes:

below the lists:

. A) 2 3 4 1

B) 3 1 4 2

C) 2 4 1 3

D) 4 3 2 1.

x 1406 Turn over



BCSA2 14

56.		dichromate ion absorbs light of war rmation, what can you conclude?	veleng	gth close to 500 nm. Based on thi
	A)	The dichromate ion absorbs within	the v	risible region
*5	B) ·	The dichromate ion absorbs outsid	le the	visible region
	C)	The dichromate ion absorbs in the	ultra	violet region
	D)	Solutions of the dichromate ion ar	e colo	urless.
57.	Yeas	st ferments all the following sugars e	xcept.	
	A)	Glucose	B)	Lactose
	C)	Maltose	D)	Sucrose.
58.	Whi	ich one of the following is correctly m	atche	d?
	A) .	Phenolase	_	Laccase
	B)	Cytochrome oxidase	,	Warburg's respiratory enzymes
	C)	p-diphenol oxidase	_	Facultative oxidase
	D)	Aerobic dehydrogenase	 .	Tyrosinase.
59 .	Enz	yme catalysts accelerate chemical re	action	ns by
	A)	increasing the free energy of the re-	actan	ts
	B)	lowering the activation energy by s	tabiliz	ing the transition state
÷	C)	raising the activation energy by des	stablis	sing the transition state
	D)	decreasing the entropy of the react	ants	
60.	Of t	the following statements which one is	s wron	ng about corticosteroids?
8	A)	They are 21-carbon structures		•
	B)	They increase renal excretion of po	tassiı	ım
	C)	They are synthesized in the adrena	al med	ulla
	D)	ACTH is essential for the production		corticosteroids from cholesterol.
x 14	06	1400	1	*



x 14	06	140	01	Turn over
2	C)	0.026 mol dm ⁻³	D)	$2 \cdot 0 \times 10^{-8} \text{mol dm}^{-3}$.
	A)	3.0×10 ⁻⁴ mol dm ⁻³	B)	$9.7 \times 10^{-6} \mathrm{mol}\mathrm{dm}^{-3}$
	abs	orbance reading is 0.18. What is the	e conc	entration of the solution?
	unk	known concentration is placed in a	n opti	cal cell of path length 1 cm and the
65.				th 480 nm, and for this absorption of the dye of
, 200	C)	a fat is to glycerol	D)	a nucleic acid is to a polypeptide.
	A)	an amino acid is to a protein	B)	an amino acid is to a nucleic acid
64.	A g	lucose molecule is to starch as		••
	D)	Valinomycin		Ionophore.
	C)	Q cycle	-	FMN and Fe-S
	B) -	NADH-Co Q reductase		pH gradient and electric potenital
	A)	P MF	-	Co Q H ₂ -cytochrome reductase
63.	Whi	ich one of the following is correctly	match	ed ?
	D)	a protease precursor that is inacti	ve un	til it is cleaved.
•	C)	an enzyme that contains zinc	11	
	B)	a metal ion dependent enzyme	é	
	A)	an enzyme that consists of RNA ra	ther t	han protein
62.	Of t	he choices below, the best descripti	on of	a zymogen is
31	C)	Retinol	D)	Folic acid.
	A)	Antirachitic	B)	Ascorbic acid
61.	Vita	min D is also called as		*·2 · · · ·



66.	In p	hospholipids the 3-phosphate is es	terified	to an alcohol such as except
	A)	choline	B)	ethanol amine
	C)	inositol	D)	sphingosine.
67.	The	microorganism which synthesises	all vita	mins is
	A)	Prototrophic	B)	Pleotrophic
	C)	Hydrotrophic	D)	methanotrophic.
68.	p^{BR}	325 has a unique ECORI site in		
	A)	Amp ^R gene	B)	tet ^R gene
	C)	Cm ^R gene	D)	Geneticyn ^R gene
69.	Mad	crophages can be activated by	1 121	000 000
	A)	Neutrophils	B)	Antibodies
•	C)	Interferons	D)	Complement.
70.	Ver	o cells are derived from		
	A)	lung	В)	kidney
•	C)	heart	D)	intestine.
71.	And	malous structure that develops du	ing or	ganogenesis is called as
	A) .	meristemoids	B)	rhizoids
E.	C)	callus	D)	organoids.
72.	Acti	ivated macrophages can kill microo	rganisi	ns by producing
	A)	Toxins	B)	Interferons
	C)	Nitric oxide	D)	Interleukins.
4		8) ¥		
x 14	06	140	01	



73.	Pha	ge λ genome sequencing was determ	ined l	by .	
	A)	Max Gilbert	B)	Linus Pauling	<i>i</i>
E.	C)	Jacob and Monod	D)	Fred Sanger.	
74.	The	pyruvate decaroboxylase is used	for e	thanol production and	d it requires
	thia	mine pyrophosphate and			
	A)	Mg ²⁺	B)	Mn ²⁺	
	C)	Fe ²⁺	D)	Ca ²⁺ .	2
75.	The	fatty acid having two double bonds	in it is	S	
	A)	myristic acid	B)	oleic acid	960
	C)	linoleic acid	D)	palmitic acid.	
76.	The	wavelength of an absorption is 495	nm.	In what part of the elec	ctromagnetic
	spec	trum does this lie?			
	A)	Radio wave	B)	Microwave	· ·
ŝ•	Ċ)	Ultraviolet-visible	Ď)	Infrared.	2
7 7 .	All o	f the following are glutathione excep	t.		ř
,	A)	Participates in metabolism of xenob	oiotics		
	B)	γ-Glutamyl-cysteinyl-glutamine		•	35.2
	C)	Contains a non-α peptide bond			
	D)	Participates in protein folding.			
k 140	06	1400	1		1 Turn over

Column I

78. Match the enzymes in **Column I** with inhibitors in **Column II** and select the correct answer from the codes given below:

Column II

								*	
5 8		a)	NADH	Q-red	uctase		1.	Antimycin A	
		b)	Cytocl	hrome	oxidase		2.	Oligomycin	
		c)	Cytocl	hrome	reductase		3.	Cyanide	5.7
		d)	ATP s	ynthas	e .		4.	Rotenone.	
20	Code	es :	*			4533	8		
		a	b	c	d	N	,	14	
	A)	4	1	3	2			*	
60	B)	4	2	·1	3				100
	C)	4	3	1	2				
	D)	3	4	2	1.			•	
79.	Wha	it is l	ikely to	happe	n to the re	action	velo	city (or rate) of an enzyme cataly	zed
£					6.46			is increased 2X?	
	A)	Incr	ease 2X				B)	Decrease 4X	1.
8	C)	Incr	ease 4X		*		D)	Increase 8X.	
80.	Whi	ch of	the bod	ly rese	rves, a star	rving m	an fi	irst consumes?	#11 ***
	A) .	Fat	21		200	6	B)	Glycogen	·
	C)	Prot	ein				D)	Vitamins.	
81.	Whi	ch fo	m of au	ıxin is	most stabl	le ?		Ŷ	
	A)	IAA	5 0	¥			B)	NAA	
	C)	IBA					D)	Zeatin.	
x 14	06					1400			



32 .	Mon	onuclear phagocytic system compris	ses	
	A)	Eosinophils	B)	Basophils
	C)	Macrophages	D)	Neutrophils.
83.	Ifλŗ	ohage is Spi ⁺ , it is		
	A)	Sensitive to P ₂ inhibition	B)	Resistant to P ₂ inhibition
	C)	Sensitive to P ₁ inhibition	D)	Resistant to P ₁ inhibition.
84.	Wha	it was the first synthetic antibiotic?		
	A) ·	Gentamycin	В)	Penicillin
	C)	Chloromycetin	D)	Streptomycin.
85.	The	following are pancreatic hormones	except	•
2	(A)	pancreatic polypeptide	B)	insulin
	C)	glucagon like peptide	D) -	somatostatin.
86.	The	frequency of a transition is 3.	l×10 ¹⁰	Hz. What is the energy of this
10	tran	sition ?		
	A)	2·1×10 ⁻⁴⁴ kJ	B)	2·0×10 ⁻²³ J
	C)	2·1×10-44 J	D)	$2 \cdot 0 \times 10^{-23}$ kJ.
87.	Ami	no acids that are unusually pre	sent	in high amounts in collagen as
6	com	pared with most proteins include w	hich o	f the following?
s	À)	Hydroxy proline	B)	Glycine
	C)	Isoleucine	D)	Proline.
x 14	06	1400	1	[Turn over



Column I

88. Match the following in **Column I** and **Column II** and select the answer from the codes given below:

Column II

		a)	Uncoup	oling ag	eni		1.	FAD ⁺
		b)	Oxidase	es			2.	Dicoumarol
		c)	Aerobic	dehyd	rogenase		3.	Vit K
		d)	Coenzy	me Q	•		4.	Copper.
*	Cod	es :		18				
		а	b	c	đ			
	A)	2	4	1	3			
	B)	2	4	3	1			
	C)	. 2	3	4	1			:
¥	D)	3	2	1	4.			
89.	Süb	strate	activatio	on may	result in			*
	A)	acce	pting or o	donatin	g proton	s by th	e enz	yme
	B)	temp	orary co	valent	bonds			
	C)	a cha	ange in e	nzyme	conforma	ition in	duce	ed by substrate binding
	D)	nucle	eophilic s	substiti	ution.			
90.	If a	perso	n lives o	exclusi	vely on a	diet o	of mil	lk, eggs and bread, he is likely to
	suff	er forr	n					
	A)	Scur	vy				B)	Night blindness
	C)	Rick	ets	3			D)	Beri-beri.
x 140	D6	\$ * .8				14001	3	*
								(<u>**</u>)



91.	Dig	estion is accomplished by a chemica	l proc	ess called
	A)	Condensation	B)	Hydrolysis
	C)	Deamination	D)	Transamination.
92.	Wh	y is the Lineweaver-Burk plot import	ant in	enzyme kinetics ?
	A)	It reveals the presence of organic p	rosthe	etic groups in enzymes
	B)	It is a single reciprocal plot		
	C)	It makes it easier to determine $V_{ m ma}$	×	# P P P P P P P P P P P P P P P P P P P
	D)	It illustrates enzyme specificity.		
93.	The	correct ascending order according	g to t	heir standard oxidation reduction
	pote	entials is		*
	A)	Pyruvate, Fumarate, Acetate, Aceta	ldehy	de
	B)	Acetaldehyde, Acetate, Pyruvate, Fr	umara	ite ·
v.	C)	Acetate, Acetaldehyde, Pyruvate, Fr	ımara	te .
	D)	Fumarate, Pyruvate, Acetaldehyde,	Aceta	te.
94.	Whi	ich one of the following amino acids	could-	serve as the best buffer at pH 7?
	A)	Arginine	B)	Glutamic acid
,	C)	Histidine	D)	Serine.
95.	Whi	ich one of the following hydrocarbor	is pro	duces an nmr spectrum with more.
	thai	n one peak?		•
	A)	Methane	B)	Ethane .
	C)	Butane	D)	None of these.
K 14	06]	1400	T)	[Turn over



96.		process in which organic matter is decomposed to release simpler inorganic apounds, is					
	A)	Ammonification	B)	Mineralization			
	C)	Immobilization	D)	Nitrification.			
97.	The	size of C2×B cosmid is		2551 15			
*	A)	5·8 kb	B)	6:8 kb			
N.	C)	7·8 kb	D)	4·8 kb.			
98.	Lym	phocytes are activated by antigen in	the				
	A)	Blood stream	B)	Bone marrow			
	C)	Liver	D)	Lymph nodes.			
99.	Prole	onged autoclaving of sugars leads to	the fo	ormation of			
	A)	Hexitol	B)	Melanoidin			
	C)	Ketone bodies	D)	Dullitol.			
100.	The	essential mineral for the formation o	of bod	y protein is			
	A)	Sodium	B)	Iron			
	C)	Sulphur	D)	Potassium.			
101.		ch of the following variables is ation?	NOT	a part of the Michaelis-Menten			
	A)	ÆG	B)	Km			
	C)	[S]	D)	V_{max} .			
102.	Arra chai	ingement of the inhibitors in the o	correc	t order of inhibition of respiratory			
	A)	H ₂ S, CO, Antimycin A, Amobarbita	ıl				
	B)	Antimycin A, Amobarbital, H ₂ S, CO)				
	C)	Amobarbital, H ₂ S, CO, Antimycin	A	er ^{ex}			
6 0	D)	Amobarbital, Antimycin A, H ₂ S, CO	Ο.	•			
x 140	06	1400	1 .	ti s			



103.	The ratio of α-D-glucopyranose to β-D-glucopyranose at equilibrium is nearly					
	A)	1:1	B)	1:1.5		
	C)	1. : 2	D)	2:1.		
104.	Aque	eous KMnO ₄ solutions are	purple.	A plot of absorbance against		
	conc	entration is		SEC.		
	A)	non-linear	В)	an exponential curve		
	C)	linear with a negative gradien	t D)	linear with a positive gradient.		
105.	The	hormone that binds to the cell	surface rec	ceptors is		
10	A) ·	retinoic acid	B)	tri-iodothyronine		
	C)	calcitonin	. D)	calcitriol.		
106.	In a	naerobic glycolysis two enzym	nes are req	uired for the production of ethanol		
	and they are					
,	A)	Pyruvate carboxylase and alco	ohol dehydr	rogenase		
	B)	Pyruvate carboxylase and lace	tate dehydr	ogenase		
	C)	Alcohol dehydrogenase and la	ectate dehye	irogenase		
ē.	D)	All of these.				
107.	Rest	riction enzymes used in geneti	c engineeri	ng are		
	A)	Type I restriction endonucleas	se B)	Type II restriction endonuclease		
a)	C)	Type III restriction endonucle	ase D)	Type IV restriction endonuclease.		
108.	An e	pitope is	•3			
	A)	Antigen determining site	B)	Antibody		
	C)	T cell	D)	B cell.		
x 140	06		14001	[Turn over		



109.	09. The enzymes which are used to isolate the protoplast are				
	A)	Amylase and invertase	B)	Cellulase and amylase	
	C)	Pectinase and amylase	D)	Cellulase and pectinase.	
110.	Vita	min which is destroyed on heating is			
	A)	Vitamin A	B)	Vitamin C .	
	C)	Vitamin D	D)	Vitamin K.	
111.	The	equation $v = V_{\text{max}} [S]/(Km + [S])$ is	part	of which of the following plots?	
	A)	Lineweaver-Burk	B)	Michaelis-Menten	
	(C)	Eadie-Hofstee	D)	Both (A) and (B).	
`112.	The	connecting link between HMP shun	and	lipid synthesis is	
×	A)	Ribose	B)	NADPH	
. •	C)	Sedoheptulose-7-phoshate	D)	NADH.	
113.	α-G	lycosidic bond is found in	57		
	A)	Lactose	B)	Maltose	
	C)	Sucrose	D)	All of these.	
114.	Whi	ch statement is correct?		· ·	
X	A)	Wavelength is directly proportional	to en	ergy	
	B)	Wavelength is directly proportional	to fre	quency	
S	C)	Wave number is directly proportion	al to	energy	
	D) Wave number is directly proportional to wavelength.				



·i

x 140	6	. 1400	1		[Turn over
	C)	Vitamin D	D)	Vitamin A.	
	A)	Vitamin C	B)	Vitamin K	
120.	A vit	amin which is generally excreted in	huma	n urine is	
	C)	Calliclone	D)	Protoclone.	
	A)	Clone	B)	Somaclone	
119.	The	plant variant obtained from tissue c	ulture	is called	
	C)	Hybridoma	D)	Spleen cells.	
	A)	Lymphocytes	В)	Myeloma cells	*
118.	Mon	oclonal antibodies are produced by			
ē	C)	400 kb	D)	100 kb.	
	A) ,	600 kb	B)	300 kb	
117.	Pl v	ector system has a capacity for DNA	fragn	nent as large as	v
20	C)	deep yellow colour	D)	dark blue colour.	
59	A)	dark green colour	B)	red colour	
116.	In p	resence of ammonia Nessler's reager	nt give	es ·	
:	D)	mediated by receptor-hormone con	nplex.	85 77. St	P
	C)	have intracellular receptor			
1	B)	plasma half-life is short			
, ,	A)	transported by proteins		84. •11	>
115.	. The following are the general features of steroid hormones except.				



121.	The	enzyme used to break down fructose-1, 6-bis	sphosphate into two trioses is
	calle	e d	
	A)	phosphoglucoisomerase B) enol	lase
127	C)	aldolase D) trios	se phosphate isomerase.
122.	The	hormone that lowers c AMP concentration in li	ver cell is
	A)	Glucagon B) Insu	ılin
¥1	C)	Epinephrine D) Thys	roxine.
123.	Mate	ch the following and select the answer form the	codes given below:
	,	a) Glucose — 1. Milk	sugar
130		b) Lactose — 2. Inve	ert sugar
		c) Sucrose — 3. Mal	t sugar
		d) Maltose — 4. Bloc	od sugar.
	Cod	les:	ng 400
	٠	a b c d	
	A)	4 1 2 3	
	В)	4 3 1 2	
98	C)	3 4 1 2	
15	D)	4 3 2 1.	
124.	A sl	hift to lower wave number for an absorption in	a spectrum corresponds to
	A)	a shift to lower frequency B) a sh	hift to higher energy
	C)	a loss of intensity D) a sl	hift to lower wavelength.
x 14	06	14001	9 2



125.	5. Who discovered cytokinin?			
	A)	J.P. Nitsch	B)	C.O. Miller
	C)	G. Morel	D)	E. Ball.
126.	B ce	ll functions to		
lit.	A)	proliferate and differentiate into pla	asma d	cells
	B)	respond to antigen by making antil	bodies	
	C)	act as antigen processing cells		*
	D)	all of these.		
127.	Lox	P site is present in		
	A)	phage P ₁ vector	B)	cosmid
	C)	λ phage	D)	plasmid.
128.	On	microbial fermentation, single r	nolecu	le of glucose is converted into
		molecule(s) of pyruvic acid	i.	
	A]	4	B)	3
	C)	2	D) .	1.
129.	The	hormone that inhibits adenylyl cycl	ase is	
	A)	antidiuretic hormone	B)	follicle stimulating hormone
28	C)	somatostatin	D)	thyroid stimulating hormone.
130.	An a	absorption in an electronic spectrum	m is r	ecorded at 17000 cm ⁻¹ . What does
	this	correspond to in nm?		
	A)	59 nm	B)	5900 nm
	C)	590 nm	D)	59000 nm.
x 140	06	1400)1	Turn over



131.	The	epimeric pair from the following is		99 45 040	
	A)	Galactose and mannose	B)	Glucose and fructose	
	C) ·	Glucose and galactose	D)	Lactose and maltose.	
132.	Cart	oon skeleton of cysteine is provided l	by		
	A)	Serine	B)	Methionine	
	C)	Glutamate	D)	Alanine.	
133.	33. An enzyme synthesized in the laboratory is found to have little activity when compared to the enzyme extracted from a cell culture. Both enzymes were examined and have identical amino acid composition. What is the best explanation for the lack of activity of the synthesized enzyme?				
	A)	The primary amino acid sequence not altered	was	altered while the composition was	
8	B)	The van der Waals radius was alter	ed du	ring laboratory synthesis	
	C)	The synthesized enzyme was no chaperones were not present	ot fol	ded correctly because molecular	
	D)	The ATP required for self-assembly in the laboratory synthesis.	was	present in the cell extract, but not	
134.	Pers	on who is habitual alcoholic is alway	ys sho	ort of vitamin	
	A)	c	B)	A	
	C)	B_5	D)	D.	
135.	Who	is regarded as the father of tissue c	ulture	: ?.	
	A)	P.R. White	B)	Haberlandt	
	C)	C.O. Miller	D)	Skoog.	
x 140	6	1400	1		



136.	F _C region mediates all of the following except binding to				
29	A)	Host tissue	B)	Phagocytic cells	
	C)	Lysosomes	D)	Antigens.	
137.	In E	BAC vector pBAC 108L, foreig	n DNA insert	ed is identified by	
	A)	lac z gene	В)	colony hybridization	
	C)	Amp ^R	D)	Spi ⁺	
138.	Whi	ch of the following procedure	es can be us	sed to isolate a pure culture from a	
8	mix	ture ?	*	*	
	A)	Streak plating	B)	Dilution plating	
	C)	Enrichment culture	D)	All of these.	
139.	. c AMP is the second messenger for the following hormones except,				
*	A)	calcitonin	B)	acetyl choline	
	C)	glucagons	D)	parathormone.	
140.	The	type of molecule that would	show infrar	ed absorption bands in the ranges	
	170	0 - 1750 cm ⁻¹ and 2500 - 33	00 cm ⁻¹ is		
	A)	Alcohol, - OH	В)	Carboxylic acid, - COOH	
	C)	Ester, - COO -	D)	Aldehyde, - CHO.	
141.	The	predominant form of glucose	in solution i	s .	
	A)	Acyclic	B)	Glucofuranose	
	C)	Glucopyranose	D)	Hydrated acyclic.	
x 140	6		14001	[Turn over	



142.	The	synthesis of urea occurs in		×
•	A)	Liver cytosol	B)	Liver mitochondrial matrix
	C)	Kidney nephrons	D)	Kidney renal tubule.
143.	Whic	ch of the following is true of NAD ⁺ ?		
¥	A)	It is a co-enzyme	12	
	B)	It releases an adenosine to become	NAD	н
***	C).	NAD+ serves as an electron source	for b	iological oxidation
	D)	It is derived from vitamin E .	20 20	
144.	Whic	ch of the following is first digested in	stom	ach?
	A)	Carbohydrate	B)	Fat
ų	C)	Proteins	D)	Nucleic acids.
145.	Whic	ch chemical is commonly used in the	e prod	luction of synthetic seeds?
	A)	Calcium alginate	B)	Silica gel
	C)	Alumina	D)	Agar-agar.
146.	Mon	oclonal antibodies are routinely use	d in tl	he following except,
	A)	Typing of tissue		
	B)	Identification of tumour antigens		
	C)	Classification of leukemia		a cr
	D)	Manipulation of immune response.		
			53.	



collegedunia

* <u>f</u>	, 11	A P	31		BCSA2
147.	Max	mum DNA insert possible with			
ė d	A)	2000 – 3000 kb	В)	2000 – 4000 kb	,
	C)	200 – 2000 kb	D)	Less than 200 kb.	
148.	Soya	bean oil, corn oil, lard oil, silice	onces are i	used in fermentation	
	A)	to increase yield	· B)	as antifoaming agents	
	C)	as anticoagulants	D)	to maintain pH.	***
149.	The	following hormones having	kinase (or) phosphatase cascade	act as
** * *	seco	ndary messengers except.			82
3 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A)	growth hormone	B)	luteinizing hormone	
	C)	prolactin	D)	somatomammotropin.	8
150.	Emu	Isification of fats is brought ab	out by		10)
į	A)	Bile pigments	В)	Bile salts	
a.	C)	HCl	D)	All of these.	
151.	·An e	enzyme that uses ATP to phospl	norylate ar	nother molecule is called a	
í.	A)	dehydrogenase	в) ́	kinase	
	C)	phosphorylase	D)	nucleotidase.	
152.	The	lipoprotein possessing the high	est quanti	ty of phospholipids is	ě.
	A)	HDL	В)	LDL	
14 1,	C)	VLDL	D)	Chylomicrons.	
153.	The	following monosacchardies form	ned the ide	entical osazones except.	
	A)	Glucose and fructose	B)	Glucose and mannose	*
,	C)	Glucose and galactose	D)	Mannose and fructose.	41
x 140)6		14001	[Tı	ırn over

154.	In th	ne mass spectrum of chloropropan	e the	peak with the largest m/z value
	woul	d be at a value of		*
	A)	79	B)	80
	C)	66	D)	78.
155.	The	pro-opiomelanocortin family consist	s of th	e following hormones except.
	A)	hCG .	B)	ACTH
	C)	LPH	D)	MSH.
156.	In w	that type of fermentation the substra	ate is a	added to the system all at once and
	take	n through a limited run until produ	ct is h	arvested?
	A)	Batch fermentation	в)	Continuous fermentation
	C)	Downstream fermentation	D)	Scaling up.
157.	A la	rge number of promoters form E. col	i cont	ain consensus sequence at
	Á)	-10 and -35 region	B)	3' region
	C)	5' region	D)	-10 region only.
158.	Affir	nity chromatography cannot be used	to	
	A)	purify antibody by binding it to an	itigen	
*	B)	purify antigen by binding it to anti	ibody	
*1	C)	separate antibodies based on size		
	D)	separate IgM from IgG antibodies	based	on size antigens.
159.	Whi	ch helps to promote bud formation?	>	
	A) .:	Abscissic acid	B) _.	Gibberellin
	C)	Ethylene	D)	Salicylic acid.
x 14	06	1400	1	(*)



160.	. Maximum absorption of nutrients takes place in				
	A)	Ileum	B)	Stomach	
6	C)	Colon	D)	Rectum.	
161.	An e	enzyme that uses NADH to reduce a	nother	molecule is called a	
	A)	dehydrogenase	B)	kinase	
	C)	pseudo-oxidase	D)	reductase.	
162:	An e	enzyme of purine metabolism associa	ated w	rith immunodeficiency disease is	
32	A)	Adenosine deaminase	B)	Xanthine oxidase	
22	C)	PRPP synthetase	D)	HGPRT.	
163.		membrane carbohydrate, lectin, tha	at bine	ds with α-glucosyl and α-mannosyl	
¥	A) _	Concavalin A	B)	Chondroitin-4-sulphate	
	C)	Chondroitin-6-sulphate	D)	Hyaluronic acid.	
164.	Whic	ch of the following is not a use of ma	ss sp	ectrometry?	
	A)	Calculating the isotopic abundant i	n elen	nents	
	B)	Calculating molecular mass of orga	nic co	mpounds	
,	C)	Confirming presence of O - H and C	C = O 1	in inorganic compounds	
	D)	Can measure masses and relative of	oncen	trations of atom and molecules.	
165.	Abno	ormalities in antidiuretic hormone se	ecretic	on leads to	
	A) .	bronze diabetes	B)	diabetes mellitus type 1	
•	C)	diabetes mellitus type 2	D) ·	diabetes insipidus.	
166.	Wha	t are the substances given off by yea	asts du	uring fermentation?	
	A)	Alcohol	B)	Carbon dioxide	
V ₂ 1950810	C)	Organic acids	D)	All of these.	
140	6	1400	1	{ Turn over	

- 18:00 m



167.	. Cloning vectors containing tag protein that are used to purify are expressed as				
	A)	RNA	В)	DNA	
	C)	amino acids	D)	protein.	
168.	An a	ntibody titre measures the			
	A)	ability of antibody to neutralize a to	xin		
	B)	amount of antibody to a specific an	tigen	*	
	C)	length of time since antigen contact	1	e	
	D)	number of antigen epitopes.			
169.	The	compounds that are capable of indu	cing c	lefence responses in plants are	
	A)	Elicitor	B)	Enhancer	
	C)	Inducer	D)	Stimulator.	
170.	HCl	in gastric juice is produced by			
	A)	Chief cells	B)	Oxyntic cells	
	C)	Goblet cells	D)	Columnar cells.	
171.	Why	is a bag of sugar not converted to c	arbon	dioxide and water?	
	A)	Rate of reaction is very slow	B)	Sugar is not reactive	
	C)	Equilibrium constant is very low	D)	No reaction takes place.	
172.	Exc	retory product of nitrogenous bases	in bir	ds is	
	A)	Xanthine	B)	Uric acid	
	C)	Urea	D)	Allantoin.	
173.		100 000 000 000 000 000 000 000 000 000	in the	e exoskeleton of crustaceans and	
		cts is			
•	A)	chitin	B)	spectrin	
x 14	C)	pectin 1400	D)	all of these.	



174. How many absorptions will the following compound have in its carbon NMR spectrum?

$$C = C$$
 CH_3
 $C = C$
 CH_3

A) 3

B) 4

C) 5

D) 6.

175. Antidiuretic hormone secretion is inhibited by

A) acetyl choline

B) nicotine

C) epinephrine

D) morphine.

176. During the chemical treatment of drinking water and waste water, which of the following microbes is least likely to be inactivated or killed?

A) Algae

B) Bacterial endospore

C) Fungal species

D) Virus.

177. trc and tac promoters are induced by

A) glucose

B) ethanol

C) lactose

D) methanol.

178. Auto immune diseases are caused by

- A) A defect in cell mediated immune system
- B) A defect in thymus development
- C) An immune response against self antigens
- D) T cell deficiency.

F-183 x 1406

14001



			1875 W
179. An	example for cryoprotectant is		
A)	Glycerol	B)	Hexane
C)	Benzene	D)	Glyceraldehyde.
180. Wh	ich one of the following is an inborn	meta	bolic error ?
Ą)	Hartnup disease	B)	Hers' disease
, C)	Tyrosinemia	D)	Cystinosis.
181. ln	1850's, which scientist concluded	that	fermentation of sugar to alcohol is
cat	alyzed ?		
A)	Edward Buchner	B)	Louis Pasteur
C)	Alfred Joseph	D)	Edward Jenner.
182. The	e nitrogen atoms in the purine ring	are ob	tained form
	I. Glycine	×	
	II. Glutamine		*
	III. Aspartate	60	14
	IV. Lysine.		60
of	these		68 68
A)	I alone is correct	B)	I and II are correct
C)	I, II and III are correct	D)	I, II, III and IV are correct.
x 1406	140	001	19



183. Match the following select your answer from the codes given below:

collegedunia

	80	a)	Lactos	e	-		1.	α(1	→ 2) Gluc	osyl fructose	
		b)	Maltos	e	_	-	2.	β(1	→ 4) Galad	ctosyl glucose	
*	*	e)	Sucros	e .	v-	-	3.	α (,1	→ 1) Gluc	osyl glucose.	
	61	d)	Trehalo	ose	-	<u></u>	4.	α(1	→ 4) Gluce	osyl glucose	
	Code	es:	f		¥						
		а	b	c	a				ç ×		
	A)	4	.1	2	3		•			(1)	8
9	B)	4	3	1	2				¥		
	C)	3	4	1 .	2						
	D)	2	4	1	3.					**************************************	
184.	Why	is the	e oxyger	n-hydr	ogen a	bsorption	n of C	Н₃ОН	gives such	a broad band	in
	the i	nfrare	d'?			*		1.4			
	A)	Rotat	ional en	ergy le	vels b	oaden th	ie abso	orption			
¥3	B)	Нуре	rconjuga	tion r	esonan	ice broad	ens th	e abso	rption	14	
	C)	Resor	nance br	oaden	s the a	bsorption	n.				
	D)	Hydro	ogen bor	nding l	proade	ns the ab	sorpti	on.			
185.	Thyr	oid ho	rmones	are tr	anspor	ted by			s * es		
9	A)	thyro	xine bin	ding g	lobulin	L E	B)	thyrog	globulin		
	C)	thyro	peroxida	ise			D)	all of	these.	¥ *	
x 140	06			6		1400	1		100	[Turn ov	er
			959								

A) Calcium hydroxide neutralizes acid B) Calcium activates the enzyme lactase C) Calcium increases the activity of the medium, necessary for lactobacilla growth D) Lactic acid will degrade without calcium. 187. Human linkage analysis by restriction fragment length polymorphism take advantage of which hybridization technique? A) Immunoblotting B) Northern blotting C) Southern blotting D) Western blotting. 188. Autoimmune disease mediated by hypersensitivity is A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	186.	6. Addition of calcium hydroxide is necessary for lactic acid fermentation becan of which of the following reasons?							
C) Calcium increases the activity of the medium, necessary for lactobacilla growth D) Lactic acid will degrade without calcium. 187. Human linkage analysis by restriction fragment length polymorphism take advantage of which hybridization technique? A) Immunoblotting B) Northern blotting C) Southern blotting D) Western blotting. 188. Autoimmune disease mediated by hypersensitivity is A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		A)	Calcium hydroxide neutralizes acid	l	#II				
growth D) Lactic acid will degrade without calcium. 187. Human linkage analysis by restriction fragment length polymorphism tak advantage of which hybridization technique? A) Immunoblotting B) Northern blotting C) Southern blotting D) Western blotting. 188. Autoimmune disease mediated by hypersensitivity is A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		B)	Calcium activates the enzyme lactase						
187. Human linkage analysis by restriction fragment length polymorphism take advantage of which hybridization technique? A) Immunoblotting B) Northern blotting C) Southern blotting D) Western blotting. 188. Autoimmune disease mediated by hypersensitivity is A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somacione. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		C)		the n	nedium, necessary for lactobacillus				
advantage of which hybridization technique? A) Immunoblotting B) Northern blotting C) Southern blotting D) Western blotting. 188. Autoimmune disease mediated by hypersensitivity is A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		D)	Lactic acid will degrade without cal	cium.	· · · · · · · · · · · · · · · · · · ·				
C) Southern blotting D) Western blotting. 188. Autoimmune disease mediated by hypersensitivity is A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	187.		M 50 505 17 175 17 186 18	5995	10				
A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR? A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	9	A)	Immunoblotting	B)	Northern blotting				
A) Systemic lupus erythematosus B) Thyroiditis C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR? A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		C)	Southern blotting	D)	Western blotting.				
C) Myasthenia gravis D) All of these. 189. A group of genetically identical individuals are called A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR? A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	188.	Auto	oimmune disease mediated by hyper	sensi	tivity is				
A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR? A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		A)	Systemic lupus erythematosus	B)	Thyroiditis				
A) Culture B) Inoculum C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		C)	Myasthenia gravis	D)	All of these.				
C) Clone D) Somaclone. 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	189.	A gr	oup of genetically identical individua	als ar	e called				
 190. Which of the following bonds would show the strongest absorption in the IR?. A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure. 		A)	Culture	B)	Inoculum				
A) Carbon-hydrogen B) Oxygen-hydrogen C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		C)	Clone	D)	Somaclone.				
C) Nitrogen-hydrogen D) Sulphur-hydrogen. 191. Proteoglycans are A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	190.	Whi	ch of the following bonds would sho	w the	strongest absorption in the IR?.				
A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		A)	Carbon-hydrogen	B)	Oxygen-hydrogen				
A) characterized by their content of amino sugars and uronic acids B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.		C)	Nitrogen-hydrogen	D)	Sulphur-hydrogen.				
B) provided the ground or packing substances for connective tissues C) having property of holding large quantities of water D) having positive charges on their structure.	191.	Prot	eoglycans are						
C) having property of holding large quantities of water D) having positive charges on their structure.		A)	characterized by their content of a	mino	sugars and uronic acids				
D) having positive charges on their structure.		B)	provided the ground or packing su	bstan	ces for connective tissues				
		C)	having property of holding large qu	antiti	les of water				
x 1406		D)	having positive charges on their st	ructu	re.				
	x 140	06	1400	1					



192.	92. Precursor for the synthesis of putrescine and spermidine is					
it.		I. Ornithing		370). EV		
\$		II. S-adenosylmethionine				
		III. Citrulline				
70		IV. Arginine.	3			
72	Of th	nese				
í	A)	I alone is correct	B)	I and II are correct		
	C)	I, II and III are correct	D)	I. II, III and IV are correct.		
193.	Whi	ch enzymes are said to follow Michae	elis-M	enten kinetics ?		
•	A) :		depe	endence of rate of reaction and		
<i>3</i> 3	j.	substrate		e e		
	B)	Enzymes which show circular depe	nden	ce of rate of reaction and substrate		
¥	C)	Enzymes which show hyperbolic substrate	dep	endence of rate of reaction and		
8 9	D)	None of these.	*8	•		
194.	94. Which of the following metabolic diseases occurs only in males?					
•	A)	Fabry's disease	B)	Gaucher's disease		
	C)	Lesch-Nyhan disease	(Q ,	Hunter's disease.		
195.	Nuc	eases are enzymes that can degrade	•			
	A)	DNA :	B)	Protein		
19	C) i	RNA	D)	DNA/RNA.		

14001

x 1406

collegedunia India's largest Student Review Platform

196.	Mult	Multiple sclerosis is an autoimmune disease of					
	A)	Lymphatic system	B)	Central nervous system.			
	C)	Digestive system	D)	Respiratory system.			
197.	Whi	ch two amino acids are most commo	nly fo	und in β turns in proteins?			
	A)	Glycine and proline	B)	Arginine and lysine			
	C)	Leucine and valine	D)	Trp and tyr.			
		Which one of the following is added during water or sewage treatment to promot floceulation?					
	Aj	Sludge	B)	РНА			
	C)	BOD	D)	Alum.			
199.	The	following are true with insulin A chain except,					
	A)	it contains 21 amino acids	,				
	B)	it contains 30 amino acids		a E			
	C)	it contains one intrachain disulphide bridge					
	D)	it connects with B chain by two int	ercha	in disulphide bridges.			
200.	Thy	rotoxicosis is					
	A)	otherwise called goitre					
	B)	excessive production of thyroid hor	mone				
	(C)	less production of thyroid hormone					
,	D)	none of these.					
		8		3			

41 BCSA

(SPACE FOR ROUGH WORK)

x 1406

To de la constante



(SPACE FOR ROUGH WORK)



