## Physics Set-3

1.	1. A weight 'mg' is suspended from the middle of a rope whose ends are at san						
	500 200 <b>8</b> 00000 000	rope is no longer horizontal. Find the same level. The rope is no longer horizontal. Find the minimum tension required to straighten the rope completely is					
	a)	5000 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		$\frac{\text{mg}}{2}$			
	b)	?		16Th 16Th 16Th 16Th 16Th 16Th 16Th 16Th			
2.	Find the angle of projection for a body to have same horizontal range & maximum						
	height			500			
	a)	$\tan^{-1} 4$	c)	$\sin^{-1} 5$			
	b)	sin <sup>-1</sup> 4	d)	None of these			
3.	Calculate the angular speed of the flywheel making 240rpm.						
	a)	$50\pi\text{rad/sec}$	c)	0			
	b)	80 $\pi$ rad/sec	d)	None of these			
4.	A balloon is going upward with velocity 12 m/sec. It releases a packet when it is at						
	height 65m from the ground. How much time the packet will take to reach the ground?						
	(g = 10)	$(m/s^2)$					
	a)	5 sec	c)	7 sec			
	b)	6 sec	d)	8 sec			
5.	In which of the following cases the centre of mass of a rod is certainly not at its centre?						
<ul> <li>a) The density increases from left to right up to the centre &amp; then decre</li> </ul>							
	<ul> <li>b) The density decreases from left to right up to the centre &amp; then increases.</li> </ul>						
	c)	The density continuously increases from left to	922533				
	d) The density continuously decreases from left to right.						
6.	is 60V. The potential at a distance 2cm from the centre is						
	a)	0	c)	60V			
	b)	30V	d)	40V			



7. A junction diode when forward biased behave as a device of					
a) Infinite resistance	c)	High resistance			
b) Low resistance	d)	No resistance			
8. The ratio of average value of alternating voltage over a full cycle to peak voltage is					
	ci a iui c)	829			
a) <del>2</del>	d)				
a) $\frac{\pi}{2}$ b) $\frac{2}{\pi}$	uj	JL .			
9. The proportionality relation between half-life T & radioactive decay constant λ is					
а) Ταλ	c)	$T\alpha \frac{1}{}$			
b) $T \alpha \frac{1}{\lambda}$	٠,	$T \alpha \frac{1}{\lambda^2}$ $T \alpha \frac{1}{\lambda^4}$			
λ	d)	$T \alpha \frac{1}{\lambda^4}$			
10. You are given four bulbs of 25W, 40W, 60W & 90W. Which of them has lowest					
resistance?	-1	COM			
a) 25W	c)	60W			
b) 40W	d)	90W			
11. The efficiency of carnot's engine is equal to					
a) 1	c)	>1			
b) <1	d)	0			
12. A cell of emf 'E' is connected across a conductor of resistance 'R'. If the potential					
difference across the terminals of conductor is found to be 'V', then the internal					
resistance of the cell is		MODEL VISAS			
a) RV(E – V)	c)	$\left(\frac{E-R}{V}\right)R$			
b) $\left(\frac{E-V}{V}\right)R$		R(E-V)			
13. A light & heavy body have equal kinetic energy. Which one has greater momentum?					
a) The light only.					
b) The heavy body.					
c) Both have equal momentum.					
d) It's not possible to say anything without additional information.					
14. The time period of a satellite of earth is 5 hours. If the separation between the earth &					
satellite is increased to four times the previous value, the new time period will become					
a) 10 hours	c)	40 hours			
b) 60 hours	d)	20 hours			



- 15. If a shell fired from a cannon, explodes in mid-air then
  - a) Its total kinetic energy increases.
  - b) Its total momentum decreases.
  - c) Its total momentum increases.
  - d) None of these
- 16. Application of Bernoulli's theorem can be seen in
  - a) Dynamic lift of aeroplane

c) Helicopter

b) Hydraulic process

d) None of these

- 17. A breaker full of  $\rm H_2O$  is kept in a room. If it cools from 80°C to 75°C in  $\rm t_1$  minutes, 75°C to 70°C in  $\rm t_2$  minutes & 70°C to 65°C in  $\rm t_3$  minutes, then
  - a)  $t_1 > t_2 > t_3$

c)  $t_1 < t_2 = t_3$ 

b)  $t_1 = t_2 = t_3$ 

d)  $t_1 < t_2 < t_3$ 

18. With rise in temperature, which one of the following force can never increase?

a) Elastic force

c) Viscous force

b) Frictional force

- d) Force due to surface tension
- 19. The -ve value of susceptibility is possessed by a substance which is

a) Ferromagnetic

c) Paramagnetic

b) Diamagnetic

d) Nonmagnetic

- 20. B rays emitted by a radioactive material are
  - a) e m radiation.
  - b) The electrons orbiting around the nucleus.
  - c) Charged particles emitted by nucleus.
  - d) Neutral particles.

