# Andhra Pradesh State Council of Higher Education

#### **Notations:**

1. Options shown in green color and with ✓ icon are correct.

2.Options shown in red color and with \* icon are incorrect.

**Question Paper Name:** Mining Engineering 08th May 2024 Shift 2

**Duration:** 180

Total Marks: 200

**Display Marks:** No

**Share Answer Key With Delivery Engine :** Yes

Calculator: None

Magnifying Glass Required?: No

Ruler Required?: No

**Eraser Required?:** No

Scratch Pad Required?: No

Rough Sketch/Notepad Required?: No

**Protractor Required?:** No

**Show Watermark on Console?:** Yes

**Highlighter:** No

Auto Save on Console? Yes

**Change Font Color:** No

**Change Background Color:** No

**Change Theme:** No

Help Button: No

Show Reports: No



**Show Progress Bar:** No

**Is this Group for Examiner?:** No

**Examiner permission :** Cant View

**Show Progress Bar?:** No

# **Mathematics**

**Section Id:** 210688186

Section Number:

Mandatory or Optional: Mandatory

Number of Questions: 50

Section Marks: 50

**Enable Mark as Answered Mark for Review and** 

Yes Clear Response:

Maximum Instruction Time:

Is Section Default?: null

Question Number: 1 Question Id: 2106889407 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

If 
$$\begin{vmatrix} 15 - x & 11 & 10 \\ 11 - 3x & 17 & 16 \\ 7 - x & 14 & 13 \end{vmatrix} = 0$$
 then the value of x is

Question Number: 2 Question Id: 2106889408 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The adjoint of 
$$A = \begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$
 is

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & -4 \\ 1 & -2 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 3 & 0 & 6 \\ 6 & 3 & 0 \\ 9 & 6 & 3 \end{pmatrix}$$

$$\begin{pmatrix} 3 & 2 & 1 \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$$

 ${\bf Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction}$ 

Time: 0

If  $A = \begin{pmatrix} 3 & 2 & x \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$  is a singular matrix then the value of x is

Options:

Question Number : 4 Question Id : 2106889410 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

The solution of the following simultaneous linear equations by using Cramer's rule 3x+4y+5z=18; 2x-y+8z=13; 5x-2y+7z=20 is



Question Number : 5 Question Id : 2106889411 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Options:

Question Number : 6 Question Id : 2106889412 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

$$\frac{3x-1}{(x-1)(x-2)(x-3)} =$$



Options:

$$\frac{2}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{-1}{x-1} + \frac{5}{x-2} - \frac{4}{x-3}$$

$$\frac{1}{x-1} + \frac{5}{x-2} + \frac{4}{x-3}$$

$$\frac{1}{x-1} - \frac{5}{x-2} + \frac{4}{x-3}$$

Question Number : 7 Question Id : 2106889413 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

$$\frac{5x+1}{(x+2)(x-1)} =$$

$$\frac{3}{x+2} + \frac{2}{x-1}$$

$$\frac{3}{x+2} - \frac{2}{x-1}$$

$$\frac{-3}{x+2} + \frac{2}{x-1}$$

$$\frac{3}{x-2} + \frac{2}{x+1}$$

Question Number: 8 Question Id: 2106889414 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

$$cos100^{0}cos40^{0} + sin100^{0}sin40^{0} =$$

### **Options:**

$$\frac{1}{2}$$

$$-\frac{1}{2}$$

$$\frac{1}{4}$$

Question Number : 9 Question Id : 2106889415 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0



If  $sin\theta = \frac{3}{5}$ ,  $\theta$  is acute, then  $2tan\theta + 3sec\theta + 4sec\theta$   $cosec\theta =$ 

Options:

Question Number: 10 Question Id: 2106889416 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$tan^{-1}x + tan^{-1}y + tan^{-1}z = \frac{\pi}{2}$$
 then  $xy + yz + zx = \frac{\pi}{2}$ 



Question Number: 11 Question Id: 2106889417 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$A = \frac{\pi}{6}$$
 and  $B = \frac{\pi}{3}$  then  $16Sin^3A + 8Cos^3B =$ 

#### Options:

Question Number: 12 Question Id: 2106889418 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$x + \frac{1}{x} = 2 \cos \theta$$
 then  $x^n + \frac{1}{x^n} =$ 

$$2\cos n\theta$$



$$2 \sin n\theta$$

Question Number: 13 Question Id: 2106889419 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$cos\left[sin^{-1}\left(\frac{1}{2}\right) + cos^{-1}\left(-\frac{\sqrt{3}}{2}\right)\right] =$$

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If 
$$sin\alpha = \frac{15}{17}$$
,  $cos\beta = \frac{12}{13}$  then  $sin(\alpha + \beta) =$ 

Options:

Question Number: 15 Question Id: 2106889421 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If x is an acute angle and  $sin(x + 10^0) = cos(3x - 68^0)$  then x =



Question Number: 16 Question Id: 2106889422 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\tan^{-1}(2\sin 150^{\circ}) =$$

# Options:

$$3\pi$$

$$\frac{\pi}{2}$$

$$\frac{\pi}{4}$$

Question Number: 17 Question Id: 2106889423 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0



The general solution of  $4\cos^2 x - 3 = 0$  is

Options:

$$2n\pi \pm \frac{\pi}{6}$$

$$2n\pi \pm \frac{7\pi}{6}$$

$$3n\pi \pm \frac{5\pi}{6}$$

$$2n\pi \pm \frac{11\pi}{6}$$

Question Number: 18 Question Id: 2106889424 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\left(\frac{\sqrt{3}}{2} + \frac{i}{2}\right)^5 - \left(\frac{\sqrt{3}}{2} - \frac{i}{2}\right)^5 =$$

Question Number: 19 Question Id: 2106889425 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The modulus of the complex number  $(-1 - \sqrt{3}i)$  is

#### **Options:**

Question Number : 20 Question Id : 2106889426 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If the line 2y = 5x + k is a tangent to the parabola  $y^2 = 6x$  then k =



$$\frac{6}{5}$$

Question Number: 21 Question Id: 2106889427 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The length of the major axis of the ellipse:  $4x^2 + 3y^2 = 48$  is

Question Number: 22 Question Id: 2106889428 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The eccentricity of the hyperbola  $36x^2 - 25y^2 = 900$  is

#### **Options:**

$$\sqrt{61}$$

Question Number: 23 Question Id: 2106889429 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The length of the tangent from (1,3) to the circle  $x^2 + y^2 - 2x + 4y - 11 = 0$  is

#### **Options:**

2

1. %



Question Number: 24 Question Id: 2106889430 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If the line  $2x + \sqrt{6}y = 2$  touches the hyperbola  $x^2 - 2y^2 = 4$  then the point of contact is

# **Options:**

$$(4, -\sqrt{6})$$

Question Number: 25 Question Id: 2106889431 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

The equation of the parabola with focus at (-3,2) and vertex (-2,2) is

# Options:

$$x^2 - 4x + 8y + 12 = 0$$

1. 🕷

$$x^2 + 5x - 8y - 11 = 0$$

$$y^2 + 4x - 4y + 12 = 0$$

$$x^2 - 4x - 8y - 12 = 0$$
4. \*\*

Question Number: 26 Question Id: 2106889432 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\lim_{x\to 0}\frac{a^x-b^x}{x}=$$

$$\log\left(\frac{b}{a}\right)$$

$$2\log{(\frac{b}{a})}$$
2. \*\*

$$\log\left(\frac{a}{b}\right)$$

$$2\log\left(\frac{a}{b}\right)$$

Question Number : 27 Question Id : 2106889433 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If 
$$x = a \left[ \cos t + \log \left( \tan \frac{t}{2} \right) \right]$$
,  $y = a \sin t$  then  $\frac{dy}{dx}$  is

#### **Options:**

$$\tan t + \sin t$$

Question Number : 28 Question Id : 2106889434 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If an error of 3% occurs in measuring the side of a cube then the percentage error in its volume is



## Options:

1 \* 3

7 2. **\*** 

3 \* 8

4. 🗸

Question Number: 29 Question Id: 2106889435 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The angle between the curves  $y = x^2 + 3x - 7$  and  $y^2 = 2x + 5$  at (2,3) is

# Options:

 $\tan \theta = 2$ 

 $\sec \theta = 2$ 

 $\cos\theta=1$  3. \*\*

 $\sin \theta = 3$ 

4. 💐



Question Number: 30 Question Id: 2106889436 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$u = \log\left(\frac{x^2 + y^2}{x + y}\right)$$
 then  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$ 

**Options:** 

- 2. \*\*
- 5
- 4. 🗸

Question Number: 31 Question Id: 2106889437 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The interval in which the function  $f(x) = x^2 \log x$  is a decreasing function is

(2 , 
$$e^{-1/2}$$
)



$$(0, e^{-1/2})$$

Question Number: 32 Question Id: 2106889438 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If 
$$z = e^{(ax+by)} f(ax - by)$$
 then  $b \frac{\partial z}{\partial x} + a \frac{\partial z}{\partial y} =$ 

**Options:** 

Question Number: 33 Question Id: 2106889439 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The volume of a spherical ball is increasing at the rate of  $4\pi$  cc/s, then the rate of increase of the radius, when the volume is  $288\pi$  cc is

#### Options:

2 cm/sec

1. 🕷

1/36 cm/sec

3. **\*** 1/4 cm/sec

6 cm/sec

Question Number : 34 Question Id : 2106889440 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The slope of the tangent to the curve  $y = 5x^2$  at the point x = -1 is

# Options:

10

-10

Question Number : 35 Question Id : 2106889441 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The extreme values of the function  $f(x) = x^3 - 9x^2 + 15x - 1$  are

#### **Options:**

Question Number : 36 Question Id : 2106889442 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

$$\int_0^2 \sqrt{4 - x^2} \ dx =$$

$$\frac{\pi}{2}$$



$$-\frac{\pi}{2}$$

Question Number: 37 Question Id: 2106889443 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The value of  $\int x\sqrt{x} dx$  on  $[0, \infty)$  is

1. 
$$\sqrt{\frac{2}{5}}x^{5/2} + c$$

$$-\frac{2}{5}x^{5/2} + c$$

$$\frac{2}{5}x^{-5/2} + c$$

$$\frac{2}{3}x^{3/2} + c$$

Question Number: 38 Question Id: 2106889444 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The area enclosed between the curve  $y^2 = 4x$  and the line x = 2y is

#### **Options:**

$$\frac{64}{5} \text{ sq. units}$$

$$\frac{64}{3}$$
 sq. units

$$\frac{65}{4}$$
 sq. units

$$\frac{63}{4}$$
 sq. units

Question Number: 39 Question Id: 2106889445 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\int \frac{dx}{\sqrt{4x^2 - 4x + 2}} =$$

$$-\frac{1}{2}\sinh^{-1}(x-1) + c$$



$$\frac{1}{2}\sinh^{-1}(2x+1) + c$$

$$\frac{1}{2}\sinh^{-1}(2x-1) + c$$
3.

$$\frac{1}{2}\sinh^{-1}(3x-1) + c$$

Question Number: 40 Question Id: 2106889446 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

$$\int_0^{\pi/2} \frac{\sin x}{1 + \cos^2 x} \, dx =$$

$$-\pi/4$$

Question Number: 41 Question Id: 2106889447 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The mean value of  $\frac{1}{4+x^2}$  on [-2,2] is

#### **Options:**

$$\frac{\pi}{12}$$

$$-\frac{\pi}{2}$$

$$\frac{\pi}{16}$$

4. 🗸

Question Number : 42 Question Id : 2106889448 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

$$\int_0^{\pi/4} \sqrt{1 + \sin 2x} \ dx =$$

Question Number: 43 Question Id: 2106889449 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The area enclosed by the curves y = 3x and  $y = 6x - x^2$  is

# **Options:**

$$\frac{7}{2}$$
 square units

$$\frac{5}{2}$$
 square units

$$\frac{3}{2}$$
 square units

$$\frac{9}{2}$$
 square units 4.

Time: 0

Question Number : 44 Question Id : 2106889450 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

The value of 
$$\int \frac{e^x(1+x)}{(2+x)^2} dx$$
 on  $I \in R \setminus \{-2\}$  is

Options:

$$\frac{e^x}{2+x}+c$$

$$-\frac{e^x}{2+x}+c$$

$$\frac{e^x}{2-x}+c$$

$$\frac{e^{3x}}{2+x}+c$$

Question Number: 45 Question Id: 2106889451 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The solution of the homogeneous differential equation  $xy^2 dy - (x^3 + y^3) dx = 0$  is

$$y^3 = -3x^3 \log(xc)$$

$$y^3 = 3x^3 \log(x/c)$$

$$y^3 = 3x^3 \log(x^2 c)$$

$$y^3 = 3x^3 \log(xc)$$

Question Number : 46 Question Id : 2106889452 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The order and degree of the differential equation  $\left(\frac{dy}{dx}\right)^2 + 3\left(\frac{dy}{dx}\right) + 2 = 0$  is

## **Options:**

Question Number : 47 Question Id : 2106889453 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The necessary and the sufficient condition for the differential equation M(x,y)dx + N(x,y)dy = 0 to be an exact equation is



**Options:** 

$$\frac{\partial M}{\partial x} = \frac{\partial N}{\partial y}$$

$$\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$$

$$\frac{\partial M}{\partial y} = -\frac{\partial N}{\partial x}$$

$$\frac{\partial M}{\partial x} = -\frac{\partial N}{\partial y}$$

Question Number : 48 Question Id : 2106889454 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The general solution of the differential equation  $\frac{dy}{dx} + \frac{y}{x} = y^2x$  is

$$\frac{1}{xy} = -x + c$$

$$\frac{-1}{xy} = -x + c$$
2. \*\*

$$\frac{2}{xy} = x + c$$

$$\frac{1}{y} = -x + c$$

Question Number: 49 Question Id: 2106889455 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The solution of  $(D^2 + 10D + 25)y = 0$  is

**Options:** 

$$y = e^{-5x} (c_1 x + c_2)$$

$$y = e^{3x}(c_1 \cos 2x + c_2 \sin 2x)$$
  
2. \*\*

$$y = e^{3x}(c_1 \cos 2x - c_2 \sin 2x)$$

$$y = e^{3x}(c_1 \cos 3x + c_2 \sin 3x)$$

Question Number : 50 Question Id : 2106889456 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The complementary function of  $(D^2 + 3D + 2)y = 8sin5x$  is

$$c_1e^{-x} + c_2e^{-2x}$$





$$c_1e^x + c_2e^{2x}$$

2. \*\*

$$c_1e^{-x} + c_2e^{2x}$$

$$c_1e^{2x} + c_2e^{3x}$$
 4. \*

# **Physics**

**Section Id:** 210688187

Section Number: 2

Mandatory or Optional: Mandatory

Number of Questions: 25

Section Marks: 25

**Enable Mark as Answered Mark for Review and** 

Yes Clear Response:

Maximum Instruction Time: 0

Is Section Default?: null

Question Number: 51 Question Id: 2106889457 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

If we choose velocity V, acceleration A and force F as fundamental physical quantities then how would you express angular momentum in terms of V, A and F.

$$\mathbf{F}^{\mathbf{l}} \mathbf{A}^{-\mathbf{l}} \mathbf{V}^{\mathbf{l}}$$

$$_{2.}$$
  $^{\mathbf{K}}$   $\mathbf{F}^{1}$   $\mathbf{A}^{0}$   $\mathbf{V}^{1}$ 

$$_{3.} \times \mathbf{F}^{1} \mathbf{A}^{-1} \mathbf{V}^{2}$$

Question Number : 52 Question Id : 2106889458 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If the velocity of a body at any time 't' is given by the equation  $v = A t^2 + B t + C$ , then the unit of A is

# Options:

1. \* metre/sec

2. \* metre/sec<sup>2</sup>

3. ✓ metre/sec<sup>3</sup>

4. \* metre

Question Number: 53 Question Id: 2106889459 Display Question Number: Yes Is Question

 ${\bf Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction}$ 

#### Time: 0

If |A| + |B| = |C| and A + B = C, then the angle between vectors A and B is

## Options:

Question Number : 54 Question Id : 2106889460 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The area of triangle with sides as A = 2i + 3j and B = i + 4j is



Question Number : 55 Question Id : 2106889461 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

If the velocity of a body moving with uniform acceleration is doubled in t<sub>1</sub> sec and tripled in t<sub>2</sub> sec then

**Options:** 

$$t_2 = 2 t_1$$

2. \* 
$$t_1 = 2 t_2$$

3. \* 
$$t_1t_2 = 2$$

$$t_2 = 3 t_1$$

Question Number : 56 Question Id : 2106889462 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

If a body travels half of its total path in the last second of its fall from rest then the height of its fall is (take  $g = 10 \text{ ms}^{-2}$ )



- 3. **×** 64m
- 4. **\*** 45m

Question Number : 57 Question Id : 2106889463 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

In Olympics, a javelin thrown at an angle 45° attains a maximum height of 30m, then the horizontal distance covered by the javelin is

#### **Options:**

- 60m
- 120m
- 3. **×** 100m
- 4. **×** 90m

Question Number : 58 Question Id : 2106889464 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The coefficient of friction between the floor and the wooden cube of side length 0.5m is 0.2. The coefficient of friction for a wooden cube of side length 1m is



- 1. 🗸 0.2
- 2. \* 0.5
- 3. \* 0.1
- 4. \* 0.4

Question Number: 59 Question Id: 2106889465 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The force required just to move a body up an inclined plane is double the force required just to prevent the body sliding down it. If The coefficient of friction is  $1/\sqrt{3}$ , then the angle of the plane is

- 1. **\*** 45°
- 2. **×** 30°
- 3. **\*** 53°
- 4. ✔ 60°

Question Number: 60 Question Id: 2106889466 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

If an ice block of mass 42Kg moves with initial velocity 4m/s on a rough surface of coefficient of friction 0.1. then the amount of ice melted as a result of friction before the block comes to rest is

# Options:

1. \* 0.5 gm.

1 gm.

8 gm.

4. **\*** 16 gm.

Question Number : 61 Question Id : 2106889467 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

A ship of mass  $3 \times 10^7$  Kg initially at rest is pulled by a force of  $5 \times 10^4$  N through a distance of 3m. Assuming that the resistance due to water is negligible, the speed of the ship is

# Options:

2 m/s



Question Number: 62 Question Id: 2106889468 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

When a force  $\mathbf{F} = 2\mathbf{i} + 4\mathbf{j} + 5\mathbf{k}$  newton acts on a body and produces a displacement of  $\mathbf{S} = 3\mathbf{i} + 2\mathbf{j} + \mathbf{k}$  metre., then the work done by this force is

#### **Options:**

Question Number: 63 Question Id: 2106889469 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

An engine expends 45 HP in propelling a car along a level track at 15m/s. The total retarding force acting on the car is



# Options:

Question Number : 64 Question Id : 2106889470 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Two bodies A and B of equal masses are suspended from two separate massless springs of spring constants K<sub>1</sub> and K<sub>2</sub> respectively. If the two bodies oscillate such that their maximum velocities are equal, the ratio of amplitude of A to that of B is

$$\frac{K_2}{K_1}$$

$$3. \checkmark \sqrt{\frac{K_2}{K_1}}$$

$$\sqrt{\frac{K_1}{K_2}}$$

Question Number: 65 Question Id: 2106889471 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A block is on a piston which is moving vertically with a SHM of period 1sec. The amplitude of the motion at which block and the piston will separate is  $(take g = 10 \text{ ms}^{-2})$ 

### **Options:**

Question Number : 66 Question Id : 2106889472 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

A seconds pendulum is working in a lift. If the lift begins to fall freely, then what will be the time period of the pendulum in this case

# **Options:**

1. \* 2 sec



- 2. \* 1 sec
- 3. \* 0
- 4. <

Question Number: 67 Question Id: 2106889473 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0


A tuning fork of frequency 90 hertz is sounded and moving towards an observer with a velocity equal to one-tenth the velocity of sound; the frequency of the note heard by the observer is

#### **Options:**

Time: 0

Question Number : 68 Question Id : 2106889474 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction







- 2300 metric Sabine
- 3400 metric Sabine 2. ✔
- 1700 metric Sabine
- 850 metric Sabine

Question Number : 69 Question Id : 2106889475 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The standard constant volume gas thermometer cannot use any vapour as working substance because

- Vapours are likely to catch fire
- Vapours are not perfect gases 2. ✓
- It is difficult to obtain pure vapours
- The properties are not constant over a long range of temperature



Question Number : 70 Question Id : 2106889476 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The equation of state corresponding to 14g of nitrogen(N<sub>2</sub>) at pressure P and temperature T, when occupying a volume V, will be (R is universal gas constant)

#### **Options:**

$$PV = \frac{1}{2} RT$$

$$PV = \frac{1}{4} RT$$

Question Number: 71 Question Id: 2106889477 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A vessel contains certain quantity of gas at a pressure of 80 cm of Hg. If 2/5<sup>th</sup> of the mass of gas leaks out at the same temperature, then the pressure of remaining gas is



Question Number: 72 Question Id: 2106889478 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

An ideal diatomic gas is heated at constant pressure. The fraction of the heat energy supplied to increase the internal energy of the gas is

#### **Options:**

$$4. \checkmark \frac{\frac{5}{7}}{7}$$

Question Number: 73 Question Id: 2106889479 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

collegedunia

#### Time: 0

The distance between the atoms of a diatomic gas remains constant. Then its molar specific heat at constant volume is

# Options:

$$1. \checkmark \frac{\frac{5}{2}R}{}$$

$$\frac{3}{2}R$$

$$\frac{1}{2}R$$

Question Number : 74 Question Id : 2106889480 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

In photo electric effect the energy of the emitted electrons is

- Larger than that of incident photon
- 2. Smaller than that of incident photon
- Same as that of incident photon



Question Number: 75 Question Id: 2106889481 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In water-air system for which colour the critical angle is maximum?

#### **Options:**

1. ✓ Red

2. Wiolet

Yellow

Same for all colours

# **Chemistry**

Yes

**Section Id**: 210688188

Section Number: 3

Mandatory or Optional: Mandatory

Number of Questions: 25

Section Marks: 25

**Enable Mark as Answered Mark for Review and** 

**Clear Response:** 



**Maximum Instruction Time:** 

0

Is Section Default?:

null

Question Number: 76 Question Id: 2106889482 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

The total number of 'm' values possible for a sublevel with 1=3 is

## Options:

<sub>1 \*</sub> 3

5

⊿ ¥ `

Question Number: 77 Question Id: 2106889483 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The value of Rydberg constant for hydrogen atom (R<sub>H</sub>) (in m<sup>-1</sup>) is

# Options:

1.09 x 10<sup>-5</sup>



$$1.09 \times 10^{-7}$$

$$1.09 \times 10^7$$

Question Number: 78 Question Id: 2106889484 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In which of the following, the orbitals are correctly arranged in the order of increasing energy?

#### Time: 0

Identify the molecule in which central atom has octet of electrons.

## **Options:**

- H<sub>2</sub>O
- $BeCl_2$
- BCl<sub>3</sub>
- PCl<sub>5</sub>

Question Number: 80 Question Id: 2106889486 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The incorrect statement about an ionic compound is

- It is readily soluble in water
- It is a conductor in solid state
- It has non directional ionic bond



# It has high melting point

Question Number: 81 Question Id: 2106889487 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The weight of 0.01 moles of KClO<sub>3</sub> (in g) is (K = 39u, Cl = 35.5 u, O = 16u)

#### **Options:**

Question Number : 82 Question Id : 2106889488 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

100 ml of 0.1M HCl is mixed with 100 ml of 0.1M H<sub>2</sub>SO<sub>4</sub> and the solution is diluted to 1.0 L. the Molarity of the final solution is

# **Options:**

 $0.01\,\mathrm{M}$ 

Question Number: 83 Question Id: 2106889489 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The normality of 5.3% (w/v) solution of Na<sub>2</sub>CO<sub>3</sub> is (Na = 23u, C = 12u, O = 16u)

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Identify the substance which can act only as Lewis acid

# Options:

HCl

1. 🕷

AlCl<sub>3</sub>

2. 🗸

NH<sub>3</sub>

 $H_2O$ 

4. \*\*

Question Number: 85 Question Id: 2106889491 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

At 25°C, 4.0 g of NaOH is Present in 2.0 L solution. The ionic product of water (in mol²/L²) at that temperature is



Question Number : 86 Question Id : 2106889492 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Which of the following is not a strong electrolyte?

#### **Options:**

Question Number : 87 Question Id : 2106889493 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0



How many grams of copper is deposited on cathode, when 0.5F current is passed through 100 ml of  $0.1 \text{ M CuSO}_4$  solution? (Molecular Weight of  $\text{CuSO}_4 = 63.5\text{u}$ )

# Options:

- 63.5
- 16.35
- 15.875
- 4. \* 31.75

Question Number: 88 Question Id: 2106889494 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The electrolyte commonly used in salt bridge is

# Options:

- ZnCl<sub>2</sub>
- KC1
- MgCl<sub>2</sub>

3. 🌯



4.

Question Number : 89 Question Id : 2106889495 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

At 25°C, the emf of the cell Zn|Zn<sup>2+</sup>(1M)||Cu<sup>2+</sup>(1M)|Cu is \_\_\_

(Given: 
$$E_{Zn^{2+}}^0|\text{Zn} = -0.76 \text{ V & } E_{Cu^{2+}}^0|\text{Cu} = +0.34 \text{ V}$$
)

#### **Options:**

Question Number : 90 Question Id : 2106889496 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Water gets permanent hardness due to

# **Options:**

NaCl



KCl

MgCl₂

AlCl<sub>3</sub>

Question Number: 91 Question Id: 2106889497 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

2.43 g of Ca (HCO<sub>3</sub>)<sub>2</sub> (molecular weight is 162u) is present in 20L water sample.

The degree of hardness of water (in mg/l) is\_\_

Options:

1. \* 150

75

3. \* 200

4. \* 125

# ${\bf Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction}$

#### Time: 0

In softening of hardwater by ion exchange resin method, the cation exchange resin contains

#### Options:

Question Number: 93 Question Id: 2106889499 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Corrosion is

# Options:

A chemical process

An electrical process

2. 🗱



# An electrochemical process

A physical process

Question Number: 94 Question Id: 2106889500 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Galvanization is applying a coating of

## **Options:**

1. Zn

Pb

3. \* Cr

4. \* Cu

Question Number : 95 Question Id : 2106889501 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The hetero atom present in neoprene is



- S .
- 2. **\*** O
- 3. **✔** Cl
- 4. **¥** F

Question Number: 96 Question Id: 2106889502 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The monomer of Teflon is

- C<sub>2</sub>Cl<sub>4</sub>
- $C_2Br_2$
- $C_2F_4$
- $C_2F_6$

Question Number: 97 Question Id: 2106889503 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The structure of the monomer of natural rubber is

## **Options:**

$$\mathbf{H}_{2}\mathbf{C} = \mathbf{C} - \mathbf{C}\mathbf{H} = \mathbf{C}\mathbf{H}_{2}$$

Question Number : 98 Question Id : 2106889504 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0



The major components of producer gas are

# Options:

- CO, H<sub>2</sub>
- 2. ✓ CO, N<sub>2</sub>
- 3. \* CH<sub>4</sub>, CO
- CH<sub>4</sub>, N<sub>2</sub>

Question Number : 99 Question Id : 2106889505 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Depletion of ozone layer causes

- Forest fires
- Eutrophication 2. \*
- Bio-Magnification



# Skin Cancer

Question Number: 100 Question Id: 2106889506 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which of the following is a secondary pollutant?

#### **Options:**

CO<sub>2</sub>

2. **¥** SO<sub>2</sub>

Peroxyacetyl nitrate

NO<sub>2</sub>

# **Mining Engineering**

**Section Id:** 210688189

Section Number: 4

Mandatory or Optional: Mandatory

Number of Questions: 100

Section Marks: 100



**Enable Mark as Answered Mark for Review and** 

**Clear Response:** 

Yes

**Maximum Instruction Time:** 

0

Is Section Default?:

null

Question Number: 101 Question Id: 2106889507 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In shaft sinking, the Pumps are generally used to deal the water if quantity exceeds

#### **Options:**

72 lit/min

80 lit/min

15 lit/min

100 lit/min

Question Number: 102 Question Id: 2106889508 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What capacity of forcing fan is used for ventilation, if the depth of sinking shaft exceeds 25m?

# **Options:**

250 m<sup>3</sup>/min

1. 🕷



Question Number: 103 Question Id: 2106889509 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In Diamond drilling, what is the pressure acting on diamonds in drill bit?

#### **Options:**

Question Number: 104 Question Id: 2106889510 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

On operation, what is the number of revolutions per minute for a saw toothed crown drill bit?

# **Options:**

Question Number : 105 Question Id : 2106889511 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

In opencast mine, no work shall be done within a distance of \_\_\_\_\_from mine boundary.



Question Number: 106 Question Id: 2106889512 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the concentration of Ammonium Nitrate in first commercial slurry explosive?

#### **Options:**

- 1. \* 20%
- 2. \* 80%
- 3. \* 15%
- 4. 4 65%

Question Number: 107 Question Id: 2106889513 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the Velocity of Detonation (VOD) of a detonating fuse?

- 1. ✓ 6500 m/sec
- 2000 m/sec
- 3. **≈** 7000 m/sec



4. \* 5000 m/sec

Question Number : 108 Question Id : 2106889514 Display Question Number : Yes Is Question

 ${\bf Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction}$ 

Time: 0

For a degree II gassy seam, what is the maximum permissible P3- Permitted explosive

charge per hole for solid blasting?

**Options:** 

Question Number : 109 Question Id : 2106889515 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

Which science deals with the study of remnants of ancient animals and plants?

# Zoology

- Paleontology
- Anthropology
- Petrology

Question Number: 110 Question Id: 2106889516 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Up to what depth below the surface of earth, the Lithosphere is situated?

- 105 km
- 35 km
- 3. **\*** 140 km
- 4. ✓ 70 km

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction
Time: 0
The volcanoes from which excessively gaseous products evolved are called
Options :
Fumaroles  1.   V
Gaseoles 2. *
Fissures 3. **
4. * Cascades
Question Number: 112 Question Id: 2106889518 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 What is the name of the Minerals which can withstand high temperature?
Abrasive minerals  1. **
Inductive minerals 2. **
Refractory minerals
collegedunia India's Largest Student Review Platform

# Conductive minerals

Question Number: 113 Question Id: 2106889519 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Laccoliths, lopoliths and phacoliths are

#### **Options:**

Forms of igneous rocks

Structure of igneous rocks

2. \*\*

3. \* Texture of igneous rocks

Minerals of igneous rocks

Question Number: 114 Question Id: 2106889520 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

An unconformity is a plane of

#### **Options:**

Continuity



# Discontinuity

Volcanic activity

Alkalinity

Question Number: 115 Question Id: 2106889521 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

From which time period, the prominent life started?

#### **Options:**

- Precambrian
- Archaean
- Ordovician
- Cambrian

Question Number: 116 Question Id: 2106889522 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The lowest admissible limit of metallic content of an ore is known as its



# **Options:** 1. Tenor Gangue Gossan 4. Core Question Number: 117 Question Id: 2106889523 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 In which areas, the thickest coal seams are formed? **Options:** Raniganj 2. \* Giridih Jharia ₃. ✔ Talcher



Question Number: 118 Question Id: 2106889524 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Find the one from below that has high porosity and permeability

#### **Options:**

- Sandstone
- Shale
- 3. \* Clay
- Sand 4.

Question Number: 119 Question Id: 2106889525 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In Bord & Pillar mining, splitting is generally required in seams of depth beyond

- 75 mts
- 85 mts
- 3. ✓ 100 mts



# 90 mts

Question Number: 120 Question Id: 2106889526 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The gradient of crosscut equipped with direct rope haulage in an inclined seam should not be less than

#### **Options:**

- 1 in 25
- 2. 1 in 12
- 3. × 1 in 30
- 4. \* 1 in 18

Question Number: 121 Question Id: 2106889527 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the applicable inclination of seams, in which Longwall mining method is

adopted?

# **Options:**

20° to 45°



Question Number: 122 Question Id: 2106889528 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the name of the extended portion of gate roads slightly beyond the face in

Longwall advancing for easy maneuvering of shearer?

# Options:

Pack walls

Level

Stable 3.

Connection Gallery

# ${\bf Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction}$

#### Time: 0

What is gap to be maintained between Longwall working face and pack walls for safe

working?

#### Options:

$$3 - 6 \text{ m}$$

$$_{3.}$$
 \*  $7-10 \text{ m}$ 

$$_{4.}$$
 ×  $2-3$  m

Question Number: 124 Question Id: 2106889530 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the percentage of extraction in Bord & Pillar development, if the size of pillar is

22 mts (width) x 22 mts (breadth) and the galleries are 4.2 mts wider?

Question Number: 125 Question Id: 2106889531 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which of the following is used in slicing methods of descending order?

#### **Options:**

- Wooden planks laying
- Wire netting
- Stowing goaf
- Only timbering

Question Number: 126 Question Id: 2106889532 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Friction props are generally set in rows for supporting in slicing methods. What is the

distance between row to row of props?



# Options:

- 1.25 m
- 2. \* 1 m
- 3. **\*** 2.5 m
- 4. \* 2 m

Question Number: 127 Question Id: 2106889533 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Upto what distance, the supports are erected from the face in Blasting Gallery method?

- 55 m
- 32 m
- 30 m
- 40 m

Question Number: 128 Question Id: 2106889534 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In which method of mining, the establishing linkages between bore wells activity adopted?

#### **Options:**

Hydraulic mining

Underground Coal gasification

Horizon mining

Sub-level caving

Question Number: 129 Question Id: 2106889535 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Mono rails are used in which of the following raising method?

# **Options:**

Three compartmental raising method

Alimak raise climber method

Two compartmental raising method



# Jora hoist raise method

Question Number: 130 Question Id: 2106889536 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the percentage of ore that can be withdrawn during stope working and rest of ore is used for temporary supporting in shrinkage stoping method?

#### Options:

Question Number: 131 Question Id: 2106889537 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Subsidence can be prevented by which stoping method?

# Over hand stoping method

- Underhand stoping method
- Cut and fill stoping method
- Breast stoping method

Question Number: 132 Question Id: 2106889538 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In sublevel caving, the ore body is divided by sublevels with vertical spacing.

$$6-8 \text{ m}$$

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction
Time: 0
Which type of sampling method is preferred for sampling in 2500 sq.kms area of Bauxite deposit?
Options:
Chip sampling
Random sampling
Grab sampling
Bulk sampling 4. ✓
Question Number: 134 Question Id: 2106889540 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  The ratio of mass of water vapor per m³ of air to mass of water vapor required to saturate
one m <sup>3</sup> of air is known as
Options:
1. * Humidity
2. ✓ Relative humidity
3. * Absolute humidity

collegedunia

Water vapor

Question Number: 135 Question Id: 2106889541 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Which of the following is not an oxidizing agent in explosives?

#### **Options:**

- Sodium Nitrate
- Potassium Chloride
- Calcium Carbonate
- Ammonium Perchlorate

Question Number: 136 Question Id: 2106889542 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

When the part of explosive charge remains unblasted in the drill hole even after blasting

such charge of hole is known as .

#### **Options:**

Blown out shot



Socket
Blown through shot
Hang fire
Question Number: 137 Question Id: 2106889543 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instructio Time: 0  What is the name of the narrow opening in mine workings through which ore is loaded in to mine cars?
Ore pass  1. **
Ore bin
Chute 3. ✓
Gate 4. *

Question Number: 138 Question Id: 2106889544 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction collegedunia

#### Time: 0

What is the applicable inclination for adoption of Sub-level stoping method in metal mining?

#### Options:

- Below 15°
- 85° − 90°
- 40° − 85°
- 4. **≈** 20° − 35°

Question Number: 139 Question Id: 2106889545 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which type of centrifugal fan is designed to eliminate end thrust on fan shaft?

- Backward bladed
- Radial bladed
- Forward bladed
- 4. \* Axial bladed



Question Number: 140 Question Id: 2106889546 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What is the manometric efficiency of air screw fan?

#### Options:

Question Number: 141 Question Id: 2106889547 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The depths of both upcast and downcast shafts are same and 465 mts. The temperature in upcast shaft and downcast shaft are 37°C and 30°C respectively. Then what is the height of Motive Column?

# **Options:**

10.3 m



- 9.9 m
- 9.75 m
- 10.5 m

Question Number: 142 Question Id: 2106889548 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What type of ventilation system is especially used in ventilating sinking shaft?


#### **Options:**

- Exhausting
- Combination of forcing & exhausting
- Reversible
- 4. Forcing

Question Number: 143 Question Id: 2106889549 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0



Question Number: 145 Question Id: 2106889551 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

At what percentage of methane, a triangular cap with sharp apex of 12 mm height is formed in Flame safety lamp?

#### **Options:**

Question Number: 146 Question Id: 2106889552 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In P.S. Detector, the light yellow color in glass tube turns into which of the following color when exposed to Carbon Monoxide?

# **Options:**

Shades of Green

Pale Grey
Pink 4. **
Question Number: 147 Question Id: 2106889553 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Faint haze is the sign of spontaneous heating that belongs to which of the following stage?
Options :
Heating approach ignition
Incipient heating
Intermediate 3. *
Cooling 4. *
Question Number : 148 Question Id : 2106889554 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
The breathing of % of Carbon Dioxide in air for 10 minutes at work or 30
The orealing of70 of Caroon Dioxide in an for to infinites at work of 50
minutes at rest can cause palpitations.  collegedunia India's largest Student Review Platform

# Options:

1. \* 1.0


0.02

0.2 3. **\*** 

4. ✓ 0.12

Question Number: 149 Question Id: 2106889555 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In Coward's diagram of methane explosibility, all the mixtures lying \_\_\_\_\_ are neither explosive nor capable of forming explosive mixture with air.



# Options:

Within XYZ

1. \*\*

Right side to PYZ

left side to PYX

above the line XZ

# Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

Gas mask can be used to support life of wearer in an environment containing which

percent of Carbon Monoxide?

# Options:

- more than 2%
- less than 2%
- exactly 3%
- 4. \* more than 3%

Question Number: 151 Question Id: 2106889557 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the lowest temperature at which, fine dry coal dust cloud can be ignited and cause flame to travel through dust air mixture?

- 600-700 °C
- 2. **▼** 900-1000 °C



700-800°C

Question Number : 152 Question Id : 2106889558 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Which of the following is the miner's disease caused by inhalation of iron dust?

#### **Options:**

- Pneumoconiosis
- 2. Silicosis
- Siderosis 3. ✔
- Asbestosis

Question Number: 153 Question Id: 2106889559 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

CO<sub>2</sub> extinguisher consists of a cylinder having up to 5 kgs of Carbon Dioxide in liquefied

form under pressure of kg/cm<sup>2</sup>.



# Options:

105

2. \* 88

3. \* 90.5

4. 70

Question Number: 154 Question Id: 2106889560 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

No working should be carried out when it approaches with in a distance of \_\_\_\_\_\_ meters from water logged area of same mine or adjoining mine.

#### **Options:**

50

2. 🗸 60

45

4. \* 75

Question Number: 155 Question Id: 2106889561 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The length of a line measured by means of a 20 m chain was found to be 610.2 m known

to be 608.0 m. What was the actual length of the chain?

#### **Options:**

20.066 m

1. \*\*

20.012 m

19.906 m

19.928 m

Question Number: 156 Question Id: 2106889562 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What will be the Quadrantal bearing of a line whose whole circle bearing is 236°25'?

#### **Options:**

s 56<sup>0</sup>25′ W



Question Number: 157 Question Id: 2106889563 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The true bearing of a line is 3260 and the magnetic declination is 80 E. Find the magnetic

bearing of the line.

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction
Time: 0
What is the formula for finding apex distance in a simple curve?

# **Options:**

- $2R \sin \theta/2$
- $_{2.} * R \sin (\theta/2)-1$
- R(Sec( θ/2)-1)
- $R(\sin(\theta/2)+1)$

Question Number : 159 Question Id : 2106889565 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

The error of closure of traverse by correlation after distribution of the angular error must

not exceed \_\_\_\_\_ of the sum of horizontal lengths of drafts of the traverse.

- 1. 1/2500<sup>th</sup>
- 1/3000th




 $1/2000^{th}$ 

3. 🤻

4.

Question Number : 160 Question Id : 2106889566 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

According to the diagram, CD is the line of known azimuth of surface base. Then, the azimuth of plumb line BA = \_\_\_\_\_.



# Options:

Azimuth of CD + 
$$\angle$$
DCA +  $\angle$ BCA

Azimuth of CB +  $\angle$ CAB +  $\angle$ BCA

Azimuth of CD + ∠DCA + ∠CAB



Azimuth of CB +  $\angle$ CAB +  $\angle$ DCA

Question Number: 161 Question Id: 2106889567 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Which one among the following comes under temporary adjustments of a theodolite?

#### **Options:**

Plate level adjustment

1. \*

Elimination of parallax

Collimation adjustment

3. 🗱

Vertical circle adjustment

4. 3

Question Number: 162 Question Id: 2106889568 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the type of leveling, in which the relative levels of two and more isolated points are determined without taking intermediate sights and distances between staves?

# Options:

Profile leveling

1. 🕷



Fly leveling

Compound leveling

Reciprocal leveling

Question Number: 163 Question Id: 2106889569 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

If the horizontal distance between the staff point and the point of observation is d, then

the correction for curvature of earth is proportional to the following one.

#### Options:

1. \* d

2. **\*** 1/d

3. d<sup>2</sup>

 $1/d^2$ 

Question Number: 164 Question Id: 2106889570 Display Question Number: Yes Is Question

Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimal Instruction as

#### Time: 0

When contour lines touch one another at a particular zone, it indicates which of the

following?

#### **Options:**

Level surface

Vertical cliff

Horizontal surface

4. \* Inclined surface

Question Number: 165 Question Id: 2106889571 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

An analytic lens is provided to make the additive constant equal to

#### Options:

100

2. 🗸 0

3. \* 90

4. 💥

Question Number: 166 Question Id: 2106889572 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The stadia markings are made on the following part of survey instrument.

#### **Options:**

- Eyepiece
- Diaphragm 2. ✔
- Object glass
- Concave lens

Question Number: 167 Question Id: 2106889573 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The diameter of the groove of the head gear pulley is \_\_\_\_\_\_ of the rope diameter of locked coil ropes.

#### **Options:**

105%



Question Number: 168 Question Id: 2106889574 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the arc of contact of winding rope with grooved renewable friction lining of electrically driven sheave?

#### Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

The tensioning weight in flexible guides is \_\_\_\_\_ for every 100 meters depth in case

of deep shafts.

#### Options:

- 1.5 kN
- 10 kN
- 3. \* 12 kN
- 5 kN 4. ✔

Question Number: 170 Question Id: 2106889576 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Within how much percentage of cross-section area of shaft, the rigid guides are to be erected?

- 1. \* 35%
- 2. 20%
  - 30%



4. \* 25%

Question Number: 171 Question Id: 2106889577 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the type of rope suitable for haulage system in underground mines?

#### **Options:**

1. \*

Half locked coil

Full locked coil

Lang's lay

Ordinary lay

Question Number: 172 Question Id: 2106889578 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

A locomotive shall not be used where gradient of track exceeds

#### Options:

1 in 10

1 %



- 1 in 15
- 1 in 11
- 1 in 9

Question Number: 173 Question Id: 2106889579 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which one of the following is the function of snub pulley in a belt conveyor system?

#### **Options:**

- Clean inner surface of the belt
- Clean outer surface of the belt
- Increase angle of contact of the belt with drive drum
- Increase belt tension

Question Number: 174 Question Id: 2106889580 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

#### Time: 0

With what purpose, the Jazz rails are provided in haulage road?

#### **Options:**

- To Prevent tubs running backward
- To Prevent tubs running out of control
- To Reduce speed of moving tubs
- To Prevent runaway of tub in forward direction

Question Number: 175 Question Id: 2106889581 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

In which type of haulage system, the Run away switch is used?

- Gravity haulage
- Direct haulage
- Main and tail haulage



## Endless haulage

Question Number: 176 Question Id: 2106889582 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the percentage of Iron in wire ropes?

#### **Options:**

Question Number: 177 Question Id: 2106889583 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The vertical distance between the liquid level and the free discharge level of the liquid is called as

#### Options:

Static head

Suction head

2.



3. Total static head

Delivery head

4. 3

Question Number: 178 Question Id: 2106889584 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What part in turbine pump should be shorter for its effective running?

#### Options:

- Suction pipe
- Balancing disc
- Delivery pipe
- Diffusers

Question Number: 179 Question Id: 2106889585 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In which type of rocks, the angle of slope of bench 70° to 85° is maintained?



1. *	Weathered rocks
2. 🗱	Friable rocks
3. 🗱	Soft clay
4. 🗸	Competent rocks
Question Number : 180 Question Id : 2106889586 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction	
Time: 0	
The a	angle of slope of bench should be that of angle of repose of rock
mater	ial of the bench.
Options:	
1. 🗸	Equal to or less than
2. 🗱	More than
3. 💥	Less than
4. **	Equals to

collegedunia

Question Number: 181 Question Id: 2106889587 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 What is the digging depth of a big Bucket Wheel Excavator below its floor level? Options:  $70 \, \mathrm{m}$ 2. **×** 55 m 3. **✓** 25 m 4. **4**5 m Question Number: 182 Question Id: 2106889588 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 The quantity of explosive required to break one cubic meter of strata or Yield per Kg of Explosive is called . **Options:** Specific energy Powder factor

collegedunia:

Specific consumption

3. 4

4. \* Power factor

Question Number: 183 Question Id: 2106889589 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What is the threshold limit of airborne respirable dust fixed by DGMS?

#### **Options:**

2 mg/m<sup>3</sup>

 $1.5 \text{ mg/m}^3$ 

3.5 mg/m<sup>3</sup>

4. **✓** 3 mg/m<sup>3</sup>

Question Number: 184 Question Id: 2106889590 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

What is the type of surface mine bench failure that happens due to two intersecting discontinuities?



```
1. ✓ Wedge failure
     Planar failure
3. * Circular failure
     Toppling failure
Question Number: 185 Question Id: 2106889591 Display Question Number: Yes Is Question
Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction
Time: 0
Which of the following forces cause mountain formations?
Options:
    Tectonic forces
    Residual forces
     Orogenic forces
    Thermic origin forces
```



Question Number: 186 Question Id: 2106889592 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the scale number of Topaz in Mohs hardness Scale?

#### **Options:**

- 1. 🗸 8
- 2. \* 9
- 4 2 **%**
- 4 \* 7

Question Number: 187 Question Id: 2106889593 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Which of the following is measured with Convergence recorder?

- Stress
- 2. Strain
- Load 3. \*



4. \* Fault

Question Number : 188 Question Id : 2106889594 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time: 0

In subsidence, what is the angle between limit line and vertical line?

#### **Options:**

Angle of subsidence

1. 🕷

Angle of draw

Angle of fracture initiation

3.

Angle of breakage

4. 💥

Question Number: 189 Question Id: 2106889595 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

Time: 0

Chocks are the type of supports used in severe bad roof conditions. Which of the

following dimensions of sleeper piece in chock supports?



10cm x 10cm x 120cm

1. 🗸

15cm x 15cm x 100cm

10cm x 10cm x 100cm

15cm x 10cm x 120cm

Question Number: 190 Question Id: 2106889596 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In pressure arch theory, in which zone the heaving up of floor with no bed separation takes place?

#### Options:

Zone-5

Zone-1

Zone-4

4. **\*** Zone-2



Question Number: 191 Question Id: 2106889597 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

The first aid room shall be in charge of a whole time medical practitioner where the number of persons ordinarily employed in a mine is more than \_\_\_\_\_ as per Mine Rules,1955.

# Options :

1000

1200

3. \* 800

500

Question Number: 192 Question Id: 2106889598 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

As per Coal Mines Regulations, 1957, in which form, the Notice of accident is given?

#### **Options:**

FORM-I D

FORM-IV A



FORM-IV B

FORM-IV C

Question Number: 193 Question Id: 2106889599 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

What is the Minimum age for a person to be appointed as competent person as per Coal

Mines Regulations, 1957?

#### **Options:**

18 Years

20 Years

3. **\*** 21 Years

22 Years

Question Number: 194 Question Id: 2106889600 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction

collegedunia

Time: 0

As per Coal Mines Regulations, 1957, at what interval are manholes to be provided in a haulage roadway? Options: 10 m 12 m 15 m 17 m Question Number: 195 Question Id: 2106889601 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 As per Industrial Dispute Act, 1947, if a settlement of dispute is arrived at in the course of conciliation proceedings, a report shall be submitted by conciliation officer within from the commencement of conciliation proceedings. **Options:** 

15 days

7 days



30 days

4. ✓ 14 days

Question Number: 196 Question Id: 2106889602 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Micro organization is a company where the number of employees is

#### Options:

Less than 20

Less than 30

Less man 30

Less than 40

Less than 50

4. 🗱

Question Number: 197 Question Id: 2106889603 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Traits and behavioral theories are regarding



# **Options:** 1. ✓ Leadership 2. \* Viewership Friendship Entrepreneurship Question Number: 198 Question Id: 2106889604 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 In network analysis, "Burst Event" is an event Options: When more than one activity comes and joins an event When more than one activity stops When more than one activity leaves an event When more than one activity fails

collegedunia

Question Number : 199 Question Id : 2106889605 Display Question Number : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

\_\_\_\_\_ is the model for quality assurance in final inspection and test.

#### **Options:**

- 1. \* ISO 9004
- ISO 9000
- ISO 9002
- ISO 9003

Question Number: 200 Question Id: 2106889606 Display Question Number: Yes Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

In which year the term "Internet of Things" coined?

- 2000
- 2. \* 1996
- 3. \* 2001



4. 1999

