

CBSE Class 10 Mathematics Basic Answer Key 2022 (May 5, Set 3 - 430/1/3)

Strictly Confidential : (For Internal and Restricted use only)

Secondary School Examination

Term-II, 2022

Marking Scheme : MATHEMATICS (Basic) (Subject Code : 241)

[Paper Code : 430/1/3]

General Instructions :

1. You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2. "Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, evaluation done and several other aspects. Its leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in Newspaper/ Website, etc., may invite action under IPC."
3. Evaluation is to be done as per instruction provided in the Marking Scheme. It should not be done according to one's own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. **However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and marks be awarded to them. In Class-X, while evaluating two competency based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, marks should be awarded.**
4. The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
5. Evaluators will mark (3) wherever answer is correct. For wrong answer '7' be marked. Evaluators will not put right kind of mark while evaluating which gives an impression that answer is correct and no marks are awarded. **This is most common mistake which evaluators are committing.**
6. If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totalled up and written in the left-hand margin and encircled. This may be followed strictly.
7. If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.

X_24_241_430/1/3_Mathematics (Basic) # Page-1



8. If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out.
9. No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
10. A full scale of marks _____ (example 0–40 marks as given in Question Paper) has to be used. Please do not hesitate to award full marks if the answer deserves it.
11. Every examiner has to necessarily do evaluation work for full working hours, i.e., 8 hours everyday and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects (Details are given in Spot Guidelines).
12. Ensure that you do not make the following common types of errors committed by the Examiner in the past :
 - Leaving answer or part thereof unassessed in an answer book
 - Giving more marks for an answer than assigned to it
 - Wrong totalling of marks awarded on a reply
 - Wrong transfer of marks from the inside pages of the answer book to the title page
 - Wrong questionwise totalling on the title page
 - Wrong totalling of marks of the two columns on the title page
 - Wrong grand total
 - Marks in words and figures not tallying
 - Wrong transfer of marks from the answer book to online award list
 - Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the 7 for incorrect answer).
 - Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
13. While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as (7) and awarded zero (0) Mark.
14. Any unassessed portion, non-carrying over of marks to the title page, or totalling error detected by the candidates shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
15. The examiners should acquaint themselves with the guidelines given in the guidelines for spot evaluation before starting the actual evaluation.
16. Every examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totalled and written in figures and words.
17. The Board permits candidates to obtain photocopy of the Answer Book on request in an RTI application and also separately as a part of the re-evaluation process on payment of the processing charges.

MARKING SCHEME
Secondary School Examination TERM-II, 2022
MATHEMATICS (Basic) (Subject Code-241)
[Paper Code : 430/1/3]

Q. No.	EXPECTED ANSWER / VALUE POINTS	Marks
SECTION—A		
1.	Modal class is 40–60 Mode = $40 + 20 \times \frac{12-7}{24-7-5}$ = 48.3	$\frac{1}{2}$ 1 $\frac{1}{2}$
2.	D=33 $x = \frac{-(-5) \pm \sqrt{33}}{2 \times 2}$ $\Rightarrow x = \frac{5 + \sqrt{33}}{4}, \frac{5 - \sqrt{33}}{4}$	$\frac{1}{2}$ 1 $\frac{1}{2}$
3.	PA and PB are tangents therefore using angle sum property $\angle AOB = 110^\circ$ $\triangle APO \cong \triangle BPO \Rightarrow \angle POA = 55^\circ$	1 1
4(a)	$0 = \frac{n}{2}[100 + (n-1)(-4)]$ $\Rightarrow n = 26$	1 1
OR		
4(b)	Here $a = 14, n = 12, d = 7$ or A.P. is 14, 21, 28, $S_{12} = \frac{12}{2}[28 + 11 \times 7] = 6[28 + 77] = 6 \times 105$ = 630	$\frac{1}{2}$ 1 $\frac{1}{2}$
5.	Volume of Hemisphere = 4x Volume of each cone $\frac{2}{3}\pi \times 8 \times 8 \times 8 = 4 \times \frac{1}{3}\pi \times 4 \times 4 \times h$ $\Rightarrow h = 16$ cm	$1\frac{1}{2}$ $\frac{1}{2}$
6(a)	$D = 25 - 36 = -11 < 0$ Therefore equation has no real roots	1 1
OR		
6(b)	Required equation is $(x+3)(x-5) = 0$ $\Rightarrow x^2 - 2x - 15 = 0$	$1\frac{1}{2}$ $\frac{1}{2}$

1. ✓
2. ✓
3. ✓
4. ✓
5. ✓
6. ✓
7. ✓
8. ✓


SECTION—B																																									
7.	<table border="1"> <thead> <tr> <th>Class</th> <th>x</th> <th>f</th> <th>d</th> <th>fd</th> </tr> </thead> <tbody> <tr> <td>5-15</td> <td>10</td> <td>5</td> <td>-30</td> <td>-150</td> </tr> <tr> <td>15-25</td> <td>20</td> <td>12</td> <td>-20</td> <td>-240</td> </tr> <tr> <td>25-35</td> <td>30</td> <td>20</td> <td>-10</td> <td>-200</td> </tr> <tr> <td>35-45</td> <td>40</td> <td>24</td> <td>0</td> <td>0</td> </tr> <tr> <td>45-55</td> <td>50</td> <td>15</td> <td>10</td> <td>150</td> </tr> <tr> <td>55-65</td> <td>60</td> <td>4</td> <td>20</td> <td>80</td> </tr> <tr> <td></td> <td></td> <td>80</td> <td></td> <td>-360</td> </tr> </tbody> </table> <p>Mean = $40 - \frac{360}{80} = 35.5$</p>	Class	x	f	d	fd	5-15	10	5	-30	-150	15-25	20	12	-20	-240	25-35	30	20	-10	-200	35-45	40	24	0	0	45-55	50	15	10	150	55-65	60	4	20	80			80		-360
Class	x	f	d	fd																																					
5-15	10	5	-30	-150																																					
15-25	20	12	-20	-240																																					
25-35	30	20	-10	-200																																					
35-45	40	24	0	0																																					
45-55	50	15	10	150																																					
55-65	60	4	20	80																																					
		80		-360																																					
8.	$\tan 60^\circ = \frac{h}{x} = \sqrt{3}$ $\Rightarrow h = x\sqrt{3} \dots (i)$ $\tan 30^\circ = \frac{1}{\sqrt{3}} = \frac{h}{y}$ $\Rightarrow h = \frac{y}{\sqrt{3}} \dots (ii)$ <p>Multiplying (i) & (ii) $h^2 = x\sqrt{3} \times \frac{y}{\sqrt{3}} = xy$</p>																																								
9(a)	<ul style="list-style-type: none"> * Constructing a circle of radius 3cm and marking a point P at a distance of 8cm from the centre of the circle. * Constructing a pair of tangents correctly. <p style="text-align: center;">OR</p>																																								
9(b)	<ul style="list-style-type: none"> * Drawing a line segment AB=8.5 cm and making acute angle(s) * Dividing AB in the ratio 1:3 correctly 																																								

- 1 ↓
- 2 ✓
- 3 ✓
- 4 ✓
- 5 ✓
- 6 ✓
- 7 ✓
- 8 ✓



10.	<table border="1"> <thead> <tr> <th>Class</th> <th>f</th> <th>cf</th> </tr> </thead> <tbody> <tr> <td>5000–6000</td> <td>18</td> <td>18</td> </tr> <tr> <td>6000–7000</td> <td>30</td> <td>48</td> </tr> <tr> <td>7000–8000</td> <td>28</td> <td>76</td> </tr> <tr> <td>8000–9000</td> <td>19</td> <td>95</td> </tr> <tr> <td>9000–10000</td> <td>15</td> <td>110 = N</td> </tr> </tbody> </table>	Class	f	cf	5000–6000	18	18	6000–7000	30	48	7000–8000	28	76	8000–9000	19	95	9000–10000	15	110 = N		1
	Class	f	cf																		
	5000–6000	18	18																		
	6000–7000	30	48																		
	7000–8000	28	76																		
8000–9000	19	95																			
9000–10000	15	110 = N																			
Median class is 7000–8000			$\frac{1}{2}$																		
Median = $7000 + \frac{1000}{28}(55 - 48)$			1																		
= 7250			$\frac{1}{2}$																		
SECTION—C																					
11.	<p>Let $\angle PTQ = \theta$ $\Rightarrow \angle TPQ + \angle TQP = 180^\circ - \theta$ But $\angle TPQ = \angle TQP$ $\therefore \angle TPQ = \frac{1}{2}(180^\circ - \theta) = 90^\circ - \frac{\theta}{2}$ Also, $OP \perp TP \Rightarrow \angle TPO = 90^\circ$ $\therefore \angle QPO = 90^\circ - \left(90^\circ - \frac{\theta}{2}\right) = \frac{\theta}{2} = \frac{1}{2} \angle PTQ$</p>		1 1 1 1																		
12(a)	<p>Volume of cylindrical part $= \pi \times 1 \times 8 = 8\pi \text{ cm}^3$ Volume of spherical part $= \frac{4}{3} \pi \times 9 \times 9 \times 9$ $= 972\pi \text{ cm}^3$ Total volume of glass is $8\pi + 972\pi = 980 \times \frac{22}{7} = 3080 \text{ cm}^3$ Amount of water = 3.08 l</p>		1 1 1 $1\frac{1}{2}$ $\frac{1}{2}$																		
12(b)	<p style="text-align: center;">OR</p> <p>Getting $l = 2.5 \text{ cm}$ Surface area of the remaining solid $= 2\pi(0.7)(2.4) + \pi(0.7)^2 + \pi(0.7)(2.5)$</p>		1 $1\frac{1}{2}$																		

1 ↓
 2 Ans
 3 CM
 4 JM
 5 ~~Ⓟ~~
 6 Amy
 7 Hussein
 8 ~~Ⓟ~~

	$= \pi(3.36 + 0.49 + 1.75)$ $= 17.6 \text{ cm}^2 \text{ or } 5.6 \pi \text{ cm}^2$	1 $\frac{1}{2}$
13.	<p>(a) $12 - 6 = 18 - 12 = 24 - 18 = 6$ Since difference of consecutive terms is same every time therefore it is an A.P $\therefore d = 6$ and $a_5 = 24 + 6 = 30$</p> <p>(b) $a_n = 6 + (n - 1)6 = 6n$ $\therefore a_{10} = 60$</p>	1 1 1 1
14.	 <p>a) Well labelled correct figure:</p> <p>b) $\tan 30^\circ = \frac{78}{x} = \frac{1}{\sqrt{3}}$ $\Rightarrow x = 78\sqrt{3} \text{ m} \dots (i)$ (distance of the tower from point A)</p> $\tan 60^\circ = \sqrt{3} = \frac{BD}{x}$ $BD = \sqrt{3}x \dots (ii)$ <p>Using (i) & (ii), height of the tower = $BD = 3 \times 78 = 234 \text{ m}$</p>	2 1 $\frac{1}{2}$ $\frac{1}{2}$

- 1 ↓ Himani Arje
- 2 And ARCHANA JERATH.
- 3 CM Charulata
- 4 Jayashri B. JM
- 5 Ritu Tiwari
- 6 Any Anuj Manchanda
- 7 Harpreet Kaur Hussain
- 8 AKANKSHA