ZOOLOGY

SECTION-A

151. Given below are two statements:

Statement I:

Autoimmune disorder is a condition where body defense mechanism recognizes its own cells as foreign bodies.

Statement II:

Rheumatoid arthritis is a condition where body does not attack self cells.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Answer (3)

152. Given below are two statements:

Statement I: The coagulum is formed of network of threads called thrombins.

Statement II: Spleen is the graveyard of erythrocytes.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Answer (4)

- 153. Identify the microorganism which is responsible for the production of an immunosuppressive molecule cyclosporin A:
 - (1) Trichoderma polysporum

(2) Clostridium butylicum

(3) Aspergillus niger

(4) Streptococcus cerevisiae

Answer (1)

- 154. Which of the following statements are true for spermatogenesis but do not hold true for Oogenesis?
 - (a) It results in the formation of haploid gametes
 - (b) Differentiation of gamete occurs after the completion of meiosis
 - (c) Meiosis occurs continuously in a mitotically dividing stem cell population
 - (d) It is controlled by the Luteinising hormone (LH) and Follicle Stimulating Hormone (FSH) secreted by the anterior pituitary
 - (e) It is initiated at puberty

Choose the most appropriate answer from the options given below:

(1) (c) and (e) only

(2) (b) and (c) only

(3) (b), (d) and (e) only

(4) (b), (c) and (e) only

Answer (4)



- 155. Lippe's loop is a type of contraceptive used as:
 - (1) Cervical barrier

(2) Vault barrier

(3) Non-Medicated IUD

(4) Copper releasing IUD

Answer (3)

- 156. At which stage of life the oogenesis process is initiated?
 - (1) Puberty
 - (2) Embryonic development stage
 - (3) Birth
 - (4) Adult

Answer (2)

- 157. In the taxonomic categories which hierarchical arrangement in ascending order is **correct** in case of animals?
 - (1) Kingdom, Phylum, Class, Order, Family, Genus, Species
 - (2) Kingdom, Class, Phylum, Family, Order, Genus, Species
 - (3) Kingdom, Order, Class, Phylum, Family, Genus, Species
 - (4) Kingdom, Order, Phylum, Class, Family, Genus, Species

Answer (1*)

158. Given below are two statements:

Statement I: Mycoplasma can pass through less than 1 micron filter size.

Statement II: Mycoplasma are bacteria with cell wall.

In the light of the above statements, choose the most appropriate answer from the options given below

- Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Answer (3)

- 159. Which of the following is a correct match for disease and its symptoms?
 - (1) Arthritis Inflammed joints
 - (2) Tetany High Ca²⁺ level causing rapid spasms.
 - (3) Myasthenia gravis Genetic disorder resulting in weakening and paralysis of skeletal muscle
 - (4) Muscular dystrophy An auto immune disorder causing progressive degeneration of skeletal muscle

Answer (1)

- 160. In an *E. Coli* strain *i* gene gets mutated and its product can not bind the inducer molecule. If growth medium is provided with lactose, what will be the outcome?
 - (1) Only z gene will get transcribed
 - (2) z, y, a genes will be transcribed
 - (3) z, y, a genes will not be translated
 - (4) RNA polymerase will bind the promoter region

Answer (3)



- 161. Which of the following is not the function of conducting part of respiratory system?
 - (1) It clears inhaled air from foreign particles
 - (2) Inhaled air is humidified
 - (3) Temperature of inhaled air is brought to body temperature
 - (4) Provides surface for diffusion of O2 and CO2

Answer (4)

- 162. Breeding crops with higher levels of vitamins and minerals or higher proteins and healthier fats is called :
 - (1) Bio-magnification

(2) Bio-remediation

(3) Bio-fortification

(4) Bio-accumulation

Answer (3)

- 163. Which of the following functions is **not** performed by secretions from salivary glands?
 - (1) Control bacterial population in mouth
 - (2) Digestion of complex carbohydrates
 - (3) Lubrication of oral cavity
 - (4) Digestion of disaccharides

Answer (4)

- 164. Tegmina in cockroach, arises from
 - (1) Prothorax

(2) Mesothorax

(3) Metathorax

(4) Prothorax and Mesothorax

Answer (2)

- 165. Which of the following statements with respect to Endoplasmic Reticulum is incorrect?
 - RER has ribosomes attached to ER
 - (2) SER is devoid of ribosomes
 - (3) In prokaryotes only RER are present
 - (4) SER are the sites for lipid synthesis

Answer (3)

166. Given below are two statements:

Statement I:

The release of sperms into the seminiferous tubules is called spermiation.

Statement II:

Spermiogenesis is the process of formation of sperms from spermatogonia.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Answer (3)



 Which of the following is present between the adjacent bones of the vertebral column? (1) Intercalated discs (2) Cartilage (3) Areolar tissue (4) Smooth muscle Answer (2) 168. In which of the following animals, digestive tract has additional chambers like crop and gizzard? (1) Corvus, Columba, Chameleon (2) Bufo, Balaenoptera, Bangarus 							
 (2) Cartilage (3) Areolar tissue (4) Smooth muscle Answer (2) 168. In which of the following animals, digestive tract has additional chambers like crop and gizzard? (1) Corvus, Columba, Chameleon 							
 (3) Areolar tissue (4) Smooth muscle Answer (2) 168. In which of the following animals, digestive tract has additional chambers like crop and gizzard? (1) Corvus, Columba, Chameleon 							
 (4) Smooth muscle Answer (2) 168. In which of the following animals, digestive tract has additional chambers like crop and gizzard? (1) Corvus, Columba, Chameleon 							
Answer (2) 168. In which of the following animals, digestive tract has additional chambers like crop and gizzard? (1) Corvus, Columba, Chameleon							
(1) Corvus, Columba, Chameleon							
(1) Corvus, Columba, Chameleon							
(3) Catla, Columba, Crocodilus							
(4) Pavo, Psittacula, Corvus							
Answer (4)							
169. Identify the asexual reproductive structure associated with Penicillium:							
(1) Zoospores							
(2) Conidia							
(3) Gemmules							
(4) Buds							
Answer (2)							
170. Given below are two statements :							
Statement I:							
Fatty acids and glycerols cannot be absorbed into the blood.							
Statement II :							
Specialized lymphatic capillaries called lacteals carry chylomicrons into lymphatic vessels and ultimately into							
the blood.							
In the light of the above statements, choose the most appropriate answer from the options given below:							
(1) Both Statement I and Statement II are correct							
(2) Both Statement I and Statement II are incorrect							
(3) Statement I is correct but Statement II is incorrect							
(4) Statement I is incorrect but Statement II is correct							
Answer (1)							
171. In-situ conservation refers to:							
(1) Protect and conserve the whole ecosystem							
(2) Conserve only high-risk species							
(3) Conserve only endangered species							
(4) Conserve only extinct species							
Answer (1)							
172. If '8' Drosophila in a laboratory population of '80' died during a week, the death rate in the population is							
individuals per <i>Drosophila</i> per week.							
(1) 0.1 (2) 10							
(3) 1.0 (4) zero							
Answer (1)							



- 173. Which of the following is **not** a connective tissue?
 - (1) Blood

(2) Adipose tissue

(3) Cartilage

(4) Neuroglia

Answer (4)

174. Given below are two statements:

Statement I: Restriction endonucleases recognise specific sequence to cut DNA known as palindromic nucleotide sequence.

Statement II: Restriction endonucleases cut the DNA strand a little away from the centre of the palindromic site.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Answer (1)

- 175. Natural selection where more individuals acquire specific character value other than the mean character value, leads to
 - (1) Stabilising change
 - (2) Directional change
 - (3) Disruptive change
 - (4) Random change

Answer (2)

- 176. Nitrogenous waste is excreted in the form of pellet or paste by :
 - (1) Ornithorhynchus
 - (2) Salamandra
 - (3) Hippocampus
 - (4) *Pavo*

Answer (4)

177. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

Osteoporosis is characterised by decreased bone mass and increased chance of fractures.

Reason (R):

Common cause of osteoporosis is increased levels of estrogen.

In the light of the above statements, choose the most appropriate answer from the options given below.

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Answer (3)



- 178. Under normal physiological conditions in human being every 100 ml of oxygenated blood can deliver ____ ml of O₂ to the tissues.
 - (1) 2 ml

(2) 5 ml

(3) 4 ml

(4) 10 ml

Answer (2)

- 179. A dehydration reaction links two glucose molecules to product maltose. If the formula for glucose is C₆H₁₂O₆ then what is the formula for maltose?
 - (1) C₁₂H₂₀O₁₀

(2) C₁₂H₂₄O₁₂

(3) C₁₂H₂₂O₁₁

(4) C₁₂H₂₄O₁₁

Answer (3)

- 180. If the length of a DNA molecule is 1.1 metres, what will be the approximate number of base pairs?
 - (1) 3.3×10^9 bp

(2) 6.6×10^9 bp

(3) 3.3×10^6 bp

(4) 6.6×10^6 bp

Answer (1)

- 181. Select the incorrect statement with reference to mitosis:
 - (1) All the chromosomes lie at the equator at metaphase
 - (2) Spindle fibres attach to centromere of chromosomes
 - (3) Chromosomes decondense at telophase
 - (4) Splitting of centromere occurs at anaphase

Answer (2)

182. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): All vertebrates are chordates but all chordates are not vertebrates.

Reason (R): Notochord is replaced by vertebral column in the adult vertebrates.

In the light of the above statements, choose the most appropriate answer from the option given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Answer (1)

- 183. Regarding Meiosis, which of the statements is incorrect?
 - There are two stages in Meiosis, Meiosis-I and II
 - (2) DNA replication occurs in S phase of Meiosis-II
 - (3) Pairing of homologous chromosomes and recombination occurs in Meiosis-I
 - (4) Four haploid cells are formed at the end of Meiosis-II

Answer (2)

- 184. In gene therapy of Adenosine Deaminase (ADA) deficiency, the patient requires periodic infusion of genetically engineered lymphocytes because:
 - (1) Retroviral vector is introduced into these lymphocytes.
 - (2) Gene isolated from marrow cells producing ADA is introduced into cells at embryonic stages
 - (3) Lymphocytes from patient's blood are grown in culture, outside the body.
 - (4) Genetically engineered lymphocytes are not immortal cells.

Answer (4)



- 185. Detritivores breakdown detritus into smaller particles. This process is called:
 - (1) Catabolism

(2) Fragmentation

(3) Humification

(4) Decomposition

Answer (2)

SECTION-B

186. Match List-I with List-II with respect to methods of Contraception and their respective actions.

	List-l		List-II	
(a)	Diaphragms	(i)	Inhibit ovulation and Implantation	
(b)	Contraceptive Pills	(ii)	Increase phagocytosis of sperm within Uterus	
(c)	Intra Uterine Devices	(iii)	Absence of Menstrual cycle and ovulation following parturition	
(d)	Lactational Amenorrhea	(iv)	They cover the cervix blocking the entry of sperms	

Choose the correct answer from the options given below:

- (1) (a) (iv), (b) (i), (c) (iii), (d) (ii)
- (2) (a) (iv), (b) (i), (c) (ii), (d) (iii)
- (3) (a) (ii), (b) (iv), (c) (i), (d) (iii)
- (4) (a) (iii), (b) (ii), (c) (i), (d) (iv)

Answer (2)

- 187. Which of the following statements is not true?
 - Analogous structures are a result of convergent evolution
 - (2) Sweet potato and potato is an example of analogy
 - (3) Homology indicates common ancestry
 - (4) Flippers of penguins and dolphins are a pair of homologous organs

Answer (4)

- 188. Select the **incorrect** statement with respect to acquired immunity.
 - (1) Primary response is produced when our body encounters a pathogen for the first time.
 - (2) Anamnestic response is elicited on subsequent encounters with the same pathogen.
 - (3) Anamnestic response is due to memory of first encounter.
 - (4) Acquired immunity is non-specific type of defense present at the time of birth

Answer (4)

- 189. The recombination frequency between the genes a & c is 5%, b & c is 15%, b & d is 9%, a & b is 20%, c & d is 24% and a & d is 29%. What will be the sequence of these genes on a linear chromosome?
 - (1) a, d, b, c
 - (2) d, b, a, c
 - (3) a, b, c, d
 - (4) a, c, b, d

Answer (4)



190. Match List-I with List-II

	List-I (Biological Molecules)		List-II (Biological functions)	
(a)	Glycogen	(i)	Hormone	
(b)	Globulin	(ii)	Biocatalyst	
(c)	Steroids	(iii)	Antibody	
(d)	Thrombin	(iv)	Storage product	

Choose the correct answer from the options given below:

- (1) (a) (iii), (b) (ii), (c) (iv), (d) (i)
- (2) (a) (iv), (b) (ii), (c) (i), (d) (iii)
- (3) (a) (ii), (b) (iv), (c) (iii), (d) (i)
- (4) (a) (iv), (b) (iii), (c) (i), (d) (ii)

Answer (4)

191. Select the **incorrect** statement regarding synapses:

- (1) The membranes of presynaptic and postsynaptic neurons are in close proximity in an electrical synapse.
- (2) Electrical current can flow directly from one neuron into the other across the electrical synapse.
- (3) Chemical synapses use neurotransmitters
- (4) Impulse transmission across a chemical synapse is always faster than that across an electrical synapse.

Answer (4)

192. Statements related to human Insulin are given below.

Which statement(s) is/are correct about genetically engineered Insulin?

- (a) Pro-hormone insulin contain extra stretch of C-peptide
- (b) A-peptide and B-peptide chains of insulin were produced separately in E.coli, extracted and combined by creating disulphide bond between them.
- (c) Insulin used for treating Diabetes was extracted from Cattles and Pigs.
- (d) Pro-hormone Insulin needs to be processed for converting into a mature and functional hormone.
- (e) Some patients develop allergic reactions to the foreign insulin.

Choose the most appropriate answer from the options given below:

(1) (a), (b) and (d) only

(2) (b) only

(3) (c) and (d) only

(4) (c), (d) and (e) only

Answer (2)

- 193. Ten *E.coli* cells with ¹⁵N dsDNA are incubated in medium containing ¹⁴N nucleotide. After 60 minutes, how many *E.coli* cells will have DNA totally free from ¹⁵N?
 - (1) 20 cells

(2) 40 cells

(3) 60 cells

(4) 80 cells

Answer (3)

- 194. Which one of the following statements is correct?
 - (1) The atrio-ventricular node (AVN) generates an action potential to stimulate atrial contraction
 - (2) The tricuspid and the bicuspid valves open due to the pressure exerted by the simultaneous contraction of the atria
 - (3) Blood moves freely from atrium to the ventricle during joint diastole.
 - (4) Increased ventricular pressure causes closing of the semilunar valves.

Answer (3)

- 195. Which of the following is not a desirable feature of a cloning vector?
 - (1) Presence of origin of replication
 - (2) Presence of a marker gene
 - (3) Presence of single restriction enzyme site
 - (4) Presence of two or more recognition sites

Answer (4)

196. Given below are two statements:

Statements I:

In a scrubber the exhaust from the thermal plant is passed through the electric wires to charge the dust particles.

Statement II:

Particulate matter (PM 2.5) cannot be removed by scrubber but can be removed by an electrostatic precipitator.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Answer (4)

- 197. Which of the following are **not** the effects of Parathyroid hormone?
 - (a) Stimulates the process of bone resorption
 - (b) Decreases Ca²⁺ level in blood
 - (c) Reabsorption of Ca2+ by renal tubules
 - (d) Decreases the absorption of Ca2+ from digested food
 - (e) Increases metabolism of carbohydrates

Choose the most appropriate answer from the options given below:

(1) (a) and (c) only

(2) (b), (d) and (e) only

(3) (a) and (e) only

(4) (b) and (c) only

Answer (2)



- 198. Which of the following is a correct statement?
 - (1) Cyanobacteria are a group of autotrophic organisms classified under kingdom Monera.
 - (2) Bacteria are exclusively heterotrophic organisms.
 - (3) Slime moulds are saprophytic organisms classified under Kingdom Monera.
 - (4) Mycoplasma have DNA, ribosome and cell wall.

Answer (1)

199. Match List-I with List-II

	List-l		List-II
(a)	Bronchioles	(i)	Dense Regular Connective Tissue
(b)	Goblet Cell	(ii)	Loose Connective Tissue
(c)	Tendons	(iii)	Glandular Tissue
(d)	Adipose Tissue	(iv)	Ciliated Epithelium

Choose the correct answer from the options given below:

- (1) (a) (iv), (b) (iii), (c) (i), (d) (ii)
- (2) (a) (i), (b) (ii), (c) (iii), (d) (iv)
- (3) (a) (ii), (b) (i), (c) (iv), (d) (iii)
- (4) (a) (iii), (b) (iv), (c) (ii), (d) (i)

Answer (1)

- 200. If a colour blind female marries a man whose mother was also colour blind, what are the chances of her progeny having colour blindness?
 - (1) 25%
 - (2) 50%
 - (3) 75%
 - (4) 100%

Answer (4)