
# **NEET 2023 Question Paper (Code H4)**



### **Important Instructions:**

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with **blue/black** ball point pen only.
- The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
   50 questions in each subject are divided into two Sections (A and B) as per details given below:
  - (a) Section A shall consist of 35 (Thirty-five) Questions in each subject (Question Nos 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.
  - (b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered

- by the candidate shall be evaluated.
- 3. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- 4. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.
- 5. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 6. On completion of the test, the candidate **must hand over the Answer Sheet (ORIGINAL and OFFICE Copy)** to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 7. The CODE for this Booklet is H4. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 8. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 9. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- 10. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 11. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- 12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 13. Use of Electronic/Manual Calculator is prohibited.
- 14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.
- 15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 16. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 17. Compensatory time of one hour five minutes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of Scribe or not.

Name of the Candidate (in Capitals):

Roll Number : In figures		
: In words		
Centre of Examination (in Capitals):		
Candidate's Signature:	Invigilator's Signature:	
Facsimile signature stamp of Centre Superintendent		
H4_English ]	1	[ Contd



Physics : Section-A (Q. No. 1 to 35)

- 1 An electric dipole is placed at an angle of  $30^{\circ}$  with an electric field of intensity  $2 \times 10^5 \text{ N C}^{-1}$ . It experiences a torque equal to 4 N m. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.
  - (1) 4 mC (2) 2 mC
  - (3) 8 mC (4) 6 mC
- A bullet is fired from a gun at the speed of  $280 \text{ m s}^{-1}$  in the direction  $30^{\circ}$  above the horizontal. The maximum height attained by

For Young's double slit experiment, two statements are given below:

**Statement I :** If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

**Statement II :** If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the *correct* answer from the options given below:

the bullet is 
$$(g = 9.8 \text{ m s}^{-2}, \sin 30^\circ = 0.5)$$
 :

- (1) 1000 m
  (2) 3000 m
  (3) 2800 m
  (4) 2000 m
- 3 The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly : (surface tension of soap solution  $= 0.03 \text{ N m}^{-1}$ )
  - (1)  $3.01 \times 10^{-4}$ J (2)  $50.1 \times 10^{-4}$ J
  - (3)  $30.16 \times 10^{-4}$ J (4)  $5.06 \times 10^{-4}$ J
- 4 The half life of a radioactive substance is 20 minutes. In how much time, the activity of substance drops to  $\left(\frac{1}{16}\right)^{th}$  of its initial value?
  - (1) 60 minutes (2) 80 minutes

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- 7 The potential energy of a long spring when stretched by 2 cm is U. If the spring is stretched by 8 cm, potential energy stored in it will be :
  - (1) **8**U (2) 16U
  - (3) 2U (4) 4U

8

2

- (3) 20 minutes (4) 40 minutes
- 5 A 12 V, 60 W lamp is connected to the secondary of a step down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?

(1)	3.7 A	(2)	0.37 A
(3)	0.27 A	(4)	2.7 A

H4\_English ]

- In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of  $2.0 \times 10^{10}$  Hz and amplitude  $48 \text{ V m}^{-1}$ . Then the amplitude of oscillating magnetic field is : (Speed of light in free space =  $3 \times 10^8$  m s<sup>-1</sup>)
  - (1)  $1.6 \times 10^{-7} \text{ T}$  (2)  $1.6 \times 10^{-6} \text{ T}$
  - (3)  $1.6 \times 10^{-9}$  T (4)  $1.6 \times 10^{-8}$  T




- 9 A Carnot engine has an efficiency of 50% 13
  when its source is at a temperature 327° C.
  The temperature of the sink is :
  - (1) 100° C (2) 200° C
  - (3) 27° C (4) 15° C
- 10 A football player is moving southward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is :
  - (1) along north-east

Given below are two statements: **Statement I :** Photovoltaic devices can convert optical radiation into electricity. **Statement II :** Zener diode is designed to operate under reverse bias in breakdown

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.

- (2) along south-west
- (3) along eastward
- (4) along northward
- 11 The magnitude and direction of the current in the following circuit is



- (1)  $\frac{5}{9}$  A from A to B through E
- (2) 1.5 A from B to A through E
- (3) 0.2 A from B to A through E

- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.
- 14 A full wave rectifier circuit consists of two p-n junction diodes, a centre-tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output?
  - (1) Capacitor

region.

- (2) Load resistance
- (3) A centre-tapped transformer
- (4) p-n junction diodes
- 15 In a series *LCR* circuit, the inductance *L* is 10 mH, capacitance *C* is  $1 \mu F$  and resistance *R* is 100  $\Omega$ . The frequency at which resonance occurs is :

(4) 0.5 A from A to B through E

- 12 A metal wire has mass  $(0.4 \pm 0.002)$  g, radius  $(0.3 \pm 0.001)$  mm and length  $(5 \pm 0.02)$  cm. The maximum possible percentage error in the measurement of density will nearly be:
  - (1) 1.6% (2) 1.4%
  - (3) 1.2% (4) 1.3%

H4\_English ]

3


- (1) 1.59 rad/s
  (2) 1.59 kHz
  (3) 15.9 rad/s
  (4) 15.9 kHz
- 16 The ratio of radius of gyration of a solid sphere of mass *M* and radius *R* about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is :
  - (1) 2:5(2) 5:2(3) 3:5(4) 5:3



- An ac source is connected to a capacitor C.Due to decrease in its operating frequency :
  - (1) displacement current decreases.
  - (2) capacitive reactance remains constant
  - (3) capacitive reactance decreases.
  - (4) displacement current increases.
- 18 The magnetic energy stored in an inductor of inductance  $4 \mu H$  carrying a current of 2 A is :

(1) 8 mJ (2)  $8 \mu \text{ J}$ 

22 If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by :



(3)  $4 \mu J$  (4) 4 m J

- **19** The temperature of a gas is -50° C. To what temperature the gas should be heated so that the rms speed is increased by 3 times?
  - (1) 3097 K (2) 223 K
  - (3) 669° C (4) 3295° C
- 20 In hydrogen spectrum, the shortest wavelength in the Balmer series is  $\lambda$ . The shortest wavelength in the Bracket series is :
  - (1)  $9\lambda$  (2)  $16\lambda$
  - (3)  $2\lambda$  (4)  $4\lambda$
- 21 If  $\oint_{S} \overrightarrow{E} \cdot \overrightarrow{dS} = 0$  over a surface, then :

- 23 The net magnetic flux through any closed surface is :
  - (1) Infinity
     (2) Negative
     (3) Zero
     (4) Positive
- A vehicle travels half the distance with speed

  and the remaining distance with speed
  2θ. Its average speed is:

(1) 
$$\frac{4\vartheta}{3}$$
 (2)  $\frac{3\vartheta}{4}$   
(3)  $\frac{\vartheta}{3}$  (4)  $\frac{2\vartheta}{3}$ 

25 The minimum wavelength of X-rays produced by an electron accelerated through a potential difference of V volts is proportional to:

(1) 
$$\frac{1}{\sqrt{2}}$$
 (2)  $v^2$ 

- (1) all the charges must necessarily be inside the surface.
- (2) the electric field inside the surface is necessarily uniform.
- (3) the number of flux lines entering the surface must be equal to the number of flux lines leaving it.
- (4) the magnitude of electric field on the surface is constant.

H4\_English ]

- (1)  $\sqrt{V}$  (2) V(3)  $\sqrt{V}$  (4)  $\frac{1}{V}$
- 26 Resistance of a carbon resistor determined from colour codes is  $(22000 \pm 5\%)\Omega$ . The colour of third band must be :
  - (1) Orange (2) Yellow
  - (3) Red (4) Green

4



- 27 The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are :
  - (1) Least count errors
  - (2) Random errors
  - (3) Instrumental errors
  - (4) Personal errors
- **28** The venturi-meter works on :
  - (1) The principle of parallel axes
  - (2) The principle of perpendicular axes
  - (3) Huygen's principle
  - (4) Bernoulli's principle

32 Two bodies of mass m and 9m are placed at a distance R. The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant):

(1) 
$$-\frac{16 \, Gm}{R}$$
 (2)  $-\frac{20 \, Gm}{R}$ 

(3) 
$$-\frac{8 \, Gm}{R}$$
 (4)  $-\frac{12 \, Gm}{R}$ 

- **29** The angular acceleration of a body, moving along the circumference of a circle, is :
  - (1) along the tangent to its position
  - (2) along the axis of rotation
  - (3) along the radius, away from centre
  - (4) along the radius towards the centre
- **30** The work functions of Caesium (Cs), Potassium (K) and Sodium (Na) are 2.14 eV, 2.30 eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20 eV, which of these photosensitive surfaces may emit photoelectrons?
  - (1) K only
  - (2) Na only
  - (3) Cs only
  - (4) Both Na and K
- 31 The equivalent capacitance of the system

33 Light travels a distance x in time  $t_1$  in air


and 10x in time  $t_2$  in another denser medium. What is the critical angle for this medium?

(1) 
$$\sin^{-1}\left(\frac{t_1}{10 t_2}\right)$$
 (2)  $\sin^{-1}\left(\frac{10 t_1}{t_2}\right)$   
(3)  $\sin^{-1}\left(\frac{t_2}{t_1}\right)$  (4)  $\sin^{-1}\left(\frac{10 t_2}{t_1}\right)$ 

**34** Let a wire be suspended from the ceiling (rigid support) and stretched by a weight *W* attached at its free end. The longitudinal stress at any point of cross-sectional area *A* of the wire is :

(1) W/2A (2) Zero

shown in the following circuit is :



H4\_English ]

- (1) W/2A (2) ZCIO(3) 2W/A (4) W/A
- **35** The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is :

	1	2	( <b>2</b> )	1.2	(1)
(1) 1.5 $(2)$ 3.		5:	(2)	1:3	(1)

(3) 1:2 (4) 2:1

5



### Physics : Section-B (Q. No. 36 to 50)

36 A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity

 $4 \text{ m s}^{-1}$ . The ball strikes the water surface after 4 s. The height of bridge above water

- surface is (Take  $g = 10 \text{ m s}^{-2}$ ):
- (1) 64 m
  (2) 68 m
  (3) 56 m
  (4) 60 m
- **37** In the figure shown here, what is the equivalent focal length of the combination

- 40 A satellite is orbiting just above the surface of the earth with period T. If d is the density of the earth and G is the universal constant
  - of gravitation, the quantity  $\frac{3\pi}{Gd}$  represents :

(1) 
$$T^3$$
 (2)  $\sqrt{T}$ 

- (3) T (4)  $T^2$
- 41 10 resistors, each of resistance R are connected in series to a battery of emf Eand negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of n is :

of lenses (Assume that all layers are thin)?

$$n_1 = 1.5$$
  
 $R_1 = R_2 = 20 \text{ cm}$   
 $n_2 = 1.6$ 

(1) 
$$-100 \text{ cm}$$
 (2)  $-50 \text{ cm}$   
(3) 40 cm (4)  $-40 \text{ cm}$ 

**38** The radius of inner most orbit of hydrogen atom is  $5.3 \times 10^{-11}$  m. What is the radius of third allowed orbit of hydrogen atom?

(1) 
$$1.59 \text{ Å}$$
 (2)  $4.77 \text{ Å}$ 

01 n 15.		
(1) 1	(2)	1000
(3) 10	(4)	100

42 A wire carrying a current *I* along the positive *x*-axis has length *L*. It is kept in a magnetic

field  $\overrightarrow{B} = (2\hat{i} + 3\hat{j} - 4\hat{k})$  T. The magnitude of the magnetic force acting on the wire is :


- (1) 5 IL (2)  $\sqrt{3} IL$
- (3) 3 IL (4)  $\sqrt{5} IL$
- 43 Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 (g = 10 m s<sup>-2</sup>).

(1) 
$$1.5 \,\mathrm{m\,s}^{-2}$$
 (2)  $50 \,\mathrm{m\,s}^{-2}$ 

(3) 
$$1.2 \,\mathrm{m\,s}^{-2}$$
 (4)  $150 \,\mathrm{m\,s}^{-2}$ 

- 44 The net impedance of circuit (as shown in figure) will be :
- $(3) \quad 0.53 \text{ A} \qquad (4) \quad 1.06 \text{ A}$
- **39** Two thin lenses are of same focal lengths (*f*), but one is convex and the other one is concave. When they are placed in contact with each other, the equivalent focal length of the combination will be :
  - (1) f/2 (2) Infinite
  - (3) Zero (4) f/4

H4\_English ]



6



45 An electric dipole is placed as shown in the figure.

$$-q \underbrace{3 \text{ cm}}^{5 \text{ cm}} P$$

The electric potential (in 10<sup>2</sup> V) at point P due to the dipole is ( $\in_0$  = permittivity of free


space and  $\frac{1}{4\pi \in_0} = K$ ): (1)  $\left(\frac{8}{5}\right)qK$  (2)  $\left(\frac{8}{3}\right)qK$ (3)  $\left(\frac{3}{2}\right) dK$  (4)  $\left(\frac{5}{2}\right) dK$ 

- The resistance of platinum wire at 0°C is **48**  $2\Omega$  and  $6.8\Omega$  at  $80^{\circ}$ C. The temperature coefficient of resistance of the wire is :
  - (1)  $3 \times 10^{-2} \text{ °C}^{-1}$

  - (2)  $3 \times 10^{-1} \circ C^{-1}$ (3)  $3 \times 10^{-4} \circ C^{-1}$ (4)  $3 \times 10^{-3} \circ C^{-1}$
- A bullet from a gun is fired on a rectangular 49 wooden block with velocity *u*. When bullet travels 24 cm through the block along its length horizontally, velocity of bullet

$$(3) \left(\frac{8}{8}\right)^{q_{\rm K}} \qquad (4) \left(\frac{8}{8}\right)^{q_{\rm K}}$$


46 A very long conducting wire is bent in a semi-circular shape from A to B as shown in figure. The magnetic field at point P for steady current configuration is given by :





- (1)  $\frac{\mu_0 i}{4R} \left[ 1 \frac{2}{\pi} \right]$  pointed away from page
- (2)  $\frac{\mu_0 i}{4R} \left[ 1 \frac{2}{\pi} \right]$  pointed into the page
- (3)  $\frac{\mu_0 i}{4R}$  pointed into the page
- (4)  $\frac{\mu_0 i}{4R}$  pointed away from the page
- 47 The *x*-*t* graph of a particle performing simple harmonic motion is shown in the figure. The


becomes  $\frac{u}{3}$ . Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is :

- (1) 28 cm (2) 30 cm
- (4) 24 cm (3) 27 cm
- 50 For the following logic circuit, the truth table is:









7





### Chemistry : Section-A (Q. No. 51 to 85)

51 Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R :

**Assertion A :** A reaction can have zero activation energy.

**Reasons R :** The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

In the light of the above statements, choose the **correct** answer from the options given below :

(1) A is true but R is false.

- 53 The element expected to form largest ion to achieve the nearest noble gas configuration is :
  - (1) N (2) Na
  - (3) O (4) F
- 54 Select the correct statements from the following :
  - A. Atoms of all elements are composed of two fundamental particles.
  - B. The mass of the electron is 9.10939 ×  $10^{-31}$  kg.

- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true and R is NOT the correct explanation of A.
- 52 Consider the following reaction and identify the product (P).

$$\begin{array}{ccc} CH_3 - CH - CH - CH_3 \\ | & | \\ CH_3 & OH \end{array} \xrightarrow{HBr} Product (P) \end{array}$$

3 - Methylbutan - 2 - ol

(1) 
$$CH_3 - CH - CH - CH_3$$
  
 $|$   $|$   $|$   $CH_3 Br$ 

CH<sub>3</sub>

- C. All the isotopes of a given element show same chemical properties.
- D. Protons and electrons are collectively known as nucleons.
- E. Dalton's atomic theory, regarded the atom as an ultimate particle of matter.

Choose the **correct** answer from the options given below :

- (1) A and E only
- (2) B, C and E only
- (3) A, B and C only
- (4) C, D and E only
- 55 Which one of the following statements is correct?
  - (1) The bone in human body is an inert and unchanging substance.

(2) 
$$CH_3 - C - CH_2 Br$$
  
 $CH_3$ 

$$(3) \quad CH_3 - C - CH_2 - CH_3$$
$$| CH_3$$

(4) 
$$CH_3 CH = CH - CH_3$$


H4\_English ]

8

- (2) Mg plays roles in neuromuscular function and interneuronal transmission.
- (3) The daily requirement of Mg and Ca in the human body is estimated to be 0.2 0.3 g.
- (4) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor.



56 Identify product (A) in the following reaction:



- 58 In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe<sup>3+</sup> due to the formation of -
  - (1)  $\left[ \text{Fe}(\text{CN})_5 \text{NOS} \right]^{4-}$ (2)  $\left[ \text{Fe}(\text{SCN}) \right]^{2+}$

  - (3)  $\operatorname{Fe}_{4}\left[\operatorname{Fe}(\operatorname{CN})_{6}\right]_{3} \cdot x \operatorname{H}_{2}\operatorname{O}$
  - (4) NaSCN
- 59 Given below are two statements : one is labelled as Assertion A and the other is labelled as **Reason R** :

Assertion A : Helium is used to dilute oxygen in diving apparatus.

**Reasons R :** Helium has high solubility

in  $O_2$ .

In the light of the above statements, choose the **correct** answer from the options given below :

- A is true but **R** is false.
- A is false but **R** is true.
- Both A and R are true and R is the (3)correct explanation of A.
- Both A and R are true and R is NOT (4)the correct explanation of A.
- 60 Which of the following statements are **NOT** correct?
  - A. Hydrogen is used to reduce heavy metal oxides to metals.
  - Heavy water is used to study reaction В. mechanism.
  - Hydrogen is used to make saturated fats С. from oils.
- The conductivity of centimolar solution of 57 KCl at 25°C is 0.0210 ohm<sup>-1</sup> cm<sup>-1</sup> and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is -
  - (1)  $1.26 \text{ cm}^{-1}$  (2)  $3.34 \text{ cm}^{-1}$
  - (3)  $1.34 \text{ cm}^{-1}$  (4)  $3.28 \text{ cm}^{-1}$

H4\_English ]


9

- D. The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
- Hydrogen reduces oxides of metals that E. are more active than iron.

Choose the **most appropriate** answer from the options given below :

- (1) D, E only
- A, B, C only (2)
- (3) B, C, D, E only
- B, D only (4)





- 64 The number of  $\sigma$  bonds,  $\pi$  bonds and lone pair of electrons in pyridine, respectively are:
  - (1) 11, 3, 1
  - (2) 12, 2, 1
  - (3) 11, 2, 0
  - (4) 12, 3, 0
- 65 Which of the following reactions will NOT give primary amine as the product?

(1) 
$$CH_3NC \xrightarrow{(i) LiAlH_4} \rightarrow Product$$



- 62 Some tranquilizers are listed below. Which one from the following belongs to barbiturates?
  - (1) Valium
  - (2) Veronal
  - (3) Chlordiazepoxide
  - (4) Meprobamate
- Given below are two statements :
  Statement I : A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside
  Statement II : When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

 $(ii) H_3 O \oplus$ 

(2) 
$$CH_3CONH_2 \xrightarrow{(i) LiAlH_4} Product$$
  
(ii)  $H_3O \oplus$ 

(3) 
$$CH_3 CONH_2 \xrightarrow{Br_2 / KOH} Product$$

(4) 
$$CH_3CN \xrightarrow{(i) LiAlH_4}_{(ii) H_3O \oplus} \rightarrow Product$$

66 The correct order of energies of molecular orbitals of  $N_2$  molecule, is :

(1) 
$$\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < \sigma 2p_z < \sigma^* 2s < \sigma 2p_z < \sigma^* 2s < \sigma^* 2s < \sigma^* 2s < \sigma^* 2p_z < \sigma^* 2s <$$

$$\sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$$

(2) 
$$\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) <$$

$$\left(\pi^{*} 2p_{x} = \pi^{*} 2p_{y}\right) < \sigma 2p_{z} < \sigma^{*} 2p_{z}$$

$$(3) \quad \sigma 1s < \sigma^{*} 1s < \sigma 2s < \sigma^{*} 2s < \left(\pi 2p_{x} = \pi 2p_{y}\right) < \sigma^{*} 2p_{z}$$

$$(4) \quad \sigma 1s < \sigma^{*} 1s < \sigma 2s < \sigma^{*} 2s < \sigma 2p_{z} < \left(\pi 2p_{x} = \pi 2p_{y}\right) < \left(\pi^{*} 2p_{x} = \pi^{*} 2p_{y}\right) < \sigma^{*} 2p_{z}$$

$$(4) \quad \sigma 1s < \sigma^{*} 1s < \sigma 2s < \sigma^{*} 2s < \sigma 2p_{z} < \left(\pi 2p_{x} = \pi 2p_{y}\right) < \left(\pi^{*} 2p_{x} = \pi^{*} 2p_{y}\right) < \sigma^{*} 2p_{z}$$

In the light of the above statements, choose the **correct** answer from the options given below :


- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

10


H4\_English ]




67 Which amongst the following options is **correct** graphical representation of Boyle's Law?





**68** Complete the following reaction :













(3) (4)COOH OH

- 69 Homoleptic complex from the following complexes is :
  - (1) Pentaamminecarbonatocobalt (III) chloride
  - (2) Triamminetriaquachromium (III) chloride
  - (3) Potassium trioxalatoaluminate (III)
  - (4) Diamminechloridonitrito N platinum (II)
- 70 The given compound



H4\_English ]





- is an example of \_
- (1) allylic halide
- (2) vinylic halide
- (3) benzylic halide
- (4) aryl halide



71 Which amongst the following molecules on polymerization produces neoprene? (1)  $H_2C = CH - C \equiv CH$ 

(2) 
$$H_2C = C - CH = CH_2$$
  
(3)  $H_2C = CH - CH = CH_2$   
(4)  $H_2C = C - CH = CH_2$ 

Taking stability as the factor, which one of 72 the following represents correct relationship? (1)  $AlCl > AlCl_3$  (2)  $TlI > TlI_3$ (3)  $TlCl_3 > TlCl$  (4)  $InI_3 > InI$ 

76 Match List - I with List - II :

	List - I		List - II
A.	Coke	I.	Carbon atoms are
			sp <sup>3</sup> hybridised.
В.	Diamond	II.	Used as a dry
			lubricant
C.	Fullerene	III.	Used as a
			reducing agent
D.	Graphite	IV.	Cage like
			molecules

- Amongst the given options which of the 73 following molecules / ion acts as a Lewis acid?
  - (1)  $BF_3$ OH-(2) $H_2O$ (3) NH<sub>3</sub> (4)
- A compound is formed by two elements 74 A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is  $A_x B_y$ , then the value of x + y is in option (2) 2(1) 3(4) 4 (3) 5
- 75 Intermolecular forces are forces of attraction and repulsion between interacting particles that will include :

Choose the **correct** answer from the options given below :

- (1) A-III, B-I, C-IV, D-II
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-I, C-II, D-III
- 77 Given below are two statements : one is labelled as Assertion A and the other is labelled as **Reason R** :

Assertion A : Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

**Reasons R** : The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the **correct** answer from the options given below :

- A. dipole dipole forces.
- B. dipole induced dipole forces.
- C. hydrogen bonding.
- D. covalent bonding.
- dispersion forces. Ε.
- Choose the **most appropriate** answer from the options given below :
- (1) A, B, C, E are correct.
- (2) A, C, D, E are correct.
- (3) B, C, D, E are correct.
- (4) A, B, C, D are correct.

H4\_English ]

12

- (1) A is true but **R** is false.
- (2) A is false but **R** is true.
- Both A and R are true and R is the (3)correct explanation of A.
- Both A and R are true but R is NOT (4)the correct explanation of A.



- 78 Which one is an example of heterogenous catalysis?
  - Decomposition of ozone in presence of nitrogen monoxide.
  - (2) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron.
  - (3) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.
  - (4) Hydrolysis of sugar catalysed by H<sup>+</sup> ions.

82 The right option for the mass of  $CO_2$ produced by heating 20 g of 20% pure limestone is (Atomic mass of Ca = 40)

$$\begin{bmatrix} CaCO_3 & 1200 \text{ K} \\ (1) & 2.64 \text{ g} \\ (3) & 1.12 \text{ g} \end{bmatrix} \xrightarrow{(2)} CaO + CO_2 \end{bmatrix}$$

- **83** Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R : Assertion A : In equation  $\Delta_r G = -nFE_{cell}$ ,
- 79 Amongst the following, the total number of species NOT having eight electrons around central atom in its outer most shell, is

 $NH_3$ ,  $AlCl_3$ ,  $BeCl_2$ ,  $CCl_4$ ,  $PCl_5$ :

- (1) 4
  (2) 1
  (3) 3
  (4) 2
- **80** The stability of  $Cu^{2+}$  is more than  $Cu^{+}$  salts in aqueous solution due to -
  - (1) hydration energy.
  - (2) second ionisation enthalpy.
  - (3) first ionisation enthalpy.
  - (4) enthalpy of atomization.

value of  $\Delta_r G$  depends on n.

**Reasons R** :  $E_{cell}$  is an intensive property and  $\Delta_r G$  is an extensive property.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but R is false.
- (2) A is false but  $\mathbf{R}$  is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true and R is NOT the correct explanation of A.
- 84 For a certain reaction, the rate =  $k[A]^2[B]$ , when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
  - (1) increase by a factor of nine.
- 81 The relation between  $n_m$ ,  $(n_m = \text{the number} of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (l), is$

(1) 
$$n_m = 2l^2 + 1$$
 (2)  $n_m = l + 2$ 

(3) 
$$l = \frac{n_m - 1}{2}$$
 (4)  $l = 2n_m + 1$ 

H4\_English ]

13

- (2) increase by a factor of three.
- (3) decrease by a factor of nine.
- (4) increase by a factor of six.
- 85 Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is :



Chemistry : Section-B (Q. No. 86 to 100)

- 86 Which of the following statements are **INCORRECT**?
  - A. All the transition metals except scandium form MO oxides which are ionic.
  - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in  $Sc_2O_3$  to  $Mn_2O_7$ .
  - C. Basic character increases from  $V_2O_3$  to  $V_2O_4$  to  $V_2O_5$ .
  - D.  $V_2O_4$  dissolves in acids to give  $VO_4^{3-}$  salts.

89 Given below are two statements :


Statement I : The nutrient deficient water bodies lead to eutrophication.

**Statement II :** Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Statement I is correct but Statement II is false.
- E. CrO is basic but  $Cr_2O_3$  is amphoteric. Choose the **correct** answer from the options given below :
- (1) C and D only
- (2) B and C only
- (3) A and E only
- (4) B and D only
- **87** Which amongst the following options is the **correct** relation between change in enthalpy and change in internal energy?
  - (1)  $\Delta H \Delta U = -\Delta nRT$
  - (2)  $\Delta H + \Delta U = \Delta nR$
  - (3)  $\Delta H = \Delta U \Delta n_g RT$

- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- **90** Which amongst the following will be most readily dehydrated under acidic conditions ?




(4)  $\Delta H = \Delta U + \Delta n_g RT$ 


**88** What fraction of one edge centred octahedral void lies in one unit cell of fcc?

(1) 
$$\frac{1}{4}$$
 (2)  $\frac{1}{12}$   
(3)  $\frac{1}{2}$  (4)  $\frac{1}{3}$ 

H4\_English ]

14








- 91 Which complex compound is most stable?
  - (1)  $\left[\operatorname{CoCl}_2(\operatorname{en})_2\right]\operatorname{NO}_3$
  - (2)  $\left[\operatorname{Co}(\operatorname{NH}_3)_6\right]_2(\operatorname{SO}_4)_3$
  - (3)  $\left[ Co(NH_3)_4 (H_2O)Br \right] (NO_3)_2$
  - (4)  $\left[ \operatorname{Co}(\mathrm{NH}_3)_3 (\mathrm{NO}_3)_3 \right]$

**93** Identify the major product obtained in the following reaction :



92 Match List - I with List - II :

List - I (OxoacidsList - II (Bonds)of Sulphur)A. Peroxodisul-I. Two S-OH, Four S=O,phuric acidOne S-O-S

- B. Sulphuric acid II. Two S-OH, One S=O
- C. Pyrosulphuric III. Two S-OH, Four S=O,

acid One S-O-O-S

D. Sulphurous acid IV. Two S-OH, Two S=O

- 94 The reaction that does **NOT** take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is :
  - (1)  $C + CO_2 \rightarrow 2CO$
  - (2)  $CaO + SiO_2 \rightarrow CaSiO_3$
  - (3)  $Fe_2O_3 + CO \rightarrow 2FeO + CO_2$
  - (4)  $FeO + CO \rightarrow Fe + CO_2$

Choose the **correct** answer from the options given below :

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-III, B-IV, C-I, D-II


H4\_English ]

- **95** The equilibrium concentrations of the species in the reaction  $A + B \rightleftharpoons C + D$  are 2, 3, 10 and 6 mol L<sup>-1</sup>, respectively at 300 K.  $\Delta G^{\circ}$ for the reaction is (R = 2 cal / mol K)
  - (1) 1381.80 cal
  - (2) -13.73 cal
  - (3) 1372.60 cal
  - (4) -137.26 cal


15




- Pumice stone is an example of -96
  - solid sol (2) foam (1)
  - (3) sol (4) gel
- Consider the following compounds/species: 97





Consider the following reaction : 99



Identify products A and B.








The number of compounds/species which obey Huckel's rule is \_\_\_\_\_.

- (1) 2(2) 5
- (3) 4 (4) 6
- On balancing the given redox reaction, 98
  - a a

(3) 
$$A = \langle -CH_3 \text{ and } B = \langle -OH \rangle$$
  
(4)  $A = \langle -CH_2OH \text{ and } B = \langle -I \rangle$ 

Identify the final product [D] obtained in 100 the following sequence of reactions.

$$CH_{3}CHO \xrightarrow[i]{i} H_{3}O^{+} A [A] \xrightarrow[\Delta]{H_{2}SO_{4}} B$$



(1) 
$$C_4 H_{10}$$

$$\operatorname{a}\operatorname{Cr}_{2}\operatorname{O}_{7}^{2-} + \operatorname{b}\operatorname{SO}_{3}^{2-}(\operatorname{aq}) + \operatorname{c}\operatorname{H}^{+}(\operatorname{aq}) \rightarrow$$

2a Cr<sup>3+</sup>(aq) + b SO<sub>4</sub><sup>2-</sup>(aq) + 
$$\frac{c}{2}$$
 H<sub>2</sub>O( $\ell$ )

the coefficients a, b and c are found to be, respectively -


- (2) 8, 1, 3 (1) 1, 8, 3
- (4) 3, 8, 1 (3) 1, 3, 8


H4\_English ]

16

10

(2) 
$$HC \equiv C^{\Theta} Na^+$$







### Botany : Section-A (Q. No. 101 to 135)

101 Given below are two statements : One is labelled as Assertion A and the other is labelled as **Reason R** :

> Assertion A : Late wood has fewer xylary elements with narrow vessels.

> **Reason R** : Cambium is less active in winters.

> In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but **R** is false.
- A is false but **R** is true. (2)
- (3) Both A and R are true and R is the

Given below are two statements : 105 Statement I : The forces generated by transpiration can lift a xylem-sized column of water over 130 meters height.

**Statement II** : Transpiration cools leaf surfaces sometimes 10 to 15 degrees, by evaporative cooling.

In the light of the above statements, choose the most appropriate answer from the options given below :

- Statement I is correct but (1)Statement II is incorrect.
- Statement I is incorrect but (2)Statement II is correct.
- (3) Both Statement I and Statement II are correct.

- correct explanation of A.
- Both A and R are true but R is NOT (4) the correct explanation of A.
- The phenomenon of pleiotropism refers to 102
  - (1) a single gene affecting multiple phenotypic expression.
  - (2) more than two genes affecting a single character.
  - (3) presence of several alleles of a single gene controlling a single crossover.
  - (4) presence of two alleles, each of the two genes controlling a single trait.
- The thickness of ozone in a column of air in 103 the atmosphere is measured in terms of :
  - (2) Kilobase Decameter (1)
  - Dobson units (4) Decibels (3)

- Both Statement I and Statement II (4)are incorrect.
- Frequency of recombination between gene 106 pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
  - (1) Alfred Sturtevant
  - Henking (2)
  - Thomas Hunt Morgan (3)
  - Sutton and Boveri (4)
- 107 In the equation

|GPP - R = NPP|

GPP is Gross Primary Productivity NPP is Net Primary Productivity R here is

- (1) Respiratory loss
- In angiosperm, the haploid, diploid and 104 triploid structures of a fertilized embryo sac sequentially are :
  - (1) Synergids, Zygote and Primary endosperm nucleus
  - Synergids, antipodals and Polar nuclei (2)
  - Synergids, Primary endosperm nucleus (3)and zygote
  - (4) Antipodals, synergids, and primary endosperm nucleus

(2) Reproductive allocation

- Photosynthetically active radiation (3)
- Respiratory quotient (4)
- Among 'The Evil Quartet', which one is 108 considered the most important cause driving extinction of species?
  - Alien species invasions (1)
  - Co-extinctions
  - Habitat loss and fragmentation (3)
  - Over exploitation for economic gain (4)

H4\_English ]

17



- 109 How many ATP and NADPH<sub>2</sub> are required for the synthesis of one molecule of Glucose during Calvin cycle?
  - (1) 12 ATP and 16  $NADPH_2$
  - (2) 18 ATP and 16 NADPH $_2$
  - (3) 12 ATP and 12 NADPH $_2$
  - (4) 18 ATP and 12  $\text{NADPH}_2^-$
- Given below are two statements : 110 **Statement I** : Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body. **Statement II** : Exarch condition is the most common feature of the root system. In the light of the above statements, choose the **correct** answer from the options given below : Statement I is correct but (1)Statement II is false. Statement I is incorrect but (2)Statement II is true. (3) Both Statement I and Statement II are true. (4) Both Statement I and Statement II are false.
- **115** Large, colourful, fragrant flowers with nectar are seen in :
  - (1) bat pollinated plants
  - (2) wind pollinated plants
  - (3) insect pollinated plants
  - (4) bird pollinated plants
- **116** Which micronutrient is required for splitting of water molecule during photosynthesis?
  - (1) magnesium (2) copper
  - (3) manganese (4) molybdenum
- 117 Upon exposure to UV radiation, DNA stained with ethidium bromide will show
  - Bright yellow colour
     Bright orange colour

- 111 Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
  - (1) Monoadelphous and Monothecous anthers
  - (2) Epiphyllous and Dithecous anthers
  - (3) Diadelphous and Dithecous anthers
  - (4) Polyadelphous and epipetalous stamens
- 112 Identify the pair of heterosporous pteridophytes among the following :
  - (1) *Psilotum* and *Salvinia*

- (3) Bright red colour
- (4) Bright blue colour
- **118** What is the function of tassels in the corn cob?
  - (1) To disperse pollen grains
  - (2) To protect seeds
  - (3) To attract insects
  - (4) To trap pollen grains
- **119** During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out
  - (1) Histones (2) Polysaccharides
  - $(3) RNA \qquad (4) DNA$
- 120 Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : ATP is used at two steps in glycolysis.

Reason R : First ATP is used in converting

- (2) Equisetum and Salvinia
- (3) Lycopodium and Selaginella
- (4) Selaginella and Salvinia
- 113 Among eukaryotes, replication of DNA takes place in -
  - (1)  $G_1$  phase (2)  $G_2$  phase (3) M phase (4) S phase
- **114** Which hormone promotes internode/petiole elongation in deep water rice?
  - (1) Ethylene (2) 2, 4-D (3)  $GA_3$  (4) Kinetin

H4\_English ]

18

glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6phosphate into fructose-1-6-diphosphate. In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but  $\mathbf{R}$  is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.



- 121 Expressed Sequence Tags (ESTs) refers to(1) All genes whether expressed or
  - unexpressed.
  - (2) Certain important expressed genes.
  - (3) All genes that are expressed as RNA.
  - (4) All genes that are expressed as proteins.
- 122 Movement and accumulation of ions across a membrane against their concentration gradient can be explained by
  - (1) Passive Transport
  - (2) Active Transport
  - (3) Osmosis
  - (4) Facilitated Diffusion

- **125** The reaction centre in PS II has an absorption maxima at
  - (1) 660 nm (2) 780 nm
  - (3) 680 nm (4) 700 nm
- **126** What is the role of RNA polymerase III in the process of transcription in Eukaryotes?
  - (1) Transcription of precursor of mRNA
  - (2) Transcription of only snRNAs
  - (3) Transcription of rRNAs (28S, 18S and 5.8S)
- 123 Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

**Assertion A** : The first stage of gametophyte in the life cycle of moss is protonema stage. **Reason R** : Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) A is correct but  $\mathbf{R}$  is not correct.
- (2) A is not correct but  $\mathbf{R}$  is correct.
- (3) Both A and R are correct and R is the correct explanation of A.
- (4) Both A and R are correct but R is NOT the correct explanation of A.
- 124 Identify the correct statements :
  - A. Detrivores perform fragmentation.
  - B. The humus is further degraded by some microbes during mineralization.
  - C. Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
    D. The detritus food chain begins with living organisms.
    E. Earthworms break down detritus into smaller particles by a process called catabolism.

- (4) Transcription of tRNA, 5 srRNA and snRNA
- **127** Which of the following stages of meiosis involves division of centromere?
  - (1) Anaphase II (2) Telophase
  - (3) Metaphase I (4) Metaphase II
- **128** Spraying of which of the following phytohormone on juvenile conifers helps in hastening the maturity period, that leads to early seed production?
  - (1) Zeatin
  - (2) Abscisic Acid
  - (3) Indole-3-butyric Acid
  - (4) Gibberellic Acid

Choose the **correct** answer from the options given below :

(1) C, D, E only
(2) D, E, A only
(3) A, B, C only
(4) B, C, D only

H4\_English ]

19

- 129 Cellulose does not form blue colour with Iodine because
  - (1) It does not contain complex helices and hence cannot hold iodine molecules.
  - (2) It breakes down when iodine reacts with it.
  - (3) It is a disaccharide.
  - (4) It is a helical molecule.



- **130** In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as :
  - (1) Development
  - (2) Senescence
  - (3) Differentiation
  - (4) Dedifferentiation
- 131 Axile placentation is observed in
  - (1) Tomato, Dianthus and Pea
  - (2) China rose, Petunia and Lemon
  - (3) Mustard, Cucumber and Primrose

	Botany : Section-B (Q. No. 136 to 150)				
136	Match List I with	List	tII:		
	List I		List II		
	A. Iron	I.	Synthesis of auxin		
	B. Zinc	II.	Component of		
			nitrate reductase		
	C. Boron	III.	Activator of catalase		
	D. Molybdenum	IV.	Cell elongation and		
			differentiation		
	Choose the correct	ans	wer from the options		
	given below :				
	(1) A-III, B-I, C-I	[V, I	D-II		
	(2) A-II, B-IV, C-	I, D	-III		
	(3) A-III, B-II, C-	I, D	-IV		
	(4) A-II, B-III, C-	·IV, I	D-I		
105	N C · · · · · · · · · · · · · · · · · ·				

137 Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct sequence.
A. Insertion of recombinant DNA into the host cell.
B. Cutting of DNA at specific location by restriction enzyme.
C. Isolation of desired DNA fragment.
D. Amplification of gene of interest using PCR.

(4) China rose, Beans and Lupin

- **132** Unequivocal proof that DNA is the genetic material was first proposed by
  - (1) Avery, Macleoid and McCarthy
  - (2) Wilkins and Franklin
  - (3) Frederick Griffith
  - (4) Alfred Hershey and Martha Chase
- 133 In gene gun method used to introduce alien DNA into host cells, microparticles of metal are used.
  - (1) Tungsten or gold
  - (2) Silver
  - (3) Copper
  - (4) Zinc
- 134 The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year :

Choose the correct answer from the options given below :

- (1) C, B, D, A
  (2) B, D, A, C
  (3) B, C, D, A
  (4) C, A, B, D
- 138 Which one of the following statements is NOT correct?
  - (1) Water hyacinth grows abundantly in eutrophic water bodies and leads to an imbalance in the ecosystem dynamics of the water body.
  - (2) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels.
  - (3) The micro-organisms involved in biodegradation of organic matter in a sewage polluted water body consume a lot of oxygen causing the death of aquatic organisms.
    (4) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries.

- (1) 1986
  (2) 2002
  (3) 1985
  (4) 1992
- **135** The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
  - (1) Diplotene (2) Diakinesis
  - (3) Zygotene (4) Pachytene

H4\_English ]

- 20
- 139 How many different proteins does the ribosome consist of?



#### Match List I with List II : 140 List I List II

- More attraction in Cohesion I. Α. liquid phase
- Adhesion II. Mutual attraction В. among water molecules
- Surface III. Water loss in С. tension liquid phase
- Attraction towards IV. D. Guttation polar surfaces

Choose the **correct** answer from the options given below :

- A-III, B-I, C-IV, D-II (1)
- A-II, B-I, C-IV, D-III (2)(3) A-II, B-IV, C-I, D-III A-IV, B-III, C-II, D-I (4)

- Which of the following statements are 144 correct about Klinefelter's Syndrome?
  - This disorder was first described by A. Langdon Down (1866).
  - Such an individual has overall В. masculine development. However, the feminine development is also expressed.
  - C. The affected individual is short statured.
  - Physical, psychomotor and mental D. development is retarded.
  - Such individuals are sterile. E.

Choose the **correct** answer from the options given below :

- B and E only (2) A and E only
- A and B only (4) C and D only (3)
- Which of the following combinations is 141 required for chemiosmosis?
  - (1) proton pump, electron gradient, ATP synthase
  - (2) proton pump, electron gradient, NADP synthase
  - membrane, proton pump, (3) proton gradient, ATP synthase
  - membrane, proton pump, (4) proton gradient, NADP synthase

# 142 Match List I with List II :

Lis	t I	List II		
(In	teraction)	(Species A and B)		
A.	Mutualism	I. $+(A), O(B)$		
В.	Commensalism	II. $-(A), O(B)$		
С.	Amensalism	III. $+(A), -(B)$		
D.	Parasitism	IV. $+(A), +(B)$		
Cho	pose the correct an	nswer from the option	S	

- Match List I with List II : 145 List I List II
  - M Phase I. Proteins are A.
    - synthesized
      - Inactive phase II. III. Interval between

mitosis and

initiation of DNA

D.  $G_1$  Phase

B. G<sub>2</sub> Phase

stage

Quiescent

С.

replication IV. Equational division

Choose the correct answer from the options given below :

- (1) A-IV, B-I, C-II, D-III
- A-II, B-IV, C-I, D-III (2)
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-II, C-I, D-III

#### Match List I with List II : 146 List I List II

A.	Oxidative	I.	Citrate	
	decarboxylation		synthase	
D	C1 1 '	TT	D	

- given below :
- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-I, C-IV, D-II
- (3) A-IV, B-II, C-I, D-III
- (4) A-IV, B-I, C-II, D-III
- Melonate inhibits the growth of pathogenic 143 bacteria by inhibiting the activity of
  - (1) Lipase
  - Dinitrogenase (2)
  - Succinic dehydrogenase (3)
  - Amylase (4)

H4\_English ]

21

- B. Glycolysis
- Oxidative С. phosphorylation
- D. Tricarboxylic acid cycle
- II. Pyruvate dehydrogenase
- III. Electron
  - transport system
- IV. EMP pathway

Choose the correct answer from the options given below :

- A-III, B-I, C-II, D-IV (1)
- A-II, B-IV, C-III, D-I (2)
- A-III, B-IV, C-II, D-I (3)
- A-II, B-IV, C-I, D-III (4)



147 Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

**Assertion A** : In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

**Reason R** : Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the **correct** answer from the options given below :

149 Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

**Assertion A** : A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

**Reason R** : Internode of the shoot gets condensed to produce different floral appendages laterally at successive nodes instead of leaves.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but  $\mathbf{R}$  is false.
- (2) A is false but  $\mathbf{R}$  is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.
- 148 Given below are two statements :

**Statement I** : Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

**Statement II** : In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but  $\mathbf{R}$  is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.
- 150 Identify the correct statements :
  - A. Lenticels are the lens-shaped openings permitting the exchange of gases.
  - B. Bark formed early in the season is called hard bark.
  - C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
  - D. Bark refers to periderm and secondary

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

phloem.

- E. Phellogen is single-layered in thickness.Choose the correct answer from the options given below :
- (1) A, B and D only
- (2) B and C only
- (3) B, C and E only
- (4) A and D only

H4\_English ]

22



Zoology : Section-A (Q. No. 151 to 185)

- **151** In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
  - (1) Basophils (2) Eosinophils
  - (3)  $T_{\rm H}$  cells (4) B-lymphocytes
- 152 Match List I with List II.

	List I		List II
A.	Gene 'a'	I.	β-galactosidase
B.	Gene 'y'	II.	Transacetylase
C.	Gene 'i'	III.	Permease
D.	Gene 'z'	IV.	Repressor protein

Choose the **correct** answer from the options given below:

155 Given below are statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla. Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle. In the light of the above statements, choose

the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

- (1) A-III, B-IV, C-I, D-II
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-IV, D-III
- (4) A-II, B-III, C-IV, D-I
- 153 Match List I with List II.

# List I List II

- A. Ringworm I. Haemophilus influenzae
- B. Filariasis II. Trichophyton
- C. Malaria III. Wuchereria bancrofti
- D. Pneumonia IV. Plasmodium vivax

Choose the **correct** answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-III, C-IV, D-I
- (4) A-II, B-III, C-I, D-IV

# **156** Given below are two statements:

**Statement I:** In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid. **Statement II:** In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- 157 Which of the following statements are correct regarding female reproductive cycle?
  - A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
    B. First menstrual cycle begins at puberty and is called menopause.
    C. Lack of menstruation may be indicative of pregnancy.
    D. Cyclic menstruation extends between menarche and menopause.
- **154** Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
  - Mole, Flying squirrel, Tasmanian tiger cat
  - (2) Lemur, Anteater, Wolf
  - (3) Tasmanian wolf, Bobcat, Marsupial mole
  - (4) Numbat, Spotted cuscus,Flying phalanger

H4\_English ]

Choose the **most appropriate** answer from the options given below:

- (1) Å, B and C only
- (2) A, C and D only
- (3) A and D only
- (4) A and B only

[ Contd...



23

158 Given below are two statements:Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

**Statement II:** The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

161 Match List I wi	th L	ist II.
List I		List II
(Cells)		(Secretion)
A. Peptic cells	I.	Mucus
B. Goblet cells	II.	Bile juice
C. Oxyntic cells	III.	Proenzyme pepsinogen
D. Hepatic cells	IV.	HCl and intrinsic factor
		for absorption of
		vitamin B <sub>12</sub>
Choose the corre	ect a	nswer from the options
given below:		

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-I, D-III
- 159 Given below are two statements: Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

**Statement II:** When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor. In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- 160 Match List I with List II.

- (3) A-IV, B-III, C-II, D-I
- (4) A-II, B-I, C-III, D-IV
- 162 Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
  - (1) Polymerase Chain Reaction (PCR) technique
  - (2) Enzyme Linked Immuno-Sorbent Assay(ELISA) technique
  - (3) Recombinant DNA Technology
  - (4) Serum and Urine analysis
- 163 Given below are two statements:
  Statement I: RNA mutates at a faster rate.
  Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the **correct** answer from the options given below:

	List I		List II			
A.	Heroin	I.	Effect on			
			cardiovascular system			
B.	Marijuana	II.	Slow down body function			
С.	Cocaine	III.	Painkiller			
D.	Morphine	IV.	Interfere with transport of			
	-		dopamine			
Choose the correct answer from the options						
given below:						
(1	) A-IV, B-	·III,	C-II, D-I			
(2	) A-III, B-	IV,	C-I, D-II			
(3	) A-II, B-I	[, C-	IV, D-III			

(4) A-I, B-II, C-III, D-IV

H4\_English ]

24

- (1) Statement I is true but Statement II is false.
- (2) Statement I false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.



- **164** Radial symmetry is NOT found in adults of phylum \_\_\_\_\_.
  - (1) Coelenterata (2) Echinodermata
  - (3) Ctenophora (4) Hemichordata
- **165** Broad palm with single palm crease is visible in a person suffering from-
  - (1) Klinefelter's syndrome
  - (2) Thalassemia
  - (3) Down's syndrome
  - (4) Turner's syndrome
- 166 Match List I with List II. List I List II

168 Given below are two statements:

Statement I: Electrostatic precipitator is most widely used in thermal power plant.

**Statement II:** Electrostatic precipitator in thermal power plant removes ionising radiations

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I incorrect but Statement II

	(Type of Joint)		(Fo	und between)	
	A.	Cartilaginous	I.	Between flat	
		Joint		skull bones	
	В.	Ball and	II.	Between adjacent	
		Socket Joint		vertebrae in	
				vertebral column	
	C.	Fibrous Joint	III.	Between carpal	
				and metacarpal of	
				thumb	
	D.	Saddle Joint	IV.	Between	
				Humerus and	
				Pectoral girdle	
	Cho	ose the correct	ansv	ver from the options	
	give	en below:			
	(1)	A-I, B-IV, C-I	II, D	-II	
	(2)	A-II, B-IV, C-I	III, D	)-I	
	(3) A-III, B-I, C-II		I, D-	IV	
	(4) A-II, B-IV, C-I		I, D-1	III	
167	Mat	tch List I with	List	II.	
		List I		List II	
	Α.	CCK	I.	Kidney	
	В.	GIP	II.	Heart	
	C.	ANF	III.	Gastric gland	
	D.	ADH	IV.	Pancreas	
	Cho	ose the correct	ansv	ver from the options	
	give	en below:			
	(1)	A-II, B-IV, C-I	I, D-1	III	
	(2)	A-IV B-II C-	ΠΓ	)-T	

is correct.

- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.
- Match List I with List II. 169 List I List II (Name of (Interacting Interaction) species) A. A Leopard and a Competition I. Lion in a forest/ grassland B. A Cuckoo laying Brood II. egg in a Crow's nest parasitism C. Fungi and root of a III. Mutualism higher plant in

- (2) A-IV, B-II, C-III, D-I
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-II, C-IV, D-I

H4\_English ]

25

Mycorrtizae

D. A cattle egret and IV. Commensalism a Cattle in a field

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-III, C-I, D-IV
- (3) A-I, B-II, C-III, D-IV
- (4) A-I, B-II, C-IV, D-III



170 Given below are two statements:Statement I: Ligaments are dense irregular tissue.


Statement II: Cartilage is dense regular tissue.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II

- 173 Which of the following is not a cloning vector?
  - (1) pBR322
    (2) Probe
    (3) BAC
    (4) YAC
- 174 Given below are two statements:
  Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal)
  Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)
  In the light of the above statements, choose the correct answer from the options given
- is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- **171** Which of the following statements is correct?
  - Presence of large amount of nutrients in water restricts 'Algal Bloom'
  - (2) Algal Bloom decreases fish mortality
  - (3) Eutrophication refers to increase in domestic sewage and waste water in lakes.
  - (4) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.

- below:
- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.
- 175 Which of the following functions is carried out by cytoskeleton in a cell?
  - (1) Motility
  - (2) Transportation
  - (3) Nuclear division
  - (4) Protein synthesis
- 176 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.
  Assertion A: Endometrium is necessary for implantation of blastocyst.
- 172 Which one of the following symbols represents mating between relatives in human pedigree analysis?



H4\_English ]

26

**Reason R:** In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but  $\mathbf{R}$  is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.



#### Match List I with List II. 177

List I List II Nephridia Taenia I. Α. Contractile vacuole Paramoecium II. В. III. Flame cells Periplaneta С. Pheretima IV. Urecose gland D. Choose the **correct** answer from the options give below:

- A-III, B-II, C-IV, D-I (1)
- A-II, B-I, C-IV, D-III (2)
- A-I, B-II, C-III, D-IV (3)
- A-I, B-II, C-IV, D-III (4)

- Once the undigested and unabsorbed 180 substances enter the caecum, their backflow is prevented by-
  - Gastro oesophageal sphincter (1)
  - Pyloric sphincter (2)
  - Sphincter of Oddi (3)
  - (4) Ileo caecal valve
- Which one of the following common 181 sexually transmitted diseases is completely curable when detected early and treated properly?
  - **HIV** Infection (1) Hepatitis-B (2)
- Which of the following are NOT considered 178 as the part of endomembrane system?
  - A. Mitochondria B. Endoplasmic Reticulum
  - D. Golgi complex Chloroplasts С.
  - Peroxisomes E.

Choose the **most appropriate** answer from the options given below:

- (1) A and D only
- (2) A, D and E only
- B and D only (3)
- (4) A, C and E only

### Match List I with List II. 179

#### List I List II Oral method Vasectomy I. A. Coitus Barrier method II. В.

- (3) Genital herpes (4) Gonorrhoea
- 182 Vital capacity of lung is . (1) IRV + ERV + TV - RVIRV + ERV + TV(2)(3) IRV + ERV
  - (4) IRV + ERV + TV + RV

List I

Match List I with List II with respect to 183 human eye.

# List II

- A. Fovea Visible coloured portion I. of eye that regulates diameter of pupil.
- B. Iris External layer of eye II. formed of dense connective tissue.
- C. Blind spot III. Point of greatest visual acuity or resolution.

interruptus

- Cervical caps III. Surgical method С.
- IV. Natural method Saheli D.

Choose the **correct** answer from the options given below:

- A-II, B-III, C-I, D-IV (1)
- (2) A-IV, B-II, C-I, D-III
- (3) A-III, B-I, C-IV, D-II
- A-III, B-IV, C-II, D-I (4)

H4\_English ]

27

D. Sclera IV. Point where optic nerve leaves the eyeball and photoreceptor cells are absent. Choose the **correct** answer from the options given below:

- A-I, B-IV, C-III, D-II (1)
- A-II, B-I, C-III, D-IV (2)
- A-III, B-I, C-IV, D-II (3)
- A-IV, B-III, C-II, D-I (4)



# 184 Match List I with List II.

# List I List II

- A. P wave I. Beginning of systole
- B. Q wave II. Repolarisation of ventricles
- C. QRS complex III. Depolarisation of atria
- D. T wave IV. Depolarisation of

### ventricles

Choose the **correct** answer from the options

Zoology : Section-B (Q. No. 186 to 200)

- **186** Which of the following statements are correct regarding skeletal muscle?
  - A. Muscle bundles are held together by collagenous connective tissue layer called fascicle.
  - B. Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
  - C. Striated appearance of skeletal muscle fibre is due to distribution pattern of actin and myosin proteins.
  - D. M line is considered as functional unit of contraction called sarcomere.

Choose the *most appropriate* answer from the options given below:

given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-I, B-II, C-III, D-IV
- (3) A-III, B-I, C-IV, D-II
- (4) A-IV, B-III, C-II, D-I
- 185 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

**Assertion A:** Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A, C and D only
- (2) C and D only
- (3) A, B and C only
- (4) B and C only
- **187** Which of the following are NOT under the control of thyroid hormone?
  - A. Maintenance of water and electrolyte balance
  - B. Regulation of basal metabolic rate
  - C. Normal rhythm of sleep-wake cycle
  - D. Development of immune system
  - E. Support the process of R.B.Cs formation Choose the **correct** answer from the options given below:
  - (1) C and D only (2) D and E only
  - (3) A and D only (4) B and C only
- **188** Which one of the following is the sequence on corresponding coding strand, if the

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true and R is NOT the correct explanation of A.

H4\_English ]

28

sequence on mRNA formed is as follows 5' AUCGAUCGAUCGAUCGAUCG AUCG AUCG 3'?

- (1) 5' ATCGATCGATCGATCGATCG ATCGATCG 3'
- (2) 3' ATCGATCGATCGATCGATCG ATCGATCG 5'
- (3) 5' UAGCUAGCUAGCUAGCUA GCUAGC UAGC 3'
- (4) 3' UAGCUAGCUAGCUAGCUA GCUAGCUAGC 5'



- Select the correct statements with reference 189 to chordates.
  - A. Presence of a mid-dorsal, solid and double nerve cord.
  - B. Presence of closed circulatory system.
  - Presence of paired pharyngeal gillslits.
  - Presence of dorsal heart D.
  - Triploblastic pseudocoelomate animals. E. Choose the **correct** answer from the options given below:
  - (1) B, D and E only
  - (2) C, D and E only
  - (3) A, C and D only
  - B and C only (4)

- In cockroach, excretion is brought about by-193
  - A. Phallic gland B. Urecose gland
  - Nephrocytes D. Fat body С.
  - Collaterial glands E.

Choose the **correct** answer from the options given below:

- (1) B, C and D only
- (2) B and D only
- A and E only (3)
- (4) A, B and E only
- The unique mammalian characteristics are: 194
  - hairs, pinna and indirect development (1)
  - pinna, monocondylic skull and (2)mammary glands
- The parts of human brain that helps in 190 regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are :
  - (1) Brain stem & epithalamus
  - (2) Corpus callosum and thalamus
  - (3) Limbic system & hypothalamus
  - (4) Corpora quadrigemina & hippocampus
- Which of the following is characteristic 191 feature of cockroach regarding sexual dimorphism ?
  - (1) Presence of sclerites
  - (2) Presence of anal cerci
  - (3) Dark brown body colour and anal cerci
  - (4) Presence of anal styles
- Given below are two statements: 192 Statement I: During G<sub>0</sub> phase of cell cycle, the cell is metabolically inactive. Statement II: The centrosome undergoes duplication during S phase of interphase.

- (3) hairs, tympanic membrane and mammary glands
- (4) hairs, pinna and mammary glands
- Which of the following statements are 195 correct ?
  - A. Basophils are most abundant cells of the total WBCs
  - Basophils secrete histamine, serotonin В. and heparin
  - Basophils are involved in inflammatory С. response
  - Basophils have kidney shaped nucleus D.
  - Basophils are agranulocytes E.

Choose the **correct** answer from the options given below:

- (1) B and C only (2) A and B only
- (3) D and E only (4) C and E only
- Which of the following statements are 196 correct?
  - A. An excessive loss of body fluid from the body switches off osmoreceptors.
  - B. ADH facilitates water reabsorption to prevent diuresis.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- Statement I is correct but (1)Statement II is incorrect.
- Statement I is incorrect but (2) Statement II is correct.
- Both Statement I and Statement II (3) are correct.
- Both Statement I and Statement II (4)are incorrect.

- C. ANF causes vasodilation.
- ADH causes increase in blood pressure. D.
- ADH is responsible for decrease in E. GFR.

Choose the **correct** answer from the options given below:

- (1) A, B and E only
- C, D and E only
- A and B only (3)
- B, C and D only (4)

H4 English ]

29



- Select the correct statements. 197
  - Tetrad formation is seen during Α. Leptotene.
  - During Anaphase, the centromeres split В. and chromatids separate.
  - Terminalization takes place during С. Pachytene.
  - Nucleolus, Golgi complex and ER are D. reformed during Telophase.
  - Crossing over takes place between sister E. chromatids homologous of chromosome.

Choose the **correct** answer from the options

- Which one of the following is NOT an 199 advantage of inbreeding?
  - (1) Elimination of less desirable genes and accumulation of superior genes takes place due to it.
  - It decreases the productivity of inbred (2)population, after continuous inbreeding.
  - It decreases homozygosity. (3)
  - (4) It exposes harmful recessive genes that

Ciliated epithelium

connective tissue

III. Cuboidal epithelium

given below: (1) A, C and E only		(4) It exposes harmful recessive are eliminated by selection.		
<ul><li>(2) B and E on</li><li>(3) A and C on</li></ul>	ly			
(4) B and D only		200 Match List I with List II.		
198 Match List I with List II.		List I		List II
List I	List II	A. Mast cells	I.	Ciliated ep
A. Logistic 1 growth	I. Unlimited resource availability condition	B. Inner surfac	e II.	Areolar
B. Exponential I growth	II. Limited resource availability condition	of bronchiol	le	connective
C. Expanding 1 age pyramid	III. The percent individuals of pre-reproductive	C. Blood	III.	Cuboidal e
	age is largest followed by reproductive and	D. Tubular part	ts IV.	specialised
	post reproductive age groups	of nephron		connective

connective tissue on Choose the **correct** answer from the options give below:

- IV. The percent individuals D. Stable age pyramid of pre-reproductives and reproductive age group are same Choose the **correct** answer from the options given below:
  - (1) A-II, B-IV, C-I, D-III
  - A-II, B-IV, C-III, D-I (2)
  - (3) A-II, B-I, C-III, D-IV
  - A-II, B-III, C-I, D-IV (4)

H4\_English ]

30

- (1) A-II, B-I, C-IV, D-III
- A-III, B-IV, C-II, D-I (2)
- (3) A-I, B-II, C-IV, D-III
- (4) A-II, B-III, C-I, D-IV



### **SPACE FOR ROUGH WORK**

# H4\_English ]

31



### **SPACE FOR ROUGH WORK**

# H4\_English ]

32

