Question Paper Name: Electrical and Electronics Engineering 30th April 2019 Shift1

Subject Name: Electrical and Electronics Engineering

Yes

Share Answer Key With Delivery

Engine:

Actual Answer Key: Yes

Mathematics

Number of Questions: 50
Display Number Panel: Yes
Group All Questions: No

Question Number: 1 Question Id: 67809438857 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The adjoint of
$$A = \begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$
 is

Options:

$$\begin{pmatrix} 1 & 4 & -2 \\ -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$

 $\begin{pmatrix} 1 & 4 & -2 \\ -1 & -1 & -2 \end{pmatrix}$

$$\begin{pmatrix} -2 & -5 & 4 \\ 1 & -2 & 1 \end{pmatrix}$$

 $\begin{pmatrix} 3 & 0 & 6 \\ 6 & 3 & 0 \end{pmatrix}$

9 6 3

 $\begin{pmatrix} 3 & 2 & 1 \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$

Question Number: 2 Question Id: 67809438858 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If A is a square matrix of order 3 then (adj A).A=



1 ---

$$_{2}$$
 A× (adj A)

Question Number: 3 Question Id: 67809438859 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The inverse of
$$A = \begin{pmatrix} 2 & 3 \\ 2 & 5 \end{pmatrix}$$
 is

Options:

$$\begin{pmatrix} 5/_{4} & -3/_{4} \\ 1/_{2} & 1/_{2} \end{pmatrix}$$

$$\begin{pmatrix} 5/_{4} & 3/_{4} \\ -1/_{2} & 1/_{2} \end{pmatrix}$$

$$\begin{pmatrix} 5/_{4} & -5/_{4} \\ -1/_{2} & 1/_{2} \end{pmatrix}$$

$$\begin{pmatrix} 5/_{4} & -3/_{4} \\ -1/_{2} & 1/_{2} \end{pmatrix}$$

Question Number: 4 Question Id: 67809438860 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$A = \begin{pmatrix} 3 & 2 & x \\ 4 & 1 & -1 \\ 0 & 3 & 4 \end{pmatrix}$$
 is a singular matrix then the value of x is

$$\frac{-11}{12}$$

٥.

4

Question Number: 5 Question Id: 67809438861 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$A = \begin{pmatrix} 3 & 1 \\ -1 & 2 \end{pmatrix}$$
 then $A^2 - 5A + 7I$ is

Options:

$$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

1

$$\begin{pmatrix} 0 & 3 \\ 2 & 0 \end{pmatrix}$$

 $\begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$

$$\begin{pmatrix} 2 & 3 \\ 2 & 5 \end{pmatrix}$$

Question Number : 6 Question Id : 67809438862 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Resolve $\frac{3x+7}{(x-1)(x-2)}$ into partial fractions

$$\frac{12}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-5)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-2)} - \frac{10}{(x-7)}$$



Resolve $\frac{5x^4+1}{x^3-1}$ into partial fractions

Options:

$$\frac{12}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-2)} - \frac{10}{(x-1)}$$

$$\frac{13}{(x-5)} - \frac{10}{(x-1)}$$

$$\frac{2}{(x-1)} + \frac{3x+1}{x^2+x+1}$$

Question Number: 8 Question Id: 67809438864 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $tan^2\theta + sec\theta = 5$ then the value of $cos\theta$ is

Options:

$$\frac{1}{1}$$
 $\frac{-1}{3}$ or $\frac{1}{2}$

$$_{2}$$
 $-\frac{11}{12}$ or $\frac{1}{2}$

$$^{13}/_{12}$$
 or $^{-1}/_{3}$

3.

$$_{4.}$$
 $^{5}/_{4}$ or $^{1}/_{2}$

Question Number: 9 Question Id: 67809438865 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $16sin^3\theta + 8cos^3\theta$ is

- There is no correct option. All students will be given marks.
- , 1



4. 0

Question Number : 10 Question Id : 67809438866 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $sin\alpha = {}^{15}/_{17}$, $cos\beta = {}^{12}/_{13}$ then the value of $sin(\alpha + \beta)$ is

Options:

$$, -\frac{121}{152}$$

Question Number: 11 Question Id: 67809438867 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of cos20°cos40°cos60°cos80° is

Options:

$$\frac{1}{2}$$
 $\frac{1}{16}$

$$\frac{13}{3}/_{12}$$

$$\frac{5}{4}$$

4

Question Number: 12 Question Id: 67809438868 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of
$$\frac{\cos 17^{\circ} + \sin 17^{\circ}}{\cos 17^{\circ} - \sin 17^{\circ}}$$
 is



- $_{2.}$ tan 65^{0}
- , tan60°
- 4. tan62°

Question Number: 13 Question Id: 67809438869 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\sin \frac{\pi}{5} \sin \frac{2\pi}{5} \sin \frac{3\pi}{5} \sin \frac{4\pi}{5} =$

Options:

- 1. 15
- $\frac{5}{16}$
- $\frac{-5}{3}$
- $\frac{7}{15}$

Question Number: 14 Question Id: 67809438870 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $tan^{-1}x + tan^{-1}y + tan^{-1}z = \frac{\pi}{2}$ then the value of xy + yz + zx is

Options:

- 1. -1
- 2. 3
- 3. ⁵
- 4.]

Question Number: 15 Question Id: 67809438871 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The general solution of $4\cos^2 x - 3 = 0$ is

$$2n\pi \pm \frac{7\pi}{6}$$

$$3n\pi \pm \frac{5\pi}{6}$$

$$2n\pi \pm \frac{11\pi}{6}$$

Question Number: 16 Question Id: 67809438872 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The modulus of a complex number $\sqrt{3} + i$ is

Options:

- -2
- 2 3
- 3. 2
- иē

Question Number: 17 Question Id: 67809438873 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $(a-b)^2 cos^2 \left(\frac{c}{2}\right) + (a+b)^2 sin^2 \left(\frac{c}{2}\right)$ is

Options:

- C 3
- 2. C
- 3 C5
- 4. C²

Question Number: 18 Question Id: 67809438874 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$x + \frac{1}{x} = 2\cos\theta$$
 then the value of $x^n + \frac{1}{x^n}$ is

- $_2$ -2 cos $n\theta$
- $_{3.}$ 3 cos θ
- $_{4.}$ 2 sin $n\theta$

Question Number: 19 Question Id: 67809438875 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $2tan^{-1}\left(\frac{1}{3}\right) + tan^{-1}\left(\frac{1}{7}\right)$ is

Options:

- $\frac{\pi}{4}$
- $-\frac{\pi}{4}$
- $\frac{\pi}{6}$
- $\frac{\pi}{3}$

Question Number : 20 Question Id : 67809438876 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The length of the major axis of the ellipse: $4x^2 + 3y^2 = 48$ is

Options:

- 1. 10
- There is no correct option. All students will be given marks.
- _{3.} 12
- 4. 13

Question Number : 21 Question Id : 67809438877 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The Centre of the ellipse: $9x^2 + 25y^2 - 18x + 100y - 116 = 0$ is



$$(-1, -2)$$

$$_{3.}$$
 $(1,-2)$

Question Number : 22 Question Id : 67809438878 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The equation of the parabola with vertex (2,-1) and focus (2,-3) is

Options:

$$\int_{1}^{2} x^{2} - 4x + 8y + 12 = 0$$

$$x^2 - 4x - 8y - 12 = 0$$

$$x^2 + 4x - 8y - 12 = 0$$

$$x^2 + 5x - 8y - 11 = 0$$

Question Number : 23 Question Id : 67809438879 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The length of the latus rectum of the hyperbola: $\frac{x^2}{9} - \frac{y^2}{16} = 1$ is

Options:

- 1. 9 units
- 5 units There is no correct option. All students will be given marks.
- 3 6 units
- 4. 13 units

Question Number : 24 Question Id : 67809438880 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If the length of latus rectum is $\frac{9}{2}$ and the distance between its foci is 10 then the equation of hyperbola is **Options**:



$$\int_{9}^{\frac{x^2}{18} - \frac{y^2}{9}} = 1$$

$$\frac{x^2}{16} - \frac{y^2}{6} = 1$$

$$\int_{16}^{\frac{x^2}{16} - \frac{y^2}{9}} = 1$$

Question Number : 25 Question Id : 67809438881 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The equation of the parabola with focus at (-3.2) and vertex (-2.2) is

Options:

$$x^2 - 4x + 8y + 12 = 0$$

$$x^2 + 5x - 8y - 11 = 0$$

$$\int_{3} y^2 + 4x - 4y + 12 = 0$$

$$_{4.} x^2 - 4x - 8y - 12 = 0$$

Question Number : 26 Question Id : 67809438882 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $y = \frac{a+bx}{b-ax}$ then the derivative of y with respect to x is

$$1. \frac{a^2+b^2}{(b-ax)^2}$$

$$\frac{a^2+b^2}{(b+ax)^2}$$

$$\frac{a^2-b^2}{(b-ax)^2}$$

$$4. \frac{a+b}{(b-ax)^2}$$



If $y = \frac{2+3\sinh x}{3+2\sinh x}$ then the derivative of y with respect to x is

Options:

$$\int_{1}^{5\cosh x} \frac{5\cosh x}{(3+2\sinh x)^2}$$

$$\int_{2}^{5 \sinh x} \frac{5 \sinh x}{(3+2 \sinh x)^2}$$

$$\frac{5\sin x}{(3-2\cosh x)^2}$$

$$4 \frac{\sinh^2 x}{(2-3\sinh x)^2}$$

Question Number: 28 Question Id: 67809438884 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The range of x for which the function $x^3 - 3x^2 - 45x + 2$ is increasing with x is

Options:

There is no correct option. All students will be given marks.
$$(-3, -5)$$

Question Number : 29 Question Id : 67809438885 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If u is a homogeneous function of x and y with degree n then $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$

$$_{1.}$$
 - nu

$$2. n^2 u$$



Question Number: 30 Question Id: 67809438886 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The angle between the curves $y = x^2 + 3x - 7$ and $y^2 = 2x + 5$ at (2.3) is

Options:

$$\tan \theta = 2$$

$$\sec \theta = 2$$

$$3. \cos \theta = 1$$

$$4. \sin \theta = 3$$

Question Number : 31 Question Id : 67809438887 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The maximum value of the function $2x^3 - 12x^2 + 18x + 5$ is

Options:

- 1. 13
- 2. 12
- 3. 10
- 4. 15

Question Number : 32 Question Id : 67809438888 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The three sides of a trapezium are equal each being 6" long then the area of the trapezium when it is maximum is

- 27 square units
- 33 square units
- $\frac{27\sqrt{3}}{3}$ square units
 - $_{4.}$ $29\sqrt{3}$ square units



Orientation: Vertical

The interval in which the function $f(x) = x^2 \log x$ is an increasing function is

Options:

- $(1 , e^{-1/2})$
- $(2, e^{-1/2})$
- $(0, e^{1/2})$
- 4. $(0 , e^{-1/2})$

Question Number : 34 Question Id : 67809438890 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The stationary points and the corresponding values of the function $f(x) = x^3 - 9x^2 + 15x - 1$ is

Options:

- 1. 6.-26
- 3,-26
- 3. 6.26
- 4. -6.-26

Question Number: 35 Question Id: 67809438891 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$u = \log\left(\frac{x^2 + y^2}{x + y}\right)$$
 then $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} =$

- 1. 2
- 2. 4
- 3. E

Orientation: Vertical

The value of $\int \log x \, dx$ is

Options:

$$\int_{1}^{\infty} x \log x + x + c$$

$$\int_{2}^{\infty} x^2 \log x - x + c$$

$$\int_{3} x \log x - x + c$$

$$x \log x - \frac{x^2}{2} + c$$

4.

Question Number: 37 Question Id: 67809438893 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of
$$\lim_{n\to\infty} \left[\frac{1}{n+1} + \frac{1}{n+2} + \cdots + \frac{1}{n+n} \right]$$
 is

Options:

Question Number: 38 Question Id: 67809438894 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

The value of
$$\int \frac{\cos \sqrt{x}}{\sqrt{x}} dx$$
 is

Options:
$$2 \sin \sqrt{x} + c$$

$$\int_{2}^{\infty} 3 \sin \sqrt{x} + c$$

$$2\sin x + c$$



Question Number : 39 Question Id : 67809438895 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The area enclosed between the curve $y^2 = 4ax$ and the line x = 2y is

Options:

- $\frac{64}{5}$ sq. units
- $\frac{64}{3}$ sq. units
- $\frac{65}{4}$ sq. units
 - $\frac{63}{4}$ sq. units

Question Number: 40 Question Id: 67809438896 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\int_{1}^{\frac{\pi}{2}} \sin^{2}x \, dx$ is

Options:

- $\frac{\pi}{2}$
- $-\frac{\pi}{4}$
- 3 6
- $\frac{\pi}{4}$

Question Number: 41 Question Id: 67809438897 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\int_{1}^{4} \left(\sqrt{\chi} + \frac{1}{\sqrt{\chi}} \right) d\chi$ is

Options:

 $\frac{20}{3}$

٠.

$$\frac{13}{4}$$

Question Number : 42 Question Id : 67809438898 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of
$$\int_0^{\pi/4} \sqrt{1 + \sin 2x} \ dx =$$

Options:

- 1. -1
- ₂ -3
- 3 5
- 4.

Question Number: 43 Question Id: 67809438899 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of
$$\int_0^{\pi/2} \frac{\sin x}{1+\cos^2 x} dx =$$

Options:

- $\frac{\pi}{1}$.
- $_{2.}^{-\pi}/_{4}$
- $\pi/3$
- $\pi/2$

Question Number: 44 Question Id: 67809438900 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The particular integral of $(D^2 + 5D + 6)y = e^x$ is



$$\frac{e^{2X}}{12}$$

$$\frac{e^{\lambda}}{12}$$

$$\frac{e^{x}}{6}$$

Question Number: 45 Question Id: 67809438901 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Form the differential equation by eliminating the arbitrary constant |a| from $|ay|^2 = \chi^3$

Options:

$$\frac{dy}{dx} = \frac{3y}{2x}$$

$$\frac{dy}{dx} = \frac{2x}{3y}$$

$$\frac{dy}{dx} = \frac{x}{y}$$

$$\frac{dy}{dx} = \frac{2y}{x}$$

Question Number: 46 Question Id: 67809438902 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of
$$\frac{dy}{dx} + y = e^{-x}$$
 is

$$\int_{1}^{\infty} (x+c)e^{-x}$$

$$(x-c)e^x$$

$$_{3.}(x+c)e^{x}$$

$$_{4.}(x+c)e^{-2x}$$

Orientation: Vertical

The complementary function of $(D^2 + 3D + 2)y = 8sin5x$ is

Options:

1.
$$c_1e^{-x} + c_2e^{-2x}$$

$$c_1 e^x + c_2 e^{2x}$$

$$c_1 e^{-x} + c_2 e^{2x}$$

$$_{4.} c_1 e^{2x} + c_2 e^{3x}$$

Question Number: 48 Question Id: 67809438904 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical

The solution of exact differential equation $2xy dx + x^2 dy = 0$ is

Options:

$$\chi^2 y^2 = c$$

$$\int_{2} x^2 y = c$$

$$x^3y = c$$

$$x^2y^3 = c$$

Question Number: 49 Question Id: 67809438905 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical

Form the differential equation representing the family of curves $x^2 = 4ay$, where a is any arbitrary constant

Options:
$$x \frac{dy}{dx} - 2y = 0$$

$$x\frac{dy}{dx} + 2y = 0$$

$$x\frac{dy}{dx} - 6y = 0$$

$$\int_{4.} x \frac{dy}{dx} - y = 0$$



Orientation: Vertical

The solution of
$$\frac{dy}{dx} + y \cot x = \cos x$$
 is

Options:

$$\lim_{x \to \infty} y \sin x = \frac{-\cos 2x}{4} + c$$

$$y\sin x = \frac{\cos 2x}{4} + c$$

$$y\sin x = \frac{-\cos 5x}{4} + c$$

$$y\cos x = \frac{-\cos 2x}{4} + c$$

Physics

25

Yes

No

Number of Questions:
Display Number Panel:
Group All Questions:

Question Number: 51 Question Id: 67809438907 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In the equation $\frac{\alpha}{t^2} = Fv + \frac{\beta}{x^2}$ the dimensional formula for $[\alpha]$, $[\beta]$ is (here t = time,

F= force, v = velocity, x = distance)

Options:

$$_{1.}$$
 MLT^{-1} , MLT^{-3}

$$_{2}$$
 $ML^{2}T$, $ML^{4}T^{2}$

3.
$$ML^2T^{-1}$$
, ML^4T^{-3}

4.
$$ML^3T^{-1}$$
, MLT^{-3}

Question Number : 52 Question Id : 67809438908 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Which of the following quantities has not been expressed in proper units?



Surface tension=N/m

Pressure = N/m²

Energy=kg m/s

Question Number: 53 Question Id Orientation: Vertical
Three vectors A, B and parallel to

Question Number: 53 Question Id: 67809438909 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Three vectors A, B and C satisfy the relation A.B=0 and A.C=0. The vector A is parallel to

Options:

- _{1.} B
- 3. C
- 、B.C
- 4. BxC

Question Number: 54 Question Id: 67809438910 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If three vectors A, B and C are 12, 5 and 13 in magnitude such that C=A+B, then the angle between A and B is

Options:

- 1.60^{0}
- , 90°
- ₃ 120⁰
- 30⁰

Question Number: 55 Question Id: 67809438911 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



arter o secondo or ito ran and then anowed to ran again. The time taken by the stone to reach the ground for the remaining distance is Options: 2 s 6 s 4 s 4 1 s Question Number: 56 Question Id: 67809438912 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical The range of projectile fired at an angle of 150 is 50m. If it is fired with the same speed at an angle of 450, its range will be Options: 25 m _{2.} 37 m 50 m 4. 100 m Question Number: 57 Question Id: 67809438913 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical A freely falling body acquires a velocity 'v' m/s in falling through a distance of 80m. How much further distance should it fall, so as to acquire a velocity of '2v' m/s?(Take g=10 m/s^2) Options: 1 240 m _{2.} 200 m _{3.} 400 m

_{4.} 280 m



A block is projected along a rough horizontal road with a speed of 10 m/s. If the coefficient of kinetic friction is 0.10, how far will it travel before coming to rest?

Options:

- , 50 m
- _{2.} 60 m
- 3. 40 m
- _{4.} 10 m

Question Number : 59 Question Id : 67809438915 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

What force is required to push a 200 N body up a 300 smooth incline with an acceleration of 2 m/s²? The force is to be applied along the plane is (Take g=10 m/s²)

Options:

- 40 N
- _{2.} 60 N
- _{3.} 80 N
- 4. 140 N

Question Number : 60 Question Id : 67809438916 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

A block of mass 2 kg rests on a rough inclined plane making an angle of 30° with the horizontal. The coefficient of static friction between the block and the plane is 0.7. The frictional force on the block is

- 9.8N
- _{2.} 0.78 x 9.8 N
- _{3.} 9.8 x √3 N
- ₄ 0.7 x 9.8√3 N



Orientation: Vertical

A man moves on a straight horizontal road with a block of mass 2 kg in his hand. If he covers a distance of 40 m with an acceleration of 0.5 m/s 2 , the work done by the man on the block during the motion is (Take g=10 m/s 2)

Options:

- , 40 J
- , 1 J
- 3. 80 J
- 4 20 J

Question Number: 62 Question Id: 67809438918 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a factory it is desired to lift 2000 kg of metal through a distance of 12 m in 1 minute. The minimum horse power of the engine to be used is

Options:

- 1. 3.5
- 2. 5.3
- 3. 4.3
- 4. 5.8

Question Number: 63 Question Id: 67809438919 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Energy harnessed from flowing water is called ----- energy

- 1. Hydel
- 2. Solar
- _{3.} Tidal
- 4. Geothermal



When a particle executing simple harmonic motion passes through the mean position, it has

Options:

- 1 minimum K.E and maximum P.E.
- maximum K.E and maximum P.E.
- maximum K.E and minimum P.E.
- 4 mimimum K.E. and mimimum P.E.

Question Number: 65 Question Id: 67809438921 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A particle of mass 200 g executes a simple harmonic motion. The restoring force is provided by a spring of spring constant 80 N/m. The time period is

Options:

- 0.2 s
- 2 0.41 s
- ₃ 0.31 s
- $_{4.}$ 0.5 s

Question Number : 66 Question Id : 67809438922 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The temperature at which the speed of sound will be double of its value at 0°C is

Options:

- 1 819⁰ C
- ຸ850ºC
- 3 919°C
- 4. 900°C

Question Number: 67 Question Id: 67809438923 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Options:

- The frequency of the source is increased
- The velocity of sound in the medium is increased
- The wavelength of sound in the medium towards the observer is decreased
- The amplitude of vibration of the particles is increased.

Question Number: 68 Question Id: 67809438924 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A cinema hall has a volume of 7500 m³. The total absorption in the hall if the reverberation time of 1.5 s is to be maintained is

Options:

- 1 800 OWU
- , 925 OWU
- 3 950 OWU
- _{4.} 825 OWU

Question Number : 69 Question Id : 67809438925 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

One mole of oxygen is heated at constant pressure starting at 0°C. The heat energy that must be supplied to the gas to double its volume is

Options:

- 1. 2.5 x 273 x R
- _{2.} 3.5 x 273 x R
- 3 2.5 x 546 x R
- _{4.} 3.5 x 546 x R

Question Number: 70 Question Id: 67809438926 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



new pressure will be

Options:

- 1 12.24 atm
- 2. 11.67 atm
- 3 13.79 atm
- 11 atm

Question Number: 71 Question Id: 67809438927 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The temperature of 5 gm of air is raised from 0° C to 1° C. The increase in the internal energy of air is (C_V = 0.172 cal/gm/ $^{\circ}$ C and J = 4.18 x 10^{7} erg/cal)

Options:

- 3.595 x 10⁷ erg
- $_{2}$ 3 x 10 7 erg
- $_{3.}$ 4.5 x 10⁷ erg
- 2.595 x 10⁷ erg

Question Number: 72 Question Id: 67809438928 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In all reversible processes entropy of the system

Options:

- decreases
- 2 increases
- remains constant
- 4 remains zero

Question Number: 73 Question Id: 67809438929 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

collegedunia

(Y -7/5), the value of Y for the mixture is

Options:

- 1.40
- 2 1.50
- ្ 1.53
- 4. 3.07

Question Number: 74 Question Id: 67809438930 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Electrons are emitted with zero velocity from a certain metal surface when it is exposed to radiations of wavelength 7000 A⁰. The work function of the metal is

Options:

- 1 1 eV
- _{2.} 1.52 eV
- 2.52 eV
- 1.77 e∀

Question Number: 75 Question Id: 67809438931 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A superconducting material exhibits

- 1. zero conductivity and complete diamagnetism
- zero resistivity and complete paramagnetism
- infinite conductivity and complete paramagnetism
- 4. zero resistivity and complete diamagnetism

Question Number: 76 Question Id: 67809438932 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical The splitting of spectral lines in a strong magnetic field is called Options: 1. Stark effect , Pauli Exclusion Principle Zeeman effect 4. Aufbau Principle Question Number: 77 Question Id: 67809438933 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Bohr's model can explain Options: The spectrum of hydrogen atom only The spectrum of hydrogen molecule The solar spectrum

Spectrum of an atom or ion containing one electron only

Question Number: 78 Question Id: 67809438934 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum number of electrons that a d-orbital can accommodate is

- 1. 2
- 2. 6
- 3 10
- 4. 14



Orientation: Vertical

Magnesium Atomic number is 12, which of the following is the electronic configuration

Options:

- 1. 1S² 2S¹ 2P⁶ 3S²
- 2 1S² 2S² 2P⁵ 3S²
- 3. 1S² 2S² 2P⁶ 3S²
- $_{4.}~1S^2~2S^2~2P^6~3S^13d^1$

Question Number: 80 Question Id: 67809438936 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

N₂ molecule contains

Options:

- Covalent bond
- , lonic bond
- 3. Hydrogen bond
- Metalic bond

Question Number: 81 Question Id: 67809438937 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

One mole of any of the particles contains

Options:

- 1. 6.023X 10⁻²³
- _{2.} 6.022X 10²³
- _{3.} 60.23X 10²³
- 4. 6.023X 10²⁵

Question Number: 82 Question Id: 67809438938 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The normality of the solution obtained by dissolving 4 gm of NaOH in 1Litre is



2 0.1N
3. 0.5N
4. 0.02N
Question Number: 83 Question Id: 67809438939 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Molecular weight of H_2SO_4 is
Options:
1. ⁹²
_{2.} 96
3. 98
4. 99
Question Number: 84 Question Id: 67809438940 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A Lewis acid is a substance which
Options:
1. Accept protons
2. Accept a lone pair of electrons
Donate protons
4. Donate a lone pair of electrons
Question Number: 85 Question Id: 67809438941 Display Question Number: Yes Single Line Question Option: No Option
Orientation : Vertical
P ^H of a solution is 9.5, the solution is
Options: 1. Basic
2. Acidic



4. Amphoteric

Question Number: 86 Question Id: 67809438942 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Laws of electrolysis were given by

Options:

- 1. Ostwald
- Faraday
- 3. Arrhenius
- _{4.} Volta

Question Number: 87 Question Id: 67809438943 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Common electrolyte used in the salt bridge is

Options:

- 1. NaOH
- 2. NaCO3
- 3. KCI
- _{4.} KOH

Question Number: 88 Question Id: 67809438944 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Standard Reduction Potential of an element is equal to

- 1 X Its reduction potential
- , -1 X Its standard oxidation potential
- $_{3.}$ -1 X Its reduction potential
- _{4.} 1 X Its standard oxidation potential



The standard emf for the cell reaction, $Zn+Cu^{+2} \rightarrow Cu + Zn^{2+}$ is 1.10 \lor at 25°C. The emf of the cell reaction when 0.1 M $\rm Cu^{+2}$ and 0.1 M $\rm Zn^{+2}$ solutions are used at 25°C is Options: 1.10V

- ₂ 0.11V
- -1.10V
- **-**0.11V

Question Number: 90 Question Id: 67809438946 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical

Which chemical is responsible for permanent hardness of water?

Options:

- _{1.} KCI
- MgCl₂
- 3. NaCl
- 4. AgCl

Question Number: 91 Question Id: 67809438947 Display Question Number: Yes Single Line Question Option: No Option **Orientation:** Vertical

Permutit is chemically

- Sodium Silicate
- 2. Aluminium Silicate
- Hydrated Sodium alumino silicate
- Calicium silicate



Orientation: Vertical The cation exchange resin possesses Options: Acidic group
Basic group
Amphoteric group
4. Benzo group
Question Number: 93 Question Id: 67809438949 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Chemically the rust is Options: Fe_2O_3
2. Fe ₂ O ₃ . FeO 3. Fe ₂ O ₃ .XH ₂ O 4. Fe ₂ O ₃ . NH ₃
Question Number: 94 Question Id: 67809438950 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Galvanizing is the process of coating iron with
Options: Mg
2. Cu
3. Au
Zn 4.

Question Number : 95 Question Id : 67809438951 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical



Bakelite Polystyrene 3. Polythene Nylon Question Number: 96 Question Id: 67809438952 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Isoprene is a monomer of Options: Starch 2. Cellulose Natural rubber Lignin Question Number: 97 Question Id: 67809438953 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical Buna-S is a copolymer of Options: Butadiene and Styrene Butadiene and Acrylonitrile 3. Butadiene and Isoprene Formaldehyde and Styrene

Question Number : 98 Question Id : 67809438954 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Main constituent of natural gas is



2 Methane
3. Butane
Carbon Monoxide
Question Number: 99 Question Id: 67809438955 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Ozone layer is present at Options: 1. Staratosphere 2. Inosphere
3. Thermosphere
4. Atmosphere
Question Number: 100 Question Id: 67809438956 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The amount of DO required to aerobically decompose biodegradable organic matter of a given volume of water is
Options: Biochemical Oxygen Demand 1.
2. Biological Oxygen Demand
Chemical Oxygen demand
4. Biomagnification

Electrical and Electronics Engineering

Number of Questions:100Display Number Panel:YesGroup All Questions:No



Superposition theorem is not applicable for
Options: 1. Voltage calculations
2. bilateral elements
3. power calculations
passive elements
Question Number: 102 Question Id: 67809438958 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which one of the following materials cannot be used for permanent magnets?
Options: 1. Alnico
2. barium ferrite
3. Carbon-Steel
4. Iron-Cobalt alloy
Question Number: 103 Question Id: 67809438959 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For a given dielectric, with increase in temperature the ionic polarizability
Options: increases
2. decreases
3. remains same
fluctuates 4.
Question Number: 104 Question Id: 67809438960 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Two bulbs of 100 W/250 V and 150 W/250 V are connected in series across a supply of 250 V. The power consumed by the circuit is
Options :



- _{2.} 60 W
- _{3.} 100 W
- _{4.} 250 W

Question Number: 105 Question Id: 67809438961 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Three 30Ω resistors are connected in parallel across an ideal 40~V source. What would be the equivalent resistance seen by the load connected across the circuit?

Options:

- 1 0 Ω
- , 10 Ω
- $_{3.}$ 20 Ω
- 4. 30 Ω

Question Number: 106 Question Id: 67809438962 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum power will be transferred from a voltage source to a load when___

Options:

- the source impedance is half that of the load impedance
- , the source impedance is equal to that of the load impedance
- 3. the source impedance is twice that of the load impedance
- 4. both source and load impedances must be zero

Question Number: 107 Question Id: 67809438963 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is not a conducting material?

Options:

1 Copper



3. Germanium
4. Platinum
Question Number: 108 Question Id: 67809438964 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The armature of a DC machine is laminated to reduce
Options: 1. The hysterisis loss
2. Eddy current loss
3. the mass
4. the inductance
Question Number: 109 Question Id: 67809438965 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A lap wound DC machine has 400 conductors and 8 poles. The voltage induced per
conductor is 2V. The machine generates a voltage of
Options : 1. 100V
2. 200V
3. 400∨
4. 800V
Question Number: 110 Question Id: 67809438966 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A 250V DC generator is run at rated speed with no excitation. The open circuit voltage will be
Options :
1. Zero
2. About 2 to 3V



_{4.} 250V

Orientation: Vertical
The simplest way of shifting load from one shunt generator to the other operating in parallel is by
Options:
1. Adjustment of speeds
2. Adjustment of armature resistances
3. Adjustment of field rheostats
4. Using equalizer connections
Question Number: 112 Question Id: 67809438968 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical With the increase in speed of a DC motor
Options: Both back emf as well as line current increase 1.
2. Both back emf as well as line current fall
Back emf increases but line current falls
Back emf falls and line current increases
Question Number: 113 Question Id: 67809438969 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The direction of rotation of a DC motor can be determined by
Options: 1. Fleming's right hand rule
Fleming's left hand rule
3. Lenz's law



Question Number: 114 Question Id: 67809438970 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If the applied voltage to a DC machine is 230 V, then the back emf for maximum power developed is
Options:
1 115V
2. 200V
3. 230V
4. 460V
Question Number: 115 Question Id: 67809438971 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In a DC series motor, the torque developed is
Options:
Inversely proportional to armature current
2. Directly proportional to armature current
Proportional to the square of armature current
4. Proportional to the square root of the armature current
Question Number : 116 Question Id : 67809438972 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
If one of the control springs of a Permanent Magnet Moving Coil ammeter is broken then, when connected it will read
Options:
1. zero
half of the correct value
3. twice the correct value
4. an infinite value



The principle of operation of an LVDT is based on variation of
Options: 1. Self-inductance
2. Mutual inductance
3. Reluctance
4. Permeance
Question Number: 118 Question Id: 67809438974 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The major cause of creeping in an energy meter is
Options: 1. over compensation for friction
2. mechanical vibrations
3. excessive voltage across the potential coil
4. stray magnetic fields
Question Number: 119 Question Id: 67809438975 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A current transformer has a phase error of +3 ⁰ . The phase angle between the
primary and secondary currents is
Options: 1. 3 ⁰
2. 1770
_{3.} 180 ⁰
4. 183 ⁰
Question Number: 120 Question Id: 67809438976 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Unit of reactive power is



_{2.} Watt
3. VAR
Ohm 4.
Question Number: 121 Question Id: 67809438977 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A series RLC circuit will have unity power factor if operated at a frequency of
Options: 1 1/LC
2. 1/ω√LC
$_{3.}$ $1/\omega^2 LC$
4. 1/2π \LC
4. 17211 120
Question Number: 122 Question Id: 67809438978 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical The form factor of sinusoidal alternating current is
Options : 1. 1
2. 0
3. 1.11
4. 1.15
Question Number: 123 Question Id: 67809438979 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If the reading of two wattmeters are equal and positive in two watt meter method, the load pf in a balanced 3-phase, 3-wire circuit will be
Options:
_{1.} Zero



3. 0.866
4. 1
Question Number: 124 Question Id: 67809438980 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical An RLC series circuit has fiand f2 as the half power frequencies and f0 as the resonant frequency. The Q-factor of the circuit is
Options: $(f_1+f_2)/2f_0$
2. f1-f0/f2-f0
3. f ₀ /f ₁ -f ₂
4. f ₁ -f ₂ /f ₀
Question Number: 125 Question Id: 67809438981 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical In a transformer, zero voltage regulation at full load is
Options: Not possible
2 Possible at leading power factor load
Possible at lagging power factor load
4. Possible at unity power factor load
Question Number: 126 Question Id: 67809438982 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The transformer efficiency at relatively light loads is quite low. This is due to
Options : Small copper losses

- Small copper losses
- 2. Small secondary output



Question Number: 127 Question Id: 67809438983 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical In order to reduce the hysterisis loss
Options: Core may be laminated
Silicon steel may be used as the core material
3. Core may be constructed with any permanent magnet material such as Alnico
4. Core may be impregnated with varnish
Question Number: 128 Question Id: 67809438984 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Transformers are rated in kVA instead of kW because
Options: Load power factor is often not known 1.
2. kVA is fixed where kW depends on load pf
Total transformer loss depends on volt-amperes
4. It has become customary
Question Number : 129 Question Id : 67809438985 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Which of the following connection of transformer will give the highest secondary voltage?
Options: Delta primary, delta secondary
2. Delta primary, star secondary
Star primary, star secondary

4. Poor power factor



Question Number: 130 Question Id: 67809438986 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
For successful parallel operation of two single phase transformers, the most essential condition is that their
Options:
percentage impedances are equal
2. polarities are properly connected
turn-ratios are exactly equal
4. kVA ratings are equal
Question Number : 131 Question Id : 67809438987 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
In an auto transformer, power is transferred through
Options: Conduction process only
2. Induction process only
Both conduction and Induction processes
4. Mutual coupling
Question Number: 132 Question Id: 67809438988 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Distributed winding is preferred over concentrated winding as it
Options: 1. reduces noise
2. reduces the machine size
3. reduces the amount of copper required
improves the generated emf waveform and adds rigidity and mechanical strength to the winding



The short circuit characteristic of an alternator is
Options: Always linear
2. Always non-linear
3. Always triangular
4. Always circular
Question Number: 134 Question Id: 67809438990 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The maximum possible speed at which an alternator can be driven to generate 50 Hz and 4000V is
Options: 1. 400 rpm
2. 3600 rpm
3. 3000 rpm
1500 rpm 4.
Question Number: 135 Question Id: 67809438991 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
An ideal synchronous motor has no starting torque because the
Options: rotor is made up of salient poles 1.
2. relative velocity between the stator and the rotor mmfs is zero
relative velocity between the stator and rotor mmfs is not zero
4. rotor winding is highly reactive

Question Number : 136 Question Id : 67809438992 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical



Options:

- , help in starting as a motor
- run it as an induction motor
- help in starting as a motor and to reduce hunting
- increase efficiency

Question Number: 137 Question Id: 67809438993 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Armature reaction in a synchronous motor at rated voltage and zero power factor (lead) is

Options:

- _{1.} magnetising
- cross-magnetising
- 3. both magnetising and cross-magnetising
- demagnetising

Question Number: 138 Question Id: 67809438994 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The principle of operation of a 3-phase induction motor is almost similar to that of

Options:

- 1. synchronous motor
- repulsion start induction motor
- transformer with a shorted secondary
- 4. capacitor start induction motor

Question Number: 139 Question Id: 67809438995 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A three phase 6-pole, 50 Hz, induction motor is running at 5% slip. What is the speed of the motor?

Options:



- , 900 rpm
- 950 rpm
- _{4.} 1000 rpm

Question Number: 140 Question Id: 67809438996 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In an induction motor under running condition, the rotor reactance per phase is _____ its standstill phase reactance.

Options:

- 1 s times
- , equal to
- $_{3.}$ 1/s times
- 4. (1-s) times

Question Number: 141 Question Id: 67809438997 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a three phase induction motor, the starting torque will be maximum when____

Options:

- $_{1.}$ R₂=1/X₂
- 2. R2=X2
- $_{3}$ R₂=X₂²
- 4. R2=\X2

Question Number: 142 Question Id: 67809438998 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The type of single phase induction motor having the highest power factor at full load is _____

Options:

shaded pole type



capacitor start type
a capacitor run type
Question Number: 143 Question Id: 67809438999 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A universal motor is one which has
Options: 1. constant speed
3. constant output
capability of operating both on ac and dc with comparable performance
maximum efficiency
Question Number: 144 Question Id: 67809439000 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Which of the following power plants is free from environmental problems? Options: Diesel engine
3. Nuclear
3. Hydroelectric
Steam 4.
Question Number: 145 Question Id: 67809439001 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Diversity factor is the ratio of
Options: 1. sum of maximum demands of consumers/system maximum demand
maximum demand of consumers/average demand
3. demand of all consumers/average demand



Question Number: 146 Question Id: 67809439002 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Flat rate tariff can be charged on the basis of
Options: 1. connected load
2. units consumed
3. maximum demand
4. minimum demand
Question Number: 147 Question Id: 67809439003 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical In a power plant, a reverse generating capacity, which is in operable condition and
available for service, but not in operation is called the Options:
1. spinning reverse
firm reverse
cold reverse
4. hot reverse
Question Number: 148 Question Id: 67809439004 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Advantages of the improved power factor are
Options: increase in operating efficiency of the power system
improvement in voltage regulation
reduction in overall cost per unit There is no correct option. All students will be given marks.
better utilization of kW capacities of prime movers, transformers, switchgear and the lines



A circuit breaker normally operates
Options:
when the power is to be supplied
2. When the line is to be tested
3. When the switch is to be put on
4. whenever fault occurs in the line
Question Number: 150 Question Id: 67809439006 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The RRRV depends upon the
Options: type of the circuit breaker
2. capacitance of the system only
inductance of the system only
inductance and capacitance of the system
Question Number: 151 Question Id: 67809439007 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Threshold characteristics of a plain impedance relay in a complex Z plane is a
Options: circle passing through origin 1.
2. circle with the centre at the origin
straight line passing through the origin
straight line offset from the origin
Question Number: 152 Question Id: 67809439008 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Buchholz relay is
Options:
collegedunia India's largest Student Review Platform
337

2. located in the transformer tank itself
connected in the pipe connecting main tank of transformer and conservator
installed in the circuit breaker
Question Number: 153 Question Id: 67809439009 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
For the protection of stator winding of an alternator against internal fault involving ground, the relay used is a
Options:
biased differential relay
directional over current relay
plain impedance relay
4. Buchholz relay
Question Number: 154 Question Id: 67809439010 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
For a medium length transmission line, A is
Options:
_{1.} equal to B
equal to C
a equal to D
3. equal to D
not equal to B,C,D
4.
Question Number: 155 Question Id: 67809439011 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical When is the Ferranti effect on long overhead lines experienced?

Options:

1. The line is lightly loaded

collegedunia

The line is fully loaded
The power factor is unity
Question Number: 156 Question Id: 67809439012 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Hollow conductors are used in transmission lines to Options: reduce weight of copper
2. improve stability
reduce corona increases power transmission capacity
Question Number: 157 Question Id: 67809439013 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The sag of a transmission line is least affected owing to
Options: 1. Weight of the conductor
2. current through the conductor
3. atmospheric temperature
ice deposition on the conductor
Question Number: 158 Question Id: 67809439014 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical If the frequency of a transmission system is changed from 50 Hz to 100 Hz, the string efficiency
Options: Will increase 1.
will decrease



Question Number: 159 Question Id: 67809439015 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical HVDC transmission is preferred to EHV AC because
Options: 1. HVDC terminal equipment are inexpensive
2. VAR compensation is not required in HVDC system
system stability can be improved
4. harmonics problem is avoided
Question Number: 160 Question Id: 67809439016 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The inductance of a transmission line is minimum when
Options: 1. GMD is high
2. GMR is high
3. both GMD and GMR are high
4. GMD is low and GMR is high
Question Number: 161 Question Id: 67809439017 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Transmission lines are transposed to
Options: 1. reduce corona loss
2. reduce skin effect
grevent interference with neighboring telephone lines
4. prevent short circuit between any two lines

may increase or decrease depending on the line parameters



The main criterion for selection of the size of a distributor for a radial distribution system is
Options:
, voltage drop
corona loss
temperature rise 3.
4. capital cost
Question Number: 163 Question Id: 67809439019 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Capacitance grading of cable means
Options: use of dielectrics in different concentrations
introduction of capacitances at various lengths of cable to counter the effect of inductance
use of dielectrics of different permittivities
4. grading according to capacitance per km length of the cable
Question Number : 164 Question Id : 67809439020 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The composite system (single phase AC to DC system) has been chosen for all future track electrification in India as
Options:
it needs light overhead catenary
2 it needs less number of substations
it combines the advantages of high voltage AC distribution at 50 Hz with DC series traction motors
, It provides flexibility in the location of substations

Orientation : Vertical



The maximum speed at which trains run on main line railway service is
Options: 1 160 kmph
2. 120 kmph
3. 100 kmph
4. 200 kmph
Question Number: 166 Question Id: 67809439022 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The speed — time curve for urban service has no
Options: 1. coasting period
free running period
3. breaking period
4. acceleration period
Question Number: 167 Question Id: 67809439023 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Trapezoidal speed-time curve pertains to
Options: 1 main line service
2. urban service
3. suburban service
urban/suburban service
Question Number: 168 Question Id: 67809439024 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Specific energy consumptions becomes Options:



more with high train resistance
less with the increase in crest speed 4.
Question Number: 169 Question Id: 67809439025 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The DC series motor is most suitable for traction services but more particularly for urban/suburban services because Options: DC series motors are suitable for regenerative breaking DC series motors are capable of withstanding rapid fluctuations in supply Voltage 3. DC series motors are capable of developing high torque at start DC series motors are capable of withstanding temporary interruption of supply without undue rush of current
Question Number: 170 Question Id: 67809439026 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Free running and costing periods are generally long in case of Options: City service
2. suburban service
main line service
4. outer suburban service
Question Number: 171 Question Id: 67809439027 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Tractive effort of an electric locomotive can be increased by
Options: using low output motors

2. more with the higher values of acceleration



decreasing dead weight over the driving axles
using high output motors and increasing dead weight over driving axles
Question Number: 172 Question Id: 67809439028 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The earth wire should be
Options: good conductor of electricity 1.
mechanically strong
good conductor and mechanically strong
mechanically strong but bad conductor of electricity
Question Number: 173 Question Id: 67809439029 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The short length of the conductor used to connect the line conductor on one side of the terminal pole to the line conductor on the other side of the pole is known as Options: 1. Jumper Petticoat Guard
4. Guy
Question Number: 174 Question Id: 67809439030 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Inside the earth or pit, the earthing electrode should be placed
Options: 1. horizontally
2 vertically



Question Number: 175 Question Id: 67809439031 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The cheapest system of internal wiring is _____ wiring Options: 1 cleat , casing-capping 3 CTS or TRS 4. conduit Question Number: 176 Question Id: 67809439032 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For a NPN bipolar transistor, what is the main stream of current in the base region? Options: 1 Drift of holes , Diffusion of holes 3. Drift of electrons Diffusion of electrons Question Number: 177 Question Id: 67809439033 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For a junction FET in the pinch off region, as the drain voltage is increased, the drain current ____ Options: becomes zero abruptly decreases 3. abruptly increases remains constant

4. in any position



and one end of the secondary. What is the maximum voltage across the reverse biased diode?
Options : 1. 200 V
_{2.} 141 V
3. 100 V
_{4.} 86 ∨
Question Number: 179 Question Id: 67809439035 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical If the differential and common mode gains of a differential amplifier are 50 and 0.2 respectively, then the CMRR will be
Options: 1. 10
3, 49.8
3. 50.2
4. 250
Question Number: 180 Question Id: 67809439036 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical An ideal amplifier has
Options: 1. Positive feedback
uniform frequency response
Infinite voltage gain
4. responds only to signals at its input terminals

In a centre tap full wave rectifier, 100 V is the peak voltage between the centre tap

Orientation: Vertical

Question Number: 181 Question Id: 67809439037 Display Question Number: Yes Single Line Question Option: No Option Option: Vertical

collegedunia

Options:

$$_{3.} |A\beta| < 1$$

Question Number: 182 Question Id: 67809439038 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a Wien bridge oscillator, the positive feedback attenuation is ______

Options:

- 1. 1/3
- 2 1/29
- , -29
- 4 3

Question Number: 183 Question Id: 67809439039 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The binary equivalent of hexadecimal number 4F2D is _____

Options:

Question Number: 184 Question Id: 67809439040 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The logic function A+BC is the simplified form of which of the following?

Options:



2. A+C
3. A+B
4. (A+B)(A+C)
Question Number: 185 Question Id: 67809439041 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The AND function can be realized by using only n number of NOR gates. What is n equal to
Options:
1. 2
2. 3
3. 4
4. 5
Question Number : 186 Question Id : 67809439042 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Number of comparators required to build a 5-bit Analog to Digital converter is
Options:
1. 5
2. 11
3. 21
4. 31
Question Number: 187 Question Id: 67809439043 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A thyristor equivalent of a thyratron tube is
Options: 1. SCR



3. Diac
4. Triac
Question Number: 188 Question Id: 67809439044 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical For an SCR, dv/dt protection is achieved through the use of
Options: 1. R-L in series with SCR
2. R-C across SCR
L in series with SCR
4. R-C in series with SCR
Question Number: 189 Question Id: 67809439045 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The TRIAC is equivalent to
Options: 1. Two SCRs connected in parallel
2. Two SCRs connected in antiparallel
One SCR, one diode connected in parallel
One diode, one SCR connected in antiparallel
Question Number : 190 Question Id : 67809439046 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
A Gate Turn Off (GTO) thyriostor has capacity to
Options: 1. Amplify the gate current
Turn-off when positive current pulse is given at the gate



Turn-off when a negative current pulse is given at the gate 4.
Question Number: 191 Question Id: 67809439047 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Commutation overlap in the phase-controlled AC to DC converter is due to
Options: load inductance
harmonic content of load current
switching operation in the converter
4. source inductance
Question Number: 192 Question Id: 67809439048 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The advantage of using a freewheeling diode with bridge type AC/DC converter is
Options:
regenerative breaking
2. reliable speed control
improved power factor
reduced cost of the system
Question Number: 193 Question Id: 67809439049 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical A power chopper converts
Options :
1. AC to DC
2. DC to DC
3. DC to AC
AC to AC



AC voltage regulators are widely used in
Options: 1. traction drives
2. fan drives
3. synchronous motor drives
4. slip power recovery scheme of slip-ring induction motor
Question Number: 195 Question Id: 67809439051 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The phase controlled rectifiers used in speed control of DC motors converts fixed AC supply voltage into output voltage
Options: 1. variable DC
2. variable AC
3. variable frequency AC
4. full rectified AC
Question Number: 196 Question Id: 67809439052 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
In a UPS, the solid state switch normally transfer supply within
Options: 1. 4 ms
2. 30 ms
3. 48 ms
30 s 4.
Question Number: 197 Question Id: 67809439053 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The internal RAM memory of the 8051 is
The internal ty-tivi memory of the obot is

collegedunia

Orientation : Vertical

64 bytes	
3. 128 bytes	
4. 256 bytes	
Question Number: 198 Question Id: 67809439054 Orientation: Vertical	Display Question Number : Yes Single Line Question Option : No Option
	16-bit counter/timers
Options :	
1. 1	
2. 2	
3. 3	
4. 4	
Question Number : 199 Question Id : 67809439055 Orientation : Vertical	Display Question Number: Yes Single Line Question Option: No Option
The 8051 can handle	interrupt sources
Options: 1. 3	
3. 4	
3. 5	
4. 6	
Question Number: 200 Question Id: 67809439056 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical	
The I/O ports that are used as addr	ress and data for external memory are
Options: Ports 1 and 2	

T_i 2



