

QA

Group Number :	3
Group Id :	4891681112
Group Maximum Duration :	60
Group Minimum Duration :	60
Revisit allowed for view? :	No
Revisit allowed for edit? :	No
Break time:	0
Group Marks:	102

QA

Section Id :	4891681223
Section Number :	1
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	34
Number of Questions to be attempted:	34
Section Marks:	102
Display Number Panel:	Yes
Group All Questions:	No

Sub-Section Number:	1
Sub-Section Id:	4891681311
Question Shuffling Allowed :	Yes

Question Number : 67 Question Id : 4891685644 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

Arun's present age in years is 40% of Barun's. In another few years, Arun's age will be half of Barun's. By what percentage will Barun's age increase during this period?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

20

Question Number : 68 Question Id : 4891686369 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

A person can complete a job in 120 days. He works alone on Day 1. On Day 2, he is joined by another person who also can complete the job in exactly 120 days. On Day 3, they are joined by another person of equal efficiency. Like this, everyday a new person with the same efficiency joins the work. How many days are required to complete the job?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

15

Question Number : 69 Question Id : 4891686370 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

An elevator has a weight limit of 630 kg. It is carrying a group of people of whom the heaviest weighs 57 kg and the lightest weighs 53 kg. What is the maximum possible number of people in the group?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

11

Question Number : 70 Question Id : 4891686371 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

A man leaves his home and walks at a speed of 12 km per hour, reaching the railway station 10 minutes after the train had departed. If instead he had walked at a speed of 15 km per hour, he would have reached the station 10 minutes before the train's departure. The distance (in km) from his home to the railway station is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

20

Question Number : 71 Question Id : 4891686372 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

Ravi invests 50% of his monthly savings in fixed deposits. Thirty percent of the rest of his savings is invested in stocks and the rest goes into Ravi's savings bank account. If the total amount deposited by him in the bank (for savings account and fixed deposits) is Rs 59500, then Ravi's total monthly savings (in Rs) is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

70000

Question Number : 72 Question Id : 4891685586 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If a seller gives a discount of 15% on retail price, she still makes a profit of 2%. Which of the following ensures that she makes a profit of 20%?

Options :

1. ✘ Give a discount of 5% on retail price.
2. ✘ Give a discount of 2% on retail price.
3. ✘ Increase the retail price by 2%.
4. ✔ Sell at retail price.

Question Number : 73 Question Id : 4891685603 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

A man travels by a motor boat down a river to his office and back. With the speed of the river unchanged, if he doubles the speed of his motor boat, then his total travel time gets reduced by 75%. The ratio of the original speed of the motor boat to the speed of the river is

Options :

1. ✘ $\sqrt{6} : \sqrt{2}$

2. ✔ $\sqrt{7} : 2$

3. ✘ $2\sqrt{5} : 3$

4. ✘ $3 : 2$

Question Number : 74 Question Id : 4891685621 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Suppose, C1, C2, C3, C4, and C5 are five companies. The profits made by C1, C2, and C3 are in the ratio 9 : 10 : 8 while the profits made by C2, C4, and C5 are in the ratio 18 : 19 : 20. If C5 has made a profit of Rs 19 crore more than C1, then the total profit (in Rs) made by all five companies is

Options :

- ✓ 438 crore
- ✗ 435 crore
- ✗ 348 crore
- ✗ 345 crore

Question Number : 75 Question Id : 4891685627 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The number of girls appearing for an admission test is twice the number of boys. If 30% of the girls and 45% of the boys get admission, the percentage of candidates who do not get admission is

Options :

- ✗ 35
- ✗ 50
- ✗ 60
- ✓ 65

Question Number : 76 Question Id : 4891685629 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

A stall sells popcorn and chips in packets of three sizes: large, super, and jumbo. The numbers of large, super, and jumbo packets in its stock are in the ratio 7 : 17 : 16 for popcorn and 6 : 15 : 14 for chips. If the total number of popcorn packets in its stock is the same as that of chips packets, then the numbers of jumbo popcorn packets and jumbo chips packets are in the ratio

Options :

- ✓ 1 : 1
- ✗ 8 : 7
- ✗ 4 : 3
- ✗ 6 : 5

Question Number : 77 Question Id : 4891685635 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

In a market, the price of medium quality mangoes is half that of good mangoes. A shopkeeper buys 80 kg good mangoes and 40 kg medium quality mangoes from the market and then sells all these at a common price which is 10% less than the price at which he bought the good ones. His overall profit is

Options :

- ✗ 6%
- ✓ 8%
- ✗ 10%
- ✗ 12%

Question Number : 78 Question Id : 4891685697 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If Fatima sells 60 identical toys at a 40% discount on the printed price, then she makes 20% profit. Ten of these toys are destroyed in fire. While selling the rest, how much discount should be given on the printed price so that she can make the same amount of profit?

Options :

1. ✘ 30%
2. ✘ 25%
3. ✘ 24%
4. ✔ 28%

Question Number : 79 Question Id : 4891686125 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If a and b are integers of opposite signs such that $(a + 3)^2 : b^2 = 9 : 1$ and $(a - 1)^2 : (b - 1)^2 = 4 : 1$, then the ratio $a^2 : b^2$ is

Options :

1. ✘ 9 : 4
2. ✘ 81 : 4
3. ✘ 1 : 4
4. ✔ 25 : 4

Question Number : 80 Question Id : 4891686236 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

A class consists of 20 boys and 30 girls. In the mid-semester examination, the average score of the girls was 5 higher than that of the boys. In the final exam, however, the average score of the girls dropped by 3 while the average score of the entire class increased by 2. The increase in the average score of the boys is

Options :

1. ✔ 9.5
2. ✘ 10
3. ✘ 4.5
4. ✘ 6

Question Number : 81 Question Id : 4891685592 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The area of the closed region bounded by the equation $|x| + |y| = 2$ in the two-dimensional plane is

Options :

1. ✘ 4π
2. ✘ 4
3. ✔ 8
4. ✘ 2π

Question Number : 82 Question Id : 4891685670 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

From a triangle ABC with sides of lengths 40 ft, 25 ft and 35 ft, a triangular portion GBC is cut off where G is the centroid of ABC. The area, in sq ft, of the remaining portion of triangle ABC is

Options :

1. ✘ $225\sqrt{3}$

2. ✓ $\frac{500}{\sqrt{3}}$

3. ✗ $\frac{275}{\sqrt{3}}$

4. ✗ $\frac{250}{\sqrt{3}}$

Question Number : 83 Question Id : 4891686170 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Let ABC be a right-angled isosceles triangle with hypotenuse BC. Let BQC be a semi-circle, away from A, with diameter BC. Let BPC be an arc of a circle centered at A and lying between BC and BQC. If AB has length 6 cm then the area, in sq cm, of the region enclosed by BPC and BQC is

Options :

1. ✗ $9\pi - 18$

2. ✓ 18

3. ✗ 9π

4. ✗ 9

Question Number : 84 Question Id : 4891686190 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

A solid metallic cube is melted to form five solid cubes whose volumes are in the ratio 1 : 1 : 8 : 27 : 27. The percentage by which the sum of the surface areas of these five cubes exceeds the surface area of the original cube is nearest to

Options :

1. ✗ 10

2. ✓ 50

3. ✗ 60

4. ✗ 20

Question Number : 85 Question Id : 4891685730 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

A ball of diameter 4 cm is kept on top of a hollow cylinder standing vertically. The height of the cylinder is 3 cm, while its volume is $9\pi \text{ cm}^3$. Then the vertical distance, in cm, of the topmost point of the ball from the base of the cylinder is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

6

Question Number : 86 Question Id : 4891686373 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

Let ABC be a right-angled triangle with BC as the hypotenuse. Lengths of AB and AC are 15 km and 20 km, respectively. The minimum possible time, in minutes, required to reach the hypotenuse from A at a speed of 30 km per hour is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

24

Question Number : 87 Question Id : 4891685606 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Suppose, $\log_3 x = \log_{12} y = a$, where x, y are positive numbers. If G is the geometric mean of x and y , and $\log_6 G$

G is equal to

Options :

1 ✖ \sqrt{a}

2 ✖ $2a$

3 ✖ $a/2$

4 ✔ a

Question Number : 88 Question Id : 4891685654 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If $x + 1 = x^2$ and $x > 0$, then $2x^4$ is

Options :

1 ✖ $6 + 4\sqrt{5}$

2 ✖ $3 + 5\sqrt{5}$

3 ✖ $5 + 3\sqrt{5}$

4 ✔ $7 + 3\sqrt{5}$

Question Number : 89 Question Id : 4891685661 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The value of $\log_{0.008} \sqrt{5} + \log_{\sqrt{3}} 81 - 7$ is equal to

Options :

1 ✖ $\frac{1}{3}$

2 ✖ $\frac{2}{3}$

3 ✔ $\frac{5}{6}$



Question Number : 90 Question Id : 4891685792 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If $9^{2x-1} - 81^{x-1} = 1944$, then x is

Options :

- 1. ✘ 3
- 2. ✔ 9/4
- 3. ✘ 4/9
- 4. ✘ 1/3

Question Number : 91 Question Id : 4891686114 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The number of solutions (x, y, z) to the equation $x - y - z = 25$, where $x, y,$ and z are positive integers such that $x \leq 40, y \leq 12,$ and $z \leq 12$ is

Options :

- 1. ✘ 101
- 2. ✔ 99
- 3. ✘ 87
- 4. ✘ 105

Question Number : 92 Question Id : 4891686374 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

For how many integers n , will the inequality $(n - 5)(n - 10) - 3(n - 2) \leq 0$ be satisfied?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

11

Question Number : 93 Question Id : 4891686375 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

If $f_1(x) = x^2 + 11x + n$ and $f_2(x) = x$, then the largest positive integer n for which the equation $f_1(x) = f_2(x)$ has two distinct real roots, is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

24

Question Number : 94 Question Id : 4891686376 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

If $a, b, c,$ and d are integers such that $a + b + c + d = 30$, then the minimum possible value of $(a - b)^2 + (a - c)^2 + (a - d)^2$ is

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

2

Question Number : 95 Question Id : 4891686263 Question Type : SA Display Question Number : Yes

Correct : 3 Wrong : 0

Let AB, CD, EF, GH, and JK be five diameters of a circle with center at O. In how many ways can three points be chosen out of A, B, C, D, E, F, G, H, J, K, and O so as to form a triangle?

Response Type: Numeric

Evaluation Required For SA: Yes

Answers Type: Equal

Possible Answers :

160

Question Number : 96 Question Id : 4891685600 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

The shortest distance of the point $(\frac{1}{2}, 1)$ from the curve $y = |x - 1| + |x + 1|$ is

Options :

1. ✓ 1

2. ✗ 0

3. ✗ $\sqrt{2}$ 4. ✗ $\sqrt{\frac{3}{2}}$

Question Number : 97 Question Id : 4891685636 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If the square of the 7th term of an arithmetic progression with positive common difference equals the product of the 3rd and 17th terms, then the ratio of the first term to the common difference is

Options :

1. ✓ 2 : 3

2. ✗ 3 : 2

3. ✗ 3 : 4

4. ✗ 4 : 3

Question Number : 98 Question Id : 4891685686 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

In how many ways can 7 identical erasers be distributed among 4 kids in such a way that each kid gets at least one eraser but nobody gets more than 3 erasers?

Options :

1. ✓ 16

2. ✗ 20

3. ✗ 14

4. ✗ 15

Question Number : 99 Question Id : 4891686081 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

If $f(x) = \frac{5x+2}{3x-5}$ and $g(x) = x^2 - 2x - 1$, then the value of $g(f(f(3)))$ is

Options :

1. ✓ 2

2. ✗ $\frac{1}{3}$

3. ✗ 6

4. ✗ $\frac{1}{3}$

Question Number : 100 Question Id : 4891686211 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 3 Wrong : 1

Let a_1, a_2, \dots, a_{3n} be an arithmetic progression with $a_1 = 3$ and $a_2 = 7$. If $a_1 + a_2 + \dots + a_{3n} = 1830$, then what is the smallest positive integer m such that $m(a_1 + a_2 + \dots + a_n) > 1830$?

Options :

1. ✗ 8

2. ✓ 9

3. ✗ 10

4. ✗ 11